

WORKING CATALOGUE
WHITE BOOK
2023

LEDAPLUS®

A Lighting Company



**LED LIGHTING
TOTAL SOLUTION
WHITE
BOOK
2023**

First of all, LEDAPLUS are manufacturer.

Founded in 2004, LEDAPLUS has been always focus on delivering high customer value. To maintain the stable quality level all the time, LEDAPLUS choose to establish our own factory, including a machinery working shop with dozens of CNC, cutting and drilling machines, a painting working shop which can provide customized color service, and a assembly factory at a 6000 square meters site. With the manufacturing base, we can always turn the fancy designs which is created by our designing team into realistic at soonest. We have been doing this for almost 20 years and accumulate more than 2000 designs.

Secondly, LEDAPLUS are designing company and working on OEM/ODM basis.

Not only supplying stock products from the catalogue, but also we supply ODM service to our partners and distributors on projects. Just given a idea or image, we can create 3D drawing, sending quotation, making tooling and sampling. The experience and expertise gathered over decades help our partner be in advantageous position in projects.

And the last, The Premium Quality is always what LEDAPLUS persue and priority to anything else.

We supply 5 YEARS guarantee for all sold products. The quality is ensured by exact engeers, responsible workers in factory, strict QC procedure, and well-chosen high end electrical parts.

So far we have trusted partners and distributors in over 65 countries and regions.

For more information, you can visit www.ledaplus.com or send your email to info@ledaplus.com.

**“DESIGN
FOR
PURPOSE,
NOT
ONLY
GOOD
LOOKING”**



LIGHT DESIGN

RESIDENTIAL | ARCHITECTURE

A vertical strip on the left side of the image showing a modern interior lighting fixture. A black track is mounted on a white ceiling, with a single black cylindrical spotlight fixture pointing downwards, casting a warm glow. The background shows a white wall and a dark blue wall.

N FOR

A vertical strip on the right side of the image showing a lush tropical garden at night. The scene is filled with dense greenery, including large tropical leaves and a tall palm tree trunk. Several black floor lamps with conical shades are placed throughout the garden, casting a warm, ambient light. A stone path leads through the plants.

TECTURE | EXTERIOR

INDEX

RESIDENTIAL PART

8	WALL LIGHTS
134	READING LIGHTS
236	STEP LIGHTS
264	BATHROOM LIGHTS
296	PENDANT LIGHTS
452	CEILING LIGHTS
476	TABLE AND FLOOR LAMPS


ARCHITECTURE PART

494	RECESSED SPOT LIGHTS
540	GRILLE LIGHTS
566	RECESSED DOWNLIGHTS
576	SURFACE DOWNLIGHTS
650	SURFACE SPOT LIGHTS
682	TRACK LIGHTS
722	CABINET LIGHTS


EXTERIOR PART

730	OUTDOOR WALL LIGHTS
824	OUTDOOR STEP LIGHTS
850	OUTDOOR FLOOD LIGHTS
862	OUTDOOR INGROUND LIGHTS
874	GARDEN AND PATH LIGHTS
904	OUTDOOR CEILING LIGHTS

CONTENTS




WALL LIGHTS
PAGE 8-133



READING LIGHTS
PAGE 134-235




STEP LIGHTS
PAGE 236-263




BATHROOM LIGHTS
PAGE 264-295



PENDANT LIGHTS
PAGE 296-451



CEILING LIGHTS
PAGE 452-475



TABLE/FLOOR LAMPS
PAGE 476-493



**RECESSED
SPOT LIGHTS**
PAGE 494-565



**RECESSED
DOWN LIGHTS**
PAGE 566-575



**SURFACE
DOWN LIGHTS**
PAGE 576-649




**SURFACE
SPOT LIGHTS**
PAGE 650-681




TRACK LIGHTS
PAGE 682-721



CABINET LIGHTS
PAGE 722-729



OUTDOOR WALL LIGHTS
PAGE 730-823



**OUTDOOR
STEP LIGHTS**
PAGE 824-849



**OUTDOOR
FLOOD LIGHTS**
PAGE 850-861



**OUTDOOR
INGROUND LIGHTS**
PAGE 862-873




**GARDEN AND
PATH LIGHTS**
PAGE 874-903



**OUTDOOR
DOWN LIGHTS**
PAGE 904-920

HOW TO READ

Sample page



2

1



code	LWA394	3
casing	steel + aluminum/ black painting + anodized gold	4
lampping	SMD 2W / Ra>80 / 200LM	5
Beam	2700K/3000K/4000K/6000K	7
installation	IP20	8
surface customizable	white paint similar to RAL9003 black paint equal to RAL9011	11

code	LDC472	6
casing	aluminum / black painting	
lampping	COB 6W / Ra>90 / 500LM	
Beam	38 degree	
	2700K/3000K/4000K/5000K	
installation	IP65	
	cut-off dia 65mm	9
	for outdoor ceiling use	10

Descriptions

- | | | |
|---|--|--|
| 1 product photo | 5 lamp power / color rendering index
lumen output (led chips net output) | 8 installation involved icons
check below remarks |
| 2 product measurements
size line drawing | 6 lens or reflector angle
the angle listed is available,
while the number covered by grey block
is the default lens or reflector angle | 9 cut-off size for the lamp or installation
box when there is any need
only showed for recessed lamps |
| 3 product item No. | 7 led color
the CCT listed is available option,
while the CCT covered by grey block
is the default LED color | 10 comments about the lamp |
| 4 lamp material and
lamp finishing and color. | | 11 custom-made lamp finishings or colors
available |

Icons

installation positions

- wall surface mount
- ceiling surface mount
- pendant surface mount
- wall recessed mount
- ceiling recessed mount
- track installation
- inground installation
- ground surface mount
- table/floor lamp

electrical isolation classes

- class I / earth connected
- class II / without earth
connected but double
isolaton
- lamp working in low volatage

other icons

- cut-off size for recessed
installation
- fixture can be installed on
the flammable surface
- ce approved / listed
- vertical rotate angle
- horizontal rotate angle

protection degree

- IP20** protected against solid
object diameter> 12mm
no resistant to any water
- IP44** protected against solid
object diameter> 1mm
and splash-proof
- IP65** dust tight and jet-proof
- IP67** dust-tight and water-tight

FINISHINGS AND COLORS

anodization



anodized silver original



anodized silver brushed circular



anodized gold brushed circular



anodized silver brushed linear



anodized black sandblasted



anodized silver sandblasted



anodized gold sandblasted

powder coating



black paint



white paint



concrete grey

electrical plating



chrome plated

LIGHT EMISSION ANGLE

narrow beam



lens



lens /reflector



lens

spot



lens



reflector



reflector

flood



lens



reflector

wide flood



lens /reflector

DIMMING TECHNOLOGY

■ TRIAC DIMMING

Most lamp in the book can be custom made to TRIAC dimming driver / dimming from 3watt to 40watt / dimming from 10% to 100%

Compatible with most of system in the market such as SIEMENS/PHILIPS/SCHNEIDER/LUTRON/OSRAM/ABB and etc.

Compatible with trail edge and leading edge / Dimming with NO FLASHING

Need a TRIAC dimmer supplied by qualified supplier to operate the dimming system

Advantage: easy wiring, low cost system and dimmer / Disadvantage: always compatibility problems

■ 0/1-10V DIMMING

Due to the big size of 0/1-10V dimming driver, not all lamp can be changed to this type of dimming driver, please consult with our engineer for more info.

Dimming by special system and dimmer through two positive and negative control cable

Advantage: no compatibility problem / Disadvantage: high cost of system and wiring of control cable

■ DALI SYSTEM

Dimming and controlled by DALI PROTOCOL

due to the big size of the driver, not all lamp can be changed to this type of dimming driver, please consult with our engineer for more info.

Advantage: no compatibility problem, good dimming effect, long distance control / Disadvantage: high cost of system and driver


A top-down view of various modern lighting components scattered on a bed of light-colored wood shavings. The items include a black curved blade-shaped light fixture, a white square light fixture, a black cylindrical light fixture, a brass-colored light fixture, a black cable with a black rectangular connector, a white cylindrical light fixture, and a black cylindrical light fixture. The text "LED IN RESIDE" is overlaid in large white letters across the center of the image.

LED IN RESIDE





RIGHT ESSENTIAL


**LED
WALL
LIGHTS**








code **LAP427-WT**
 casing aluminum / white painting
 lamping LED 3W
 / Ra>80 / 300LM
 Beam indirect light
 2700K/**3000K**/4000K/6000K
 installation IP20




code **LAP427-BK**
 casing aluminum / black painting
 lamping LED 3W
 / Ra>80 / 300LM
 Beam indirect light
 2700K/**3000K**/4000K/6000K
 installation IP20






code **LWA440-BK**
 casing aluminum / black painting
 lamping LED 1W spot+1W acrylic diffuser
 / Ra>80 /70lm+70lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20





code **LWA440-WT**
 casing aluminum / white painting
 lamping LED 1W spot+1W acrylic diffuser
 / Ra>80 /70lm+70lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20







code **LWA434-BK**
casing aluminum / black painting
lamping LED 6W / Ra>80 / 600lm
Beam acrylic diffuser
2700K/**3000K**/4000K/6000K
installation     IP65



code **LWA435-BK**
casing aluminum / black painting
lamping LED 6W / Ra>80 / 600lm
Beam acrylic diffuser
2700K/**3000K**/4000K/6000K
installation     IP65



code **LWA436-BK**
casing aluminum / black painting
lamping LED 6W / Ra>80 / 600lm
Beam acrylic diffuser
2700K/**3000K**/4000K/6000K
installation     IP65



code **LWA434-WT**


casing aluminum / white painting

lampping LED 6W / Ra>80 / 600lm

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation     IP65



code **LWA435-WT**


casing aluminum / white painting

lampping LED 6W / Ra>80 / 600lm

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation     IP65



code **LWA436-WT**


casing aluminum / white painting


lampping LED 6W / Ra>80 / 600lm



Beam acrylic diffuser

2700K/**3000K**/4000K/6000K


installation     IP65








code **LWA434-GD**
 casing aluminum / anodized gold
 lamping LED 6W / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20




code **LWA435-GD**
 casing aluminum / anodized gold
 lamping LED 6W / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20




code **LWA436-GD**
 casing aluminum / anodized gold
 lamping LED 6W / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20







code **LWA466**
casing aluminum / anodized gold+black
lamping LED 6W / Ra>80 / 600lm
Beam acrylic diffuser
2700K/**3000K**/4000K/6000K
installation     IP20



code **LWA467**
casing aluminum / anodized gold+black
lamping LED 10W / Ra>80 / 1000lm
Beam acrylic diffuser
2700K/~~3000K~~/4000K/6000K
installation     IP20



code **LWA468**
casing aluminum / anodized gold+black
lamping LED 8W / Ra>80 / 800lm
Beam acrylic diffuser
2700K/**3000K**/4000K/6000K
installation IP20



code **LWA469**



casing aluminum / anodized gold+black

lampping LED 12W / Ra>80 / 1200lm

Beam acrylic diffuser

2700K/3000K/4000K/6000K


installation     IP20



code **LWA470**
 casing aluminum / anodized gold+black
 lamping LED 20W / Ra>80 / 2000lm
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP20

THE PIN SERIES
LED WALL
LIGHT





SOLID ALUNINUM BAR


ACRYLIC DIFFUSER

METALLIC TEXTURE

SURFACE MOUNTING

VARIED COLORS

INSTALL HORIZONTAL/VERICAL






code **LWA400-GD**
 casing Aluminum / anodized gold
 lamping cob 3W / Ra>90 / 300LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

code **LWA400-BK**
 casing Aluminum / anodized black

code **LWA400-SL**
 casing Aluminum / anodized silver

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037







code **LWA438-WT**

casing Aluminium / white painting



lamping COB 12W / wide flood
/ Ra>90 / 1000lm

Beam wide flood for wall/ceiling washer
2700K/~~3000K~~/4000K/6000K

installation     IP20



code **LWA438-BK**
casing Aluminium / black painting
lamping COB 12W / wide flood
/ Ra>90 / 1000lm
Beam wide flood for wall/ceiling washer
2700K/~~3000K~~/4000K/6000K
installation     IP20





code **LWA439-WT**

casing Aluminium / white painting

lamping COB 18W / wide flood
/ Ra>90 / 1500lm


Beam wide flood for wall/ceiling washer
2700K/**3000K**/4000K/6000K

installation     IP20




code **LWA439-BK**
casing Aluminium / black painting
lamping COB 18W / wide flood
/ Ra>90 / 1500lm
Beam wide flood for wall/ceiling washer
2700K / / 4000K / 6000K
installation     IP20








code **LWA450-BK**
 casing aluminum / black painting
 lamping COB 3W / up and down light
 / Ra>90 / 300lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA450-WT**
 casing aluminum / white painting
 lamping COB 3W / up and down light
 / Ra>90 / 300lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA450-GR**
 casing aluminum / grey painting
 lamping COB 3W / up and down light
 / Ra>90 / 300lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA450-MC**
 casing aluminum / mixed color
 lamping COB 3W / up and down light
 / Ra>90 / 300lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation     IP65





code **LWA451-BK**
 casing aluminum / black painting
 lamping COB 6W / up and down light
 / Ra>90 / 500lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation IP65



code **LWA451-WT**
 casing aluminum / white painting
 lamping COB 6W / up and down light
 / Ra>90 / 500lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation IP65




code **LWA45 1-GR**
casing aluminum / grey painting
lamping COB 6W / up and down light
/ Ra>90 / 500lm
Beam shade adjustable
2700K/**3000K**/4000K/6000K
installation     IP65




code **LWA451-MC**
casing aluminum / mixed color
lamping COB 6W / up and down light
/ Ra>90 / 500lm
Beam shade adjustable
2700K/**3000K**/4000K/6000K
installation IP65






code **LWA395**
 casing steel + aluminum
 finishing black painting + anodized gold
 lamping SMD 2W / Ra>80 / 200LM
 Beam 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 black paint equal to RAL9011




code **LWA394**
 casing steel + aluminum
 finishing black painting + anodized gold
 lamping SMD 2W / Ra>80 / 200LM
 Beam 2700K/3000K/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 black paint equal to RAL9011









code **LWA437-BK**
 casing aluminum+wood / white painting
 lamping supplied with a 4W led candle bulb / Ra>80 /280LM
 Beam 2700K/~~3000K~~/4000K/6000K
 installation     IP20
 supplied with a chain switch

code **LWA437-WT**
 casing aluminum+wood / black painting
 lamping supplied with a 4W led candle bulb / Ra>80 /280LM
 Beam 2700K/~~3000K~~/4000K/6000K
 installation     IP20
 supplied with a chain switch

code **LWA437-GR**
 casing aluminum+wood / grey painting
 lamping supplied with a 4W led candle bulb / Ra>80 /280LM
 Beam 2700K/~~3000K~~/4000K/6000K
 installation     IP20
 supplied with a chain switch








code **LWA458**
casing steel
lamping LED 3W
/ Ra>90 /270lm
Beam acrylic diffuser
2700K/~~3000K~~/4000K/6000K
installation IP20





code **LWA459**
casing steel
lamping LED 5W
/ Ra>90 /270lm
Beam acrylic diffuser
2700K/~~3000K~~/4000K/6000K
installation IP20







code LWA456
casing steel
lamping LED 3W
/ Ra>90 /270lm
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation     IP20




code LWA457
casing steel
lamping LED 5W
/ Ra>90 /430lm
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation     IP20










code **LWA443-BK**
 casing aluminum / black painting
 lamping CREE XML 6W
 / Ra>80 / 400lm
 Beam crystal glass lens /2000K
 /yellow film
 installation IP20




code **LWA444-BK**
 casing aluminum / black painting
 lamping 2xCREE XML 6W
 / Ra>80 / 800lm
 Beam crystal glass lens /2000K
 /yellow film
 installation IP20






code **LWA443-WT**
 casing aluminum / white painting
 lamping CREE XML 6W
 / Ra>80 / 400lm
 Beam crystal glass lens / 2000K
 / yellow film
 installation IP20



code **LWA444-WT**
 casing aluminum / white painting
 lamping 2xCREE XML 6W
 / Ra>80 / 800lm
 Beam crystal glass lens / 2000K
 / yellow film
 installation IP20



DECORATIVE
WALL
LIGHTS

MINIMALIST
STYLE


METALLIC
TEXTURE

SUPER
SLIM
AND
PURENESS







code **LWA389**
casing aluminum / anodized black + gold
lamping LED 6W / Ra>80 / 600LM
Beam indirect light
2700K/**3000K**/4000K/6000K
installation     IP20





code **LWA390**
casing aluminum / anodized black + gold
lamping LED 10W / Ra>80 / 1000LM
Beam indirect light
2700K/**3000K**/4000K/6000K
installation     IP20



code **LWA391**
casing aluminum / anodized black + gold
lamping LED 8W / Ra>80 / 800LM
Beam indirect light
2700K/**3000K**/4000K/6000K
installation IP20



code **LWA392**
 casing aluminum / anodized black + gold
 lamping LED 12W / Ra>80 / 1200LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation     IP20



code **LWA393**
 casing aluminum / anodized black + gold
 lamping LED 20W / Ra>80 / 2000LM
 Beam indirect light
 2700K/~~3000K~~/4000K/6000K
 installation     IP20








code **LWA360-BK**
 casing aluminum / black painting
 lamping LED 4W
 / Ra>80 /400LM
 Beam rod rotatable 350 degree
 2700K/**3000K**/4000K/6000K
 installation

code **LWA360-GD**
 casing aluminum / black painting
 +anodized gold
 lamping LED 4W
 / Ra>80 /400LM
 Beam rod rotatable 350 degree
 2700K/**3000K**/4000K/6000K
 installation

code **LWA360-WT**
 casing aluminum / white painting
 lamping LED 4W
 / Ra>80 /400LM
 Beam rod rotatable 350 degree
 2700K/**3000K**/4000K/6000K
 installation











code **LWA361-BK**
 casing aluminum / black painting
 lamping LED 9W / Ra>80 / 900LM
 Beam rod rotatable 350 degree
 2700K/**3000K**/4000K/6000K
 installation     IP20


code **LWA361-WT**
 casing aluminum / white painting





code **LWA361-GD**
 casing aluminum / black painting
 +anodized gold











code **LWA405-WT**
 casing aluminum / white painting
 lamping LED 3W / Ra>80 / 300LM
 Beam 8 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP65






code **LWA406-WT**
 casing aluminum / white painting
 lamping LED 2x3W / Ra>80 / 600LM
 Beam 8 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP65




code **LWA407-WT**
 casing aluminum / white painting
 lamping LED 4x3W / Ra>80 / 1200LM
 Beam 8 degree
 2700K/~~3000K~~/4000K/6000K
 installation     IP65








code **LWA408-WT**
 casing aluminum / white painting
 lamping LED 3W / Ra>90 / 300LM
 Beam 60 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65







code **LWA409-WT**
 casing aluminum / white painting
 lamping LED 2x3W / Ra>90 / 600LM
 Beam 60 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65



code **LWA410-WT**
 casing aluminum / white painting
 lamping LED 3x3W / Ra>90 / 900LM
 Beam 60 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA411-WT**
 casing aluminum / white painting
 lamping LED 4x3W / Ra>90 / 1200LM
 Beam 60 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA300A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 /300LM
 Beam 8 degree /
 2700K/**3000K**/4000K/6000K
 installation IP65

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **LWA300B-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>80 /600LM
 Beam 8 degree /
 2700K/**3000K**/4000K/6000K
 installation IP65

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **LWA300C-WT**

casing aluminum / white paint

lampping LED 12W / Ra>80 / 1200LM


Beam 8 degree /


2700K/3000K/4000K/6000K

installation     IP65

surface customizable  black paint equal to RAL9011


 concrete grey paint similar to RAL7037






code **LWA300D-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam 80 degree /
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037






code **LWA300E-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam 90 degree /
 2700K/3000K/4000K/6000K
 installation IP65



surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **LWA300G-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam decorative /
 2700K/**3000K**/4000K/6000K
 installation     IP65

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **LWA300F-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>90 / 500LM
 Beam 60 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP65

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **LWA300H-WT**

casing aluminum / white paint


lampping LED 6W / Ra>90 / 500LM

Beam 60 degree up / 8 degree down
2700K/3000K/4000K/6000K

installation     IP65

surface customizable  black paint equal to RAL9011

 concrete grey paint similar to RAL7037



code **LWA300J-WT**

casing aluminum / white paint


lampping LED 6W / Ra>90 / 500LM

Beam 80 degree up / 8 degree down
2700K/3000K/4000K/6000K

installation     IP65



surface customizable  black paint equal to RAL9011

 concrete grey paint similar to RAL7037











code **LWA302-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 300LM
 Beam Acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20





code **LWA303-BK**
 casing aluminum / black painting
 lamping LED 4W / Ra>80 / 400LM
 Beam Acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20




code **LWA304-BK**
 casing aluminum / black painting
 lamping LED 6W / Ra>80 / 600LM
 Beam Acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20






code **LWA302-WT**
 casing aluminum / white painting
 lamping LED 3W / Ra>80 / 300LM
 Beam Acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20



code **LWA303-WT**
 casing aluminum / white painting
 lamping LED 4W / Ra>80 / 400LM
 Beam Acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20



code **LWA304-WT**
 casing aluminum / white painting
 lamping LED 6W / Ra>80 / 600LM
 Beam Acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20





code **LWA302**
 casing aluminum / chrome plated
 lamping LED 3W / Ra>80 /300LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

code **LWA303**
 casing aluminum / chrome plated
 lamping LED 4W / Ra>80 /400LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA304**
 casing aluminum / chrome plated
 lamping LED 6W / Ra>80 /600LM
 Beam indirect light / acrylic diffuser
 2700K/3000K/4000K/6000K
 installation


surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037








code **LWA223-BK**
 casing aluminum / black painting
 lamping LED 6W / Ra>80 / 600LM
 Beam 2700K/**3000K**/4000K/6000K
 installation IP20




code **LWA222-BK**
 casing aluminum / black painting
 lamping LED 6W / Ra>80 / 600LM
 Beam 2700K/**3000K**/4000K/6000K
 installation IP20






code **LWA222-WT**
 casing aluminum / white painting
 lamping LED 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP20



code **LWA223-WT**
 casing aluminum / white painting
 lamping LED 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP20



code **LWA223**

casing aluminum / chrome plated

lampping led 6W / Ra>80 / 600LM

Beam light inside the ring /

2700K/3000K/4000K/6000K


installation     IP20

surface customizable

 black paint equal to RAL9011

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037



code **LWA222**

casing aluminum / chrome plated

lampping led 6W / Ra>80 / 600LM

Beam light inside the ring /

2700K/3000K/4000K/6000K


installation     IP20


surface customizable

 black paint equal to RAL9011

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037





LUNAR ECLIPSE

The idea of this series comes from the eclipse. The pure soft warm light comes out from the back of shiny chrome plated hemisphere, just like the lunar eclipse in the vast sky. The interesting is that we didn't make it a flat circle but a pure sphere, with half chrome plated steel hemisphere, and another half acrylic hemisphere as lighting diffuser. Of course there is a little aluminium part as the installation base, which you would not see when the whole lamps installed.

The clever part of this design is that we put the power-supply and the led chips and also the heat sink in the plated hemisphere, so that the light can disperse as much as it can to the wall and as soft as it can be.

This series are very good decoration to the wall, no matter they are lighted on or off. The sphere is solid and it is objective and beautiful no matter from which angle you have seen it. You can put two or three sizes in the same wall, and a group of three or five lamps can give the wall amazing effects.



code **LWA282**
 casing Steel / chrome plated
 lamping LED 4W / Ra>80 /400LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011



concrete grey paint similar to RAL7037

white paint similar to RAL9003



code **LWA283**
 casing Steel / chrome plated
 lamping LED 4W / Ra>80 /400LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011



concrete grey paint similar to RAL7037

white paint similar to RAL9003



code **LWA284**
 casing Steel / chrome plated
 lamping LED 6W / Ra>80 /600LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011



concrete grey paint similar to RAL7037

white paint similar to RAL9003



code **LWA228A-BK**

casing Steel cover / black paint


lampping LED 4W / Ra>80 / 400LM

Beam acrylic diffuser


2700K/3000K/4000K/6000K

installation     IP20

cover customizable  aluminum cover in any color

consult with our sale manager  stainless steel nickle/gold cover

other material other color



code **LWA228A-WT**

casing Steel cover / white paint


lampping LED 4W / Ra>80 / 400LM

Beam acrylic diffuser


2700K/3000K/4000K/6000K


installation     IP20

cover customizable  aluminum cover in any color


consult with our sale manager  stainless steel nickle/gold cover

other material other color





LWA228B



LWA228C



LWA228D



LWA228E

code **LWA228B/C/D/E**

casing nickle stainless steel cover

lamping LED 4W / Ra>80 /400LM

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation     IP20







cover customizable consult with our sale manager

cover material customizable  aluminum cover in any color


 stainless steel nickle/gold cover

cover can be laser cut with any number or any character










code **LWA295A-WT**
LWA295A-BK

casing aluminum / steel cover / white paint / black paint

lampping LED 3W / Ra>80 /300LM

Beam indirect light / acrylic diffuser
2700K/~~3000K~~/4000K/6000K

installation IP20




code **LWA296A-WT**
LWA296A-BK

casing aluminum / steel cover / white paint / black paint

lampping LED 6W / Ra>80 /600LM

Beam indirect light / acrylic diffuser
2700K/~~3000K~~/4000K/6000K

installation IP20




code **LWA294A-WT**
LWA294A-BK

casing aluminum / steel cover / white paint / black paint

lampping LED 9W / Ra>80 /900LM

Beam indirect light / acrylic diffuser
2700K/~~3000K~~/4000K/6000K

installation IP20



code **LWA295B**

casing aluminum base/white paint
stainless steel cover / nickle

lampping LED 3W / Ra>80 /300LM


Beam indirect light / acrylic diffuser
2700K/~~3000K~~/4000K/6000K

installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing



code **LWA295C**

casing aluminum base/white paint
stainless steel cover / nickle

lampping LED 3W / Ra>80 /300LM


Beam indirect light / acrylic diffuser
2700K/~~3000K~~/4000K/6000K

installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing



code **LWA296B**

casing aluminum base/white paint
stainless steel cover / nickle

lampping LED 6W / Ra>80 /600LM


Beam indirect light / acrylic diffuser
2700K/~~3000K~~/4000K/6000K

installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing



code **LWA294C**

casing aluminum base/white paint
stainless steel cover / nickle

lampping LED 9W / Ra>80 /900LM


Beam indirect light / acrylic diffuser
2700K/~~3000K~~/4000K/6000K

installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing



code **LWA294B**

casing aluminum base/white paint
stainless steel cover / nickle

lampping LED 9W / Ra>80 /900LM


Beam indirect light / acrylic diffuser
2700K/~~3000K~~/4000K/6000K



installation IP20

surface customizable material steel

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

cover customized to be any drawing






code **LWA318-WT**
 casing steel sheet / white paint / aluminum heat sink
 lamping LED 18W / Ra>80 / 1800LM
 Beam indirect light / 2700K/3000K/4000K/6000K
 installation     IP20

code **LWA318-GR**
 casing steel sheet / grey paint

Related product type
 ceiling surface mount / pendant








code **LWA243**
 casing aluminum / anodized black
 lamping LED 10W / Ra>80 / 1000LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation IP20 90°

surface customizable

- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized silver brushed linear






code **LWA244**
 casing aluminum / anodized black
 lamping LED 10W / Ra>80 / 1000LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation     IP20  90°

surface customizable

-  white paint similar to RAL9003
-  concrete grey paint similar to RAL7037
-  anodized silver brushed linear






code [LWA387-BK](#) / [LWA387-WT](#)



casing aluminum / black painting / white painting / lamping Gu10 socket Max 50w / surface mount


installation     IP20 / bulb not included / Gu10 5W LED Bulb recommended











code [LWA387-SL](#) / [LWA387-GD](#)


casing aluminum / anodized silver / anodized gold / lamping Gu10 socket Max 50w / surface mount





installation     IP20 / bulb not included / Gu10 5W LED Bulb recommended







code **LWA388-WT**
casing aluminum / white painting
lamping 2xGu 10 socket / bulb not included
Gu 10 5W LED Bulb recommended
installation     IP20

code **LWA388-SL**
casing aluminum / anodized silver
lamping 2xGu 10 socket / bulb not included
Gu 10 5W LED Bulb recommended
installation     IP20



code **LWA388-BK**
casing aluminum / black painting
lamping 2xGu 10 socket / bulb not included
Gu 10 5W LED Bulb recommended
installation     IP20




code **LWA388-GD**
casing aluminum / anodized gold
lamping 2xGu 10 socket / bulb not included
Gu 10 5W LED Bulb recommended
installation     IP20




code **LWA264**
 casing aluminum / white paint
 lamping cob 5W / Ra>90 / 430LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **LWA265**
 casing aluminum / white paint
 lamping cob 2x6W / Ra>90 / 1000LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037







code **LWA266**
 casing aluminum / white paint
 lamping cob 4x6W / Ra>90 / 2000LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation IP20


surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037











code **LWA267**
 casing aluminum / white paint
 lamping cob 12W / Ra>90 / 900LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation     IP20


surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **LWA268**
 casing aluminum / white paint
 lamping cob 2x12W / Ra>90 / 1800LM
 Beam 23 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037








code **DS031-BK**
 casing aluminum / black painting
 lamping Gu10 socket supplied with
 a 5W LED bulb/ Ra>80 /430LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20

surface customizable


- concrete grey paint similar to RAL7037
- anodized gold brushed circular





code **DS032-BK**
 casing aluminum / black painting
 lamping 2xGu10 socket supplied with
 2x 5W LED bulbs/ Ra>80 /860LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20

surface customizable


- concrete grey paint similar to RAL7037
- anodized gold brushed circular



code **DS032-WT**
 casing aluminum / white painting
 lamping 2xGu10 socket supplied with
 2x 5W LED bulbs/ Ra>80 /860LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20



surface
 customizable


-  concrete grey paint
 similar to RAL7037
-  anodized gold
 brushed circular



code **DS031-WT**
 casing aluminum / white painting
 lamping Gu10 socket supplied with
 a 5W LED bulb/ Ra>80 /430LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20

surface
 customizable



-  concrete grey paint
 similar to RAL7037
-  anodized gold
 brushed circular



code **DS031-SL**
 casing aluminum / anodized silver
 lamping Gu10 socket supplied with
 a 5W LED bulb/ Ra>80 /430LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20

surface
 customizable


- concrete grey paint
similar to RAL7037
- anodized gold
brushed circular






code **DS032-SL**
 casing aluminum / anodized silver
 lamping 2xGu10 socket supplied with
 2x 5W LED bulbs/ Ra>80 /860LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20


surface
 customizable

- concrete grey paint
similar to RAL7037
- anodized gold
brushed circular







code **LWA165**
 casing aluminum / anodized silver
 lamping LED 6W / Ra>80 / 240LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation     IP20



surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037






code **LWA164**
 casing aluminum / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam no lense /
 2700K/3000K/4000K/6000K
 installation     IP20


surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037









code **LWA183**
 casing aluminum / anodized silver
 lamping LED 2W / Ra>80 / 140LM
 Beam no lense /
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA182**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam no lense /
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA184**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam no reflector /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA185**
 casing aluminum / anodized silver
 lamping COB 10W / Ra>90 / 860LM
 Beam no reflector /
 2700K/3000K/4000K/6000K
 installation     IP20

surface customizable  black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **LWA270-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam no lense / acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation IP20


surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **LWA269-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam no lense / acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037





code **LWA166**

casing steel / white painting

lampping LED 1W / Ra>80 / 70LM



Beam 8 degree /

2700K/3000K/4000K/6000K


installation     IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037







code **LWA167**
 casing steel / white painting
 lamping LED 2x1W / Ra>80 / 140LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP20


surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037






code **LWA159**
 casing steel / white painting
 lamping LED 1X1W / Ra>80 /70LM
 Beam 8 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **LWA160**
 casing steel / white painting
 lamping LED 2X1W / Ra>80 /140LM
 Beam 8 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **LWA161**

casing steel / white painting




lamping LED 4X1W / Ra>80 /280LM

Beam 8 degree /

2700K/~~3000K~~/4000K/6000K


installation      IP20

surface customizable  black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **LWA156**
 casing steel / white painting
 lamping LED 2X1W / Ra>80 /140LM
 Beam 8 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **LWA157**
 casing steel / white painting
 lamping LED 3X1W / Ra>80 /210LM
 Beam 8 degree /
 2700K/~~3000K~~/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **LWA158**


casing steel / white painting

lampping LED 4X1W / Ra>80 /280LM

Beam 8 degree /


2700K/**3000K**/4000K/6000K

installation      IP20

surface customizable  black paint equal to RAL9011

 concrete grey paint similar to RAL7037






code **LWA276-SL**
 casing Aluminium / anodized silver
 lamping LED 3W / Ra>80 / 120LM
 Beam 8 degree /
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **LWA277-SL**
 casing Aluminium / anodized silver
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 8 degree up/ 8 degree down
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable black paint equal to RAL9011
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **LWA276-BK**
 casing Aluminium / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 8 degree /
 2700K/**3000K**/4000K/6000K
 installation





surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **LWA277-BK**
 casing Aluminium / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 8 degree up/ 8 degree down
 2700K/**3000K**/4000K/6000K
 installation

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **LWA278-SL**
 casing Aluminium / anodized silver
 lamping up LED 3W / Ra>80 / 120LM
 down cob 6W / Ra>90 / 440lm
 Beam 8 degree up / 38 degree down
 2700K / 3000K / 4000K / 6000K
 installation     IP20



code **LWA278-BK**
 casing Aluminium / anodized black

surface
 customizable


-  black paint
 equal to RAL9011
-  white paint
 similar to RAL9003
-  concrete grey paint
 similar to RAL7037




DC12V
INPUT
LED MINI
DECORATIVE
LIGHT




code **LWA324-BK**
 casing aluminum / black painting
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20





code **LWA324-WT**
 casing aluminum / white painting
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20




code **LWA324-SL**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20





code **LWA324-GR**
 casing aluminum / grey painting
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20





code **LWA325-BK**
 casing aluminum / black painting
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount



code **LWA325-WT**
 casing aluminum / white painting
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount





code **LWA325-SL**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount


code **LWA325-GR**
 casing aluminum / grey painting
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount


code **LWA326-BK**
 casing aluminum / black painting
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◊ CE ▽ IP20




code **LWA326-WT**
 casing aluminum / white painting
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◊ CE ▽ IP20




code **LWA326-SL**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◊ CE ▽ IP20




code **LWA326-GR**
 casing aluminum / grey painting
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree / 2700K/**3000K**
 /4000K/6000K
 lamp input DC 12V/Parallel connection
 max 300pcs
 installation surface mount
 ■ ■ ◊ CE ▽ IP20




code **LWA328-BK**
 casing aluminum / black painting
 lamping LED 2W / Ra>80 / 140LM
 Beam 30 degree / 2700K/3000K / 4000K/6000K
 lamp input DC 12V/Parallel connection
 max 150pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20



code **LWA328-WT**
 casing aluminum / white painting
 lamping LED 2W / Ra>80 / 140LM
 Beam 30 degree / 2700K/3000K / 4000K/6000K
 lamp input DC 12V/Parallel connection
 max 150pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20




code **LWA328-SL**
 casing aluminum / anodized silver
 lamping LED 2W / Ra>80 / 140LM
 Beam 30 degree / 2700K/3000K / 4000K/6000K
 lamp input DC 12V/Parallel connection
 max 150pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20







code **LWA328-GR**
 casing aluminum / grey painting
 lamping LED 2W / Ra>80 / 140LM
 Beam 30 degree / 2700K/3000K / 4000K/6000K
 lamp input DC 12V/Parallel connection
 max 150pcs
 installation surface mount
 ■ ■ ◆ CE ▽ IP20

DC 12V SERIES INSTALLATION




Lamp in a parallel circuit





LED READING LIGHTS

**FOR
BEDROOM**



THE BEST READING LAMP EVER DESIGNED
 360 DEGREE FREE TURNING
 DEEP RECESSED LIGHT
 FOR ANTI-GLARE PURPOSE
 TURNING BACK AND SWITCHED OFF
 SMART AND EASY INSTALLATION
 BY SCREWING IN ONE NUT
 SMALL/BIG TWO SIZES OPTIONAL

code **LWA321-CR**
 casing aluminum / chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation  IP20
 cut-off 125x35mm
 by 105mm depth hole for
 installation box and driver

supplied with installation box and driver


with built-in switch, when head pressed
 in, the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down

code **LWA321-BK**
 casing aluminum / black paint

code **LWA321-WT**
 casing aluminum / white paint

code **LWA321-BG**
 casing aluminum / brushed and gold plated-matte





LWA321-WT




LWA321-BK




LWA321-BG


HOW IT WORKS




STEP 1
Cut hole
pattern on the
wall




STEP 2
Put the
driver
and
connect to the
main




STEP 3
Fix the
metal
parts to the
lamp
with the
long nut



STEP 3
Connect
the lamp
with the
driver



STEP 4
Put the
lamp into
the hole
drive the
screw to the
opposite
direction
to fasten
the metal
part



STEP 5
Pull out
the lamp
head and light
it on

THE BEST READING LAMP EVER DESIGNED
 360 DEGREE FREE TURNING
 DEEP RECESSED LIGHT
 FOR ANTI-GLARE PURPOSE
 TURNING BACK AND SWITCHED OFF
 SMART AND EASY INSTALLATION
 BY SCREWING IN ONE NUT
 CHROME /GOLD PLATED
 BLACK / WHITE PAINTING
 FOUR FINISHINGS AVAILABLE
 SMALL/BIG TWO SIZES OPTIONAL



code **LWA322-BK**

casing stainless steel+ aluminum
 black painting


code **LWA322-WT**

casing stainless steel+ aluminum
 white painting

lamp LED 3W / Ra>80 / 120LM

Beam 30degree /
 2700K/3000K/4000K/6000K

Installation     IP20

 cut-off 150x45mm
 by 105mm depth hole for
 installation box and driver

supplied with installation box and driver

with built-in switch, when head pressed
 in ,the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down

code **LWA322-CR**


casing stainless steel+ aluminum
 chrome plated

code **LWA322-NK**

casing stainless steel+ aluminum
 brushed and nickle paltd-matte

code **LWA322-HG**

casing stainless steel+ aluminum
 copper paltd and brushed -matte





LWA322-CR




LWA322-NK




LWA322-HG


HOW IT WORKS




STEP1
Cut hole
pattern on
the wall




STEP2
Put the
driver and
connect to
the main




STEP3
Fix the
metal
parts to
the lamp
with the
long nut



STEP3
Connect
the lamp
with the
driver




STEP4
Put the
lamp into
the hole
drive the
screw to the
opposite
direction
to fasten
the metal
part




STEP5
Pull out
the lamp
head and
light it
on







code **LWA544-BK**
 casing steel+aluminum / black painting
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off 145x50mm
 required cupboard thickness: 5-20mm



code **LWA544-WT**
 casing steel+aluminum / white painting
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off 145x50mm
 required cupboard thickness: 5-20mm




code **LWA545-BK**
 casing steel+aluminum / black painting
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off 170x55mm
 required cupboard thickness: 5-20mm




code **LWA545-WT**
 casing steel+aluminum / white painting
 lamping LED 3W / Ra>80 /120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off 170x55mm
 required cupboard thickness: 5-20mm







code **LWA540-BK**
 casing steel+aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation



code **LWA540-WT**
 casing steel+aluminum / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation




code **LWA541-BK**
 casing steel+aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation




code **LWA541-WT**
 casing steel+aluminum / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation







code **LWA542-BK**
 casing steel+aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation IP20



code **LWA542-WT**
 casing steel+aluminum / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation IP20





code **LWA543-BK**
 casing steel+aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation IP20










code **LWA543-WT**
 casing steel+aluminum / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation IP20



SURFACE MOUNT
LED READING LIGHT
WITH USB CHARGER



code **LWA539-BK**
 casing steel+aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Supplied with a 5V/2.1A USB charge port

code **LWA539-WT**
 casing steel+aluminum / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Supplied with a 5V/2.1A USB charge port





LWA219-BK



LWA219-WT



LWA219-SL



LWA219-CR



LWA220-BK




LWA220-WT



LWA220-SL



LWA220-CR



code **LWA219-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation IP20

cut-off dia80mm
 by 60mm depth hole for
 installation box and driver



supplied with installation box and driver



with built-in switch, when head pressed
 in, the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down




code **LWA219-BK**
 casing aluminum / black paint

code **LWA219-CR**
 casing aluminum / chrome plated



code **LWA219-SL**
 casing aluminum / anodized silver



code **LWA220-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K

installation IP20

cut-off dia80mm
 by 60mm depth hole for
 installation box and driver



supplied with installation box and driver



with built-in switch, when head pressed
 in, the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down




code **LWA220-BK**
 casing aluminum / black paint

code **LWA220-CR**
 casing aluminum / chrome plated




code **LWA220-SL**
 casing aluminum / anodized silver


HOW IT WORKS




STEP1
 Cut hole
 pattern
 on the wall




STEP2
 Put the
 driver
 and
 connect
 the main




STEP3
 Connect
 the lamp
 to the
 driver



STEP6
 Turn on
 the main
 and press
 to light
 it on



STEP5
 Fix the
 cover to
 the
 installed
 lamp



STEP4
 Fix the
 lamp
 with
 screws



LWA319-WT



LWA320-WT



LWA319-BK



LWA320-BK



LWA319-SL




LWA320-SL



LWA319-CR



LWA320-CR



SMALLER VERSION FOR LWA219 SERIES



code **LWA319-WT**
 casing aluminum / white paint
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K



installation IP20
 cut-off dia55mm
 by 60mm depth hole for
 installation box and driver



supplied with installation box and driver



with built-in switch, when head pressed
 in ,the light switched off


the head can be rotated 350 degree
 left and right, 90 degree up and down

code **LWA319-BK**
 casing aluminum / black paint

code **LWA319-CR**
 casing aluminum / chrome plated

code **LWA319-SL**
 casing aluminum / anodized silver

code **LWA319-RG**
 casing aluminum / anodized rose gold



SMALLER VERSION FOR LWA220 SERIES



code **LWA320-WT**
 casing aluminum / white paint
 lamping LED 1W / Ra>80 /70LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K



installation IP20
 cut-off dia55mm
 by 60mm depth hole for
 installation box and driver



supplied with installation box and driver



with built-in switch, when head pressed
 in ,the light switched off

the head can be rotated 350 degree
 left and right, 90 degree up and down


code **LWA320-BK**
 casing aluminum / black paint

code **LWA320-CR**
 casing aluminum / chrome plated


code **LWA320-SL**
 casing aluminum / anodized silver

code **LWA320-RG**
 casing aluminum / anodized rose gold


HOW IT WORKS




STEP1
 Cut hole
 pattern
 on the wall




STEP2
 Put the
 driver
 and
 connect
 the main




STEP3
 Connect
 the lamp
 to the
 driver



STEP6
 Turn on
 the main
 and press
 to light
 it on




STEP5
 Fix the
 cover
 to the
 installed
 lamp




STEP4
 Fix the
 lamp
 with
 screws


LWA219 SERIES
SURFACE MOUNT VERSION




code **LWA475-WT**
 casing aluminum / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 Customizable with USB charge port



code **LWA477-WT**
 casing aluminum / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 Customizable with USB charge port



code **LWA475-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 Customizable with USB charge port



code **LWA477-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 Customizable with USB charge port








code **LWA330-BK**
 casing aluminum
 finishing black painting
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation surface mount




▲ Net Weight 0.41kg



code **LWA330-WT**
 casing aluminum
 finishing white painting
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation surface mount



▲ Net Weight 0.41kg






code **LWA330-GD**
 casing aluminum
 finishing Anodized brushed gold
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/~~3000K~~/4000K/6000K
 Input AC220-240V
 installation surface mount




▲ Net Weight 0.41kg




code **LWA330-CR**
 casing aluminum
 finishing Chrome plated
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/~~3000K~~/4000K/6000K
 Input AC220-240V
 installation surface mount



▲ Net Weight 0.41kg





code **LWA373-BK**

casing aluminum / black painting

lampping LED 3W / Ra>80 / 120LM

Beam 30 degree

2700K/3000K/4000K/6000K

installation IP20

recessed cut-off 110X35mm


code **LWA373-WT**

casing aluminum / white painting

code **LWA373-SL**

casing aluminum / anodized silver





code **LWA331-WT**

white paint
similar to RAL9003

code **LWA331-GD**

anodized gold
brushed circular

code **LWA331-SL**

anodized silver
brushed circular

code **LWA331-BK**

black paint
equal to RAL9011

casing aluminum

finishing black/white painting
anodized gold/silver

lampping CREE COB 1304 3W

Lumens 240LM

CRI Ra>90

Beam 23 degree/with frosted cover

lamp color 2700K/3000K/4000K/6000K


Input AC220-240V

installation surface mount



▲ Net Weight 0.5kg





code **LWA333-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation


code **LWA333-WT**
 casing aluminum / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation



code **LWA333-CR**
 casing aluminum / chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation

code **LWA333-GD**
 casing aluminum / golden plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation







code **LWA374-BK**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 23 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **LWA374-WT**
 casing aluminum / white painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 23 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **LWA374-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam 23 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off dia35mm

code **LWA374-GD**
 casing aluminum / anodized gold
 lamping COB 5W / Ra>90 / 430LM
 Beam 23 degree
 2700K/**3000K**/4000K/6000K
 installation IP20
 recessed cut-off dia35mm







code **LWA323-WT**
 casing aluminum
 finishing white painting
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC220-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manul below



code **LWA323-BK**
 casing aluminum
 finishing black painting
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC220-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manul below



▲ Net Weight 1.07kg

▲ Net Weight 1.07kg







code **LWA323-CR**
 casing aluminum
 finishing Chrome plated
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC220-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manuel below


code **LWA323-GD**
 casing aluminum
 finishing gold plated
 lamping CREE XPE 1X3W
 Lumens 120LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC220-240V
 installation Recessed wall mount
 cut-off 180x70x75mm
 check manuel below



▲ Net Weight 1.07kg

▲ Net Weight 1.07kg





super slim surface mount reading light

code **LWA376-BK**

casing aluminum / black painting


lamping LED 3W/ Ra>80 / 120LM

Beam 30 degree

2700K/3000K/4000K/6000K

installation     IP20

lamp arm rotatable 180 degree from one side to another, and the head rotatable 350 degree



super slim surface mount reading light

code **LWA376-WT**

casing aluminum / black painting


lamping LED 3W/ Ra>80 / 120LM

Beam 30 degree

2700K/3000K/4000K/6000K


installation     IP20

lamp arm rotatable 180 degree from one side to another, and the head rotatable 350 degree



code **LWA187-BK**
 casing aluminum / anodized black
 lamping cob 5W / Ra>90 / 430LM
 Beam 38 degree /
 2700K/**3000K**/4000K/6000K
 installation **CE** **IP20**

surface customizable concrete grey paint similar to RAL7037
 anodized silver brushed circular
 anodized gold brushed circular



code **LWA187-WT**
 casing aluminum / white painting
 lamping cob 5W / Ra>90 / 430LM
 Beam 38 degree /
 2700K/**3000K**/4000K/6000K
 installation **CE** **IP20**


surface customizable concrete grey paint similar to RAL7037
 anodized silver brushed circular
 anodized gold brushed circular





code **LWA200-BK**
casing aluminum / anodized silver
lamping LED 3W / Ra>80 / 120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation      IP20


code **LWA200-WT**
casing aluminum / White paint








code **LWA205**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20



surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA206**
 casing aluminum / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20



surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA203**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20



surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA204**
 casing aluminum / anodized black
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20



surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037






code **LWA232A-BK**
 casing aluminum / anodized black
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20

surface customizable white paint similar to RAL9003
 anodized silver brushed linear
 chrome plated


with touching sensor switch



code **LWA231A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20

surface customizable anodized black sandblasted
 anodized silver brushed linear
 chrome plated

with touching sensor switch




code **LWA230A-BK**
 casing aluminum / black paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 installation

supplied with installation box and driver

with touching sensor switch

cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.



code **LWA230A-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/**3000K**/4000K/6000K
 installation

supplied with installation box and driver

with touching sensor switch

cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llatoin.




code **LWA230A-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

supplied with installation box and driver

with touching sensor switch

surface customizable white paint similar to RAL9003
 black paint equal to RAL9011



cut-off dia80mm by 60mm depth hole for installation box and driver

if there is no enough space for the box, we can supply an aluminum ring for installation.




code **LWA230-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

supplied with installation box and driver

with touching sensor switch

surface customizable white paint similar to RAL9003
 black paint equal to RAL9011



cut-off dia80mm by 60mm depth hole for installation box and driver

if there is no enough space for the box, we can supply an aluminum ring for installation.






code **LWA260-BK**
 casing aluminum / black paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

supplied with installation box and driver
 with touching sensor switch

the head can be rotated 350 degree
 left and right, 90 degree up and down

surface customizable anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llation.




code **LWA260-WT**
 casing aluminum / white paint
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

supplied with installation box and driver
 with touching sensor switch

the head can be rotated 350 degree
 left and right, 90 degree up and down

surface customizable anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llation.



code **LWA260-CR**
 casing aluminum / Chrome plated
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 installation IP20

supplied with installation box and driver
 with touching sensor switch


the head can be rotated 350 degree
 left and right, 90 degree up and down

surface customizable anodized silver brushed circular
 anodized gold brushed circular
 concrete grey paint similar to RAL7037



cut-off dia80mm
 by 60mm depth hole for
 installation box and driver

if there is no enough space
 for the box, we can supply
 an aluminum ring for insta-
 llation.




cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llation.

code **LWA259-BK**
casing aluminum / black paint
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20
supplied with installation box and driver

with touching sensor switch
the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable anodized silver brushed circular
anodized gold brushed circular
concrete grey paint similar to RAL7037




cut-off dia80mm
by 60mm depth hole for
installation box and driver

if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llation.

code **LWA259-WT**
casing aluminum / white paint
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20
supplied with installation box and driver

with touching sensor switch
the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable anodized silver brushed circular
anodized gold brushed circular
concrete grey paint similar to RAL7037



cut-off dia80mm
by 60mm depth hole for
installation box and driver




if there is no enough space
for the box, we can supply
an aluminum ring for insta-
llation.

code **LWA259-CR**
casing aluminum / Chrome plated
lamping LED 3W / Ra>80 /120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation IP20
supplied with installation box and driver

with touching sensor switch
the head can be rotated 350 degree
left and right, 90 degree up and down

surface customizable anodized silver brushed circular
anodized gold brushed circular
concrete grey paint similar to RAL7037





code **LWA315-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K

code **LWA315-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K

code **LWA315-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / **30** degree
 lamp color 2700K/**3000K**/4000K/6000K




with touching sensor switch


with touching sensor switch

with touching sensor switch


lens available



lens available




lens available



surface customizable
 anodized silver brushed circular
 anodized gold sandblasted
 concrete grey paint similar to RAL7037

surface customizable
 anodized silver brushed circular
 anodized gold sandblasted
 concrete grey paint similar to RAL7037

surface customizable
 anodized silver brushed circular
 anodized gold sandblasted
 concrete grey paint similar to RAL7037




code **LWA317-WT**
 casing aluminum+beech
 finishing white paint
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **LWA317-BK**
 casing aluminum+beech
 finishing anodized black
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K




with touching sensor switch

lens available



surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037




code **LWA317-CR**
 casing aluminum+beech
 finishing chrome plated
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K



with touching sensor switch


lens available




surface customizable

- anodized silver brushed circular
- anodized gold sandblasted
- concrete grey paint similar to RAL7037







code **LWA423-WT**
 casing aluminum / white painting
 lamping led 3W
 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with 2pcs 5V/1A USB charger
 and touching switch on the base



code **LWA423-BK**
 casing aluminum / black painting
 lamping led 3W
 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with 2pcs 5V/1A USB charger
 and touching switch on the base




code **LWA424-BK**
 casing aluminum / black painting
 lamping led 3W
 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with 2pcs 5V/1A USB charger
 and touching switch on the base




code **LWA424-WT**
 casing aluminum / white painting
 lamping led 3W
 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with 2pcs 5V/1A USB charger
 and touching switch on the base






code **LWA428-BK**
 casing aluminum / black painting
 lamping LED 3W
 / Ra>80 /300LM
 Beam indirect light
 2700K/**3000K**/4000K/6000K
 installation     IP20
 supplied with a 5V/1A USB charger
 and press bottom switch



code **LWA428-WT**
 casing aluminum / white painting
 lamping LED 3W
 / Ra>80 /300LM
 Beam indirect light
 2700K/**3000K**/4000K/6000K
 installation     IP20
 supplied with a 5V/1A USB charger
 and press bottom switch





code **LWA297-WT**
 casing aluminum / white paint
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/**3000K**/4000K/6000K
 installation IP20

surface customizable chrome plated
 concrete grey paint similar to RAL7037


code **LWA297-BK**
 casing aluminum / black paint

code **LWA297-GD**
 casing aluminum / anodized gold
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/**3000K**/4000K/6000K
 installation IP20


surface customizable chrome plated
 concrete grey paint similar to RAL7037

code **LWA297-SL**
 casing aluminum / anodized silver






horizontal installation
spot on the right




horizontal installation
spot on the left



vertical
installation

350°a




code **LWA449-BK**

casing aluminum+acrylic / black painting


lamping SMD 1.5W for acrylic+3W for spot
/ Ra>80 /270lm+120LM

Beam 30 degree for the spot
2700K/3000K/4000K/6000K


installation     IP20




horizontal installation
spot on the right




horizontal installation
spot on the left




vertical
installation




code **LWA449-WT**
 casing aluminum+acrylic / white painting
 lamping SMD 1.5W for acrylic+3W for spot
 / Ra>80 /270lm+120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation     IP20







code **LWA447-BK**
 casing steel / black painting
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/**3000K**/4000K/6000K
 installation IP20



code **LWA447-WT**
 casing steel / white painting
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/**3000K**/4000K/6000K
 installation IP20




code **LWA447-GD**
 casing stainless steel gold
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/**3000K**/4000K/6000K
 installation IP20




code **LWA447-CR**
 casing stainless steel
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/**3000K**/4000K/6000K
 installation IP20







code **LWA448-WT**
 casing steel / white painting
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 with 2 pieces of 5V/1A USB charger



code **LWA448-BK**
 casing steel / black painting
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 with 2 pieces of 5V/1A USB charger




code **LWA448-GD**
 casing stainless steel gold
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 with 2 pieces of 5V/1A USB charger




code **LWA448-CR**
 casing stainless steel
 lamping LED 4W
 / Ra>80 / 400lm
 Beam white glass shade
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 with 2 pieces of 5V/1A USB charger






code **LWA496-BK**
 casing aluminum / black painting
 lamping spot 3W / Ra>80 / 120LM
 back light 3W / Ra>80 / 300LM
 Beam 30 degree for spot
 acrylic diffuser for back light
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 Supplied with two switches on the bottom
 Supplied with a 5V/2A USB charge port




code **LWA496-WT**
 casing aluminum / white painting
 lamping spot 3W / Ra>80 / 120LM
 back light 3W / Ra>80 / 300LM
 Beam 30 degree for spot
 acrylic diffuser for back light
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 Supplied with two switches on the bottom
 Supplied with a 5V/2A USB charge port



code **LWA497-BK**
 casing aluminum / black painting
 lamping spot 3W / Ra>80 / 120LM
 back light 3W / Ra>80 / 300LM
 Beam 30 degree for spot
 acrylic diffuser for back light
 2700K/3000K/4000K/6000K
 installation IP20

Supplied with two switches on the bottom
 Supplied with a 5V/2A USB charge port







code **LWA497-WT**
 casing aluminum / white painting
 lamping spot 3W / Ra>80 / 120LM
 back light 3W / Ra>80 / 300LM
 Beam 30 degree for spot
 acrylic diffuser for back light
 2700K/3000K/4000K/6000K
 installation IP20


Supplied with two switches on the bottom
 Supplied with a 5V/2A USB charge port







SURFACE MOUNT
LED READING LIGHT
WITH USB CHARGER
AND PHONE HOLDER




code **LWA498-BK**
 casing steel+aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Supplied with 2pcs 5V/1A USB charge port




code **LWA498-WT**
 casing steel+aluminum / white painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Supplied with 2pcs 5V/1A USB charge port








code **LWA499-BK**
 casing steel+aluminum / black painting
 lamping cob 3W / Ra>90 / 270LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20
 Supplied with a switch on the bottom



code **LWA499-WT**
 casing steel+aluminum / white painting
 lamping cob 3W / Ra>90 / 270LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20
 Supplied with a switch on the bottom










code **LWA501-BK**
 casing aluminum / black painting
 lamping led 4W / Ra>97 / 400LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with a switch on base
 Full Spectrum LED chips adopted

code **LWA501-WT**
 casing aluminum / white painting
 lamping led 4W / Ra>97 / 400LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with a switch on base
 Full Spectrum LED chips adopted

code **LWA501-GD**
 casing aluminum / brushed gold
 lamping led 4W / Ra>97 / 400LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with a switch on base
 Full Spectrum LED chips adopted






code **LWA495-WT**
casing steel+aluminum / black painting
lamping spot 3W / Ra>80 / 120LM
Flood 4W / Ra>80 / 400LM
Beam glass diffuser/30 degree for spot
2700K/~~3000K~~/4000K/6000K
installation     IP20

code **LWA495-BK**
casing steel+aluminum / black painting

Supplied with two switches on the bottom
Supplied with a 5V/2A USB charge port
Horizontal and Vertical installation allowed
Reverse to opposite the spot and glass shade






code **LWA335-WT**
 casing steel+fabric / white painting
 lamping LED 3W+E14 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20

code **LWA335-CR**
 casing steel+fabric / chrome plated
 lamping LED 3W+E14 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20

code **LWA335-BK**
 casing steel+fabric / black painting
 lamping LED 3W+E14 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20

surface customizable concrete grey paint similar to RAL7037






code [LWA375-BK](#)
 casing steel+fabric / black painting
 lamping LED 3W+E14 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20


code [LWA375-WT](#)
 casing steel+fabric / white painting
 lamping LED 3W+E14 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20

code [LWA375-CR](#)
 casing steel+fabric / chrome plated
 lamping LED 3W+E14 / Ra>80 / 120LM
 Beam 30 degree for the spot
 2700K/3000K/4000K/6000K
 installation IP20


Supplied with a 4W E14 LED bulb




Spot on the right side




Spot on the right side




Spot on the bottom side








swing the arm and the spot
to change the installation









code **LWA334A-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/~~3000K~~/4000K/6000K
 installation     IP20




code **LWA334A-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20







horizontal installation




vertical installation

code **LWA334S-BK**
 casing steel / black painting
 lamping LED 3W spot+3W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/~~3000K~~/4000K/6000K
 installation IP20

code **LWA334S-WT**
 casing steel / white painting
 lamping LED 3W spot+3W background light
 / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot
 2700K/~~3000K~~/4000K/6000K
 installation IP20






wireless charging board
on the bottom

code **LWA42 1-BK**
 casing steel+fabric / black painting
 lamping E14 / supplied with a 4W bulb
 Ra>80 /320LM/ **3000K**
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A
 installation IP20

code **LWA42 1-WT**
 casing steel+fabric / white painting
 lamping E14 / supplied with a 4W bulb
 Ra>80 /320LM/ **3000K**
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A
 installation IP20







wireless charging board
on the left side

code **LWA420-BK**

casing steel+fabric / black painting

lampping E14 / supplied with a 4W bulb

Ra>80 /320LM/3000K

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20

code **LWA420-WT**

casing steel+fabric / white painting


lampping E14 / supplied with a 4W bulb

Ra>80 /320LM/3000K

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20



wireless charging board
on the right side

code **LWA422-BK**

casing steel+fabric / black painting

lamping E14 / supplied with a 4W bulb

Ra>80 /320LM / **B3000K**

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20

code **LWA422-WT**

casing steel+fabric / white painting

lamping E14 / supplied with a 4W bulb


Ra>80 /320LM / **B3000K**

Wireless charging 5V / 0.1-1A

USB charging 5V / 2A

installation     IP20








wireless charging board on the top side





code **LWA418-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot 2700K/**3000K**/4000K/6000K
 installation IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A


code **LWA418-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light / Ra>80 / 120LM+400lm
 Beam 30 degree for the spot 2700K/**3000K**/4000K/6000K
 installation IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A



wireless charging board
on the left side

code **LWA417-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light
 / Ra>80 /120LM+400lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A

code **LWA417-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light
 / Ra>80 /120LM+400lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20
 Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A




wireless charging board
on the right side





code **LWA419-BK**
 casing steel / black painting
 lamping LED 3W spot+4W background light
 / Ra>80 /120LM+400lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20

Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A


code **LWA419-WT**
 casing steel / white painting
 lamping LED 3W spot+4W background light
 / Ra>80 /120LM+400lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20


Wireless charging 5V / 0.1-1A
 USB charging 5V / 2A




code **LWA473-WT**
 casing aluminum / white painting
 lamping SMD 6W+3W spot
 / Ra>80 /600LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20

Supplied with 2 switches on the base
 to control both lights




code **LWA473-BK**
 casing aluminum / black painting
 lamping SMD 6W+3W spot
 / Ra>80 /600LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation     IP20


Supplied with 2 switches on the base
 to control both lights




code **LWA474-BK**
 casing aluminum / black painting
 lamping SMD 5W+3W spot
 / Ra>80 / 500LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with 2 switches on the base
 to control both lights



code **LWA474-WT**
 casing aluminum / white painting
 lamping SMD 5W+3W spot
 / Ra>80 / 500LM+120lm
 Beam 30 degree for the spot
 2700K/**3000K**/4000K/6000K
 installation IP20
 Supplied with 2 switches on the base
 to control both lights





code **LWA416-WT**
 casing aluminum / white painting
 lamping led 1W spot
 / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation     IP20
 Supplied with a 5V/2A USB charger
 and bottom switch on the base




code **LWA416-BK**
 casing aluminum / black painting
 lamping led 1W spot
 / Ra>80 / 120LM
 Beam 30 degree
 2700K/3000K/4000K/6000K
 installation     IP20
 Supplied with a 5V/2A USB charger
 and bottom switch on the base








code **LWA494-WT**
 casing steel+aluminum
 white painting+crome plated
 lamping COB 5W / Ra>90 /430LM
 Beam crystal lens
 2700K/**3000K**/4000K/5000K
 installation IP20
 Supplied with 2pcs 5V/1A USB charge port



code **LWA494-BK**
 casing steel+aluminum
 black painting+crome plated
 lamping COB 5W / Ra>90 /430LM
 Beam crystal lens
 2700K/**3000K**/4000K/5000K
 installation IP20
 Supplied with 2pcs 5V/1A USB charge port

LED STEP LIGHT





o


b

e

e

LED STEP
LIGHT WITH
INFRARED
SENSOR






code **LSL706-WT**
 casing Alumium / white painting
 lamping SMD 3W / Ra>80 / 170lm
 Beam narrow beam
 2700K/3000K/4000K/6000K
 installation IP20

installation with standard 86mm switch box which is supplied with the lamp



equipped with infrared and light sensor



code **LSL706-BK**
 casing Alumium / black painting
 lamping SMD 3W / Ra>80 / 170lm
 Beam narrow beam
 2700K/3000K/4000K/6000K
 installation IP20

installation with standard 86mm switch box which is supplied with the lamp


equipped with infrared and light sensor



code **LSL707-WT**
 casing Aluminium / white painting
 lamping SMD 3W / Ra>80 / 170lm
 Beam wide beam
 2700K/3000K/4000K/6000K
 installation IP20

installation with standard 86mm switch box which is supplied with the lamp

equipped with infrared and light sensor




code **LSL707-BK**
 casing Aluminium / black painting
 lamping SMD 3W / Ra>80 / 170lm
 Beam wide beam
 2700K/3000K/4000K/6000K
 installation IP20

installation with standard 86mm switch box which is supplied with the lamp

equipped with infrared and light sensor






code **LSL708-WT**
 casing Aluminium / white painting
 lamping SMD 3W / Ra>80 / 170lm
 Beam wide beam
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

installation with standard 86mm switch box which is supplied with the lamp


equipped with infrared and light sensor



code **LSL708-BK**
 casing Aluminium / black painting
 lamping SMD 3W / Ra>80 / 170lm
 Beam wide beam
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

installation with standard 86mm switch box which is supplied with the lamp


equipped with infrared and light sensor



code **LSL709-WT**
 casing Aluminium / white painting
 lamping SMD 3W / Ra>80 / 170lm
 Beam wide beam
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

installation with standard 86mm switch box which is supplied with the lamp

equipped with infrared and light sensor




code **LSL709-BK**
 casing Aluminium / black painting
 lamping SMD 3W / Ra>80 / 170lm
 Beam wide beam
 2700K/~~3000K~~/4000K/6000K
 installation     IP20

installation with standard 86mm switch box which is supplied with the lamp

equipped with infrared and light sensor





code **LSL7 10-BK**
 casing Aluminium / black painting
 lamping SMD 3W / Ra>80 / 170lm
 Beam wide beam
 2700K/3000K/4000K/6000K
 installation     IP20


installation with a 180x32x46mm steel box
 cut-off 190mmx40mmxdepth 50mm

equipped with infrared and light sensor

code **LSL7 10-WT**
 casing Aluminium / white painting

code **LSL7 10-GR**
 casing Aluminium / grey painting





code [LSL711-BK](#)

casing Aluminium / black painting

lampping SMD 3W / Ra>80 / 170lm

Beam wide beam

2700K/~~3000K~~/4000K/6000K

installation    IP20

installation with a 74x39x52mm steel box
cut-off 85mmx45mmxdepth 55mm

equipped with infrared and light sensor

code [LSL711-WT](#)

casing Aluminium / white painting


code [LSL711-GR](#)

casing Aluminium / grey painting




LED STEP LIGHT WITH STANDARD 86MM SWITCH BOX IP65


easy and stable installation for whole series




1




2




3




4



5





code **ODL054-WT**
 casing aluminum / white painting
 lamping SMD 3W / Acrylic diffuser
 / Ra>80 / 300lm
 Beam 2700K/**3000K**/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor





code **ODL055-WT**
 casing aluminum / white painting
 lamping SMD 3W / Acrylic diffuser
 / Ra>80 / 300lm
 Beam 2700K/**3000K**/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor






code **ODL056-WT**
 casing aluminum / white painting
 lamping SMD 3W / Acrylic diffuser
 / Ra>80 / 300lm
 Beam 2700K/~~3000K~~/4000K/6000K
 installation     IP65
 installed with a standard 86mm switch box
 for indoor and outdoor




code **ODL057-WT**
 casing aluminum / white painting
 lamping SMD 3W / Acrylic diffuser
 / Ra>80 / 300lm
 Beam 2700K/~~3000K~~/4000K/6000K
 installation     IP65
 installed with a standard 86mm switch box
 for indoor and outdoor









code **ODL058-WT**
 casing aluminum / white painting
 lamping CREE 3W / down light
 / Ra>80 / 120lm
 Beam 2700K/**3000K**/4000K/6000K
 installation **IP65**
 installed with a standard 86mm switch box
 for indoor and outdoor



code **ODL059-WT**
 casing aluminum / white painting
 lamping CREE 3W / up and down light
 / Ra>80 / 120lm
 Beam 2700K/**3000K**/4000K/6000K
 installation **IP65**
 installed with a standard 86mm switch box
 for indoor and outdoor




code **ODL060-WT**
 casing aluminum / white painting
 lamping CREE 3W / down light
 / Ra>80 / 120lm
 Beam 2700K/**3000K**/4000K/6000K
 installation **IP65**
 installed with a standard 86mm switch box
 for indoor and outdoor




code **ODL061-WT**
 casing aluminum / white painting
 lamping CREE 3W / up and down light
 / Ra>80 / 120lm
 Beam 2700K/**3000K**/4000K/6000K
 installation **IP65**
 installed with a standard 86mm switch box
 for indoor and outdoor







code **ODL063-WT**
 casing aluminum / white painting
 lamping CREE 3W / narrow beam
 / Ra>80 / 120lm
 Beam 2700K/3000K/4000K/6000K
 installation    IP65
 installed with a standard 86mm switch box
 for indoor and outdoor



code **ODL062-WT**
 casing aluminum / white painting
 lamping CREE 3W / wide beam
 / Ra>80 / 120lm
 Beam 2700K/3000K/4000K/6000K
 installation    IP65
 installed with a standard 86mm switch box
 for indoor and outdoor



code **ODL064-WT**


casing aluminum / white painting

lamping SMD 3W / wide flood
/ Ra>80 / 300lm

Beam 2700K/**3000K**/4000K/6000K

installation IP65

installed with a standard 86mm switch box
for indoor and outdoor



code **ODL065-WT**


casing aluminum / white painting

lamping CREE 3W / 30 degree
/ Ra>80 / 120lm

Beam 2700K/**3000K**/4000K/6000K

installation IP65

installed with a standard 86mm switch box
for indoor and outdoor





code **LSL001**


casing aluminum / anodized silver


lampping LED 1W / Ra>80 /70LM

Beam no lense /

2700K/~~3000K~~/4000K/6000K

installation   **IP20**



 dia 45x95mm
for installation box
for concrete wall

 dia 40mm recessed
for wooden wall

supply with aluminum installation box

code **LSL002**

casing aluminum / anodized silver

lampping LED 1W / Ra>80 /70LM

Beam no lense /

2700K/~~3000K~~/4000K/6000K

installation   **IP20**



 dia 45x95mm
for installation box
for concrete wall


 dia 40mm recessed
for wooden wall

supply with aluminum installation box



code **LSL003**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam no lense /
 2700K/3000K/4000K/6000K

installation   **CE**  **IP20**




-  dia 45x95mm
for installation box
for concrete wall
-  dia 40mm recessed
for wooden wall



supply with aluminum installation box



code **LSL004**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam no lense /
 2700K/3000K/4000K/6000K

installation   **CE**  **IP20**




-  dia 45x95mm
for installation box
for concrete wall
-  dia 40mm recessed
for wooden wall

supply with aluminum installation box




code **LSL008**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser/
 2700K/~~3000K~~/4000K/6000K
 installation   **IP20**



-  dia 45x95mm for installation box for concrete wall
-  dia 40mm recessed for wooden wall

supply with aluminum installation box

code **LSL009**
 casing aluminum / anodized silver
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser/
 2700K/~~3000K~~/4000K/6000K
 installation   **IP20**



-  dia 45x95mm for installation box for concrete wall
-  dia 40mm recessed for wooden wall


supply with aluminum installation box




code **LSL008A**
 casing aluminum / anodized silver
 stainless steel cover / nickel
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser/
 2700K/~~3000K~~/4000K/6000K
 installation    IP20



supply with aluminum installation box




code **LSL009A**
 casing aluminum / anodized silver
 stainless steel cover / nickel
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser/
 2700K/~~3000K~~/4000K/6000K
 installation    IP20




supply with aluminum installation box

surface customizable


-  anodized silver brushed linear
-  anodized gold brushed circular
-  black paint equal to RAL9011
-  white paint similar to RAL9003
-  concrete grey paint similar to RAL7037









code **LSL014-BK**
 casing aluminum / black painting
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser/
 2700K/**3000K**/4000K/6000K
 installation **IP20**
 supply with aluminum installation box



code **LSL014-WT**
 casing aluminum / white painting
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser/
 2700K/**3000K**/4000K/6000K
 installation **IP20**
 supply with aluminum installation box



code **LSL014-CR**
 casing aluminum / chrome plated
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser/
 2700K/**3000K**/4000K/6000K
 installation **IP20**
 supply with aluminum installation box





code **LSL014-GD**
 casing aluminum / gold plated
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser/
 2700K/**3000K**/4000K/6000K
 installation **IP20**
 supply with aluminum installation box

LED

BATHROOM


LIGHT






code **LWA 195**
casing Aluminum / anodized silver
lamping LED 6W / Ra>80 / 420LM
Beam acrylic diffuser /
2700K/~~3000K~~/4000K/6000K
installation     IP20

surface customizable  anodized silver
 brushed linear
 white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037








code **LWA 149-SL**
casing Aluminum / anodized silver
lamping LED 8W / Ra>80 / 800LM
Beam up and down light /
2700K/3000K/4000K/6000K
installation     IP20




code **LWA 150-SL**
casing Aluminum / anodized silver
lamping LED 12W / Ra>80 / 1200LM
Beam up and down light /
2700K/3000K/4000K/6000K
installation     IP20





code **LWA151-SL**
casing Aluminum / anodized silver
lamping LED 20W / Ra>80 / 2000LM
Beam up and down light /
2700K/~~3000K~~/4000K/6000K
installation     IP20






code **LWA149-WT**
 casing aluminum / white paint
 lamping LED 8W / Ra>80 / 800LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation     IP20






code **LWA150-WT**
 casing aluminum / white paint
 lamping LED 12W / Ra>80 / 1200LM
 Beam indirect light
 2700K/3000K/4000K/6000K
 installation     IP20



code LWA 151-WT
casing aluminum / white paint
lamping LED 20W / Ra>80 / 1600LM
Beam indirect light
2700K/3000K/4000K/6000K
installation     IP20








code [LWA524-BK](#)
casing aluminum / black painting
lamping LED 5W / Ra>80 / 500LM
Beam 2700K/~~3000K~~/4000K/6000K
installation     IP20

code [LWA524-WT](#)
casing aluminum / white painting


code [LWA524-GD](#)
casing aluminum / black painting
+anodized gold





code **LWA526-BK**
 casing aluminum / black painting
 lamping LED 8W / Ra>80 / 800LM
 Beam 2700K/3000K/4000K/6000K
 installation IP20

code **LWA526-WT**
 casing aluminum / white painting



code **LWA526-GD**
 casing aluminum / black painting
 +anodized gold



code **LWA528-WT**
 casing aluminum / white painting
 lamping LED 11W / Ra>80 / 1100LM
 Beam 2700K/3000K/4000K/6000K
 installation







code **LWA528-BK**
 casing aluminum / white painting
 lamping LED 11W / Ra>80 / 1100LM
 Beam 2700K/3000K/4000K/6000K
 installation



code **LWA528-GD**
 casing aluminum / black painting / anodized gold
 lamping LED 11W / Ra>80 / 1100LM
 Beam 2700K/3000K/4000K/6000K
 installation







code [LWA529-BK](#)
casing aluminum / black painting
lamping LED 12W / Ra>80 / 1200LM
Beam 2700K/**3000K**/4000K/6000K
installation     IP20


code [LWA529-WT](#)
casing aluminum / white painting

code [LWA529-GD](#)
casing aluminum / black painting
+anodized gold







code **LWA514-BK**
 casing aluminum / black painting
 lamping LED 5W / Ra>80 / 500lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 185mm to 250mm



code **LWA515-BK**
 casing aluminum / black painting
 lamping LED 7W / Ra>80 / 700lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 185mm to 250mm



code **LWA516-BK**
 casing aluminum / black painting
 lamping LED 8W / Ra>80 / 800lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 185mm to 250mm



code **LWA517-BK**

casing aluminum / black painting


lamping LED 10W / Ra>80 / 1000lm

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation     IP20

height adjustable from 185mm to 250mm



code **LWA518-BK**

casing aluminum / black painting


lamping LED 11W / Ra>80 / 1100lm

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation     IP20

height adjustable from 185mm to 250mm



code **LWA519-BK**

casing aluminum / black painting


lamping LED 12W / Ra>80 / 1200lm

Beam acrylic diffuser


2700K/3000K/4000K/6000K

installation     IP20


height adjustable from 185mm to 250mm




code **LWA514-WT**
 casing aluminum / white painting
 lamping LED 5W / Ra>80 / 500lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 185mm to 250mm



code **LWA515-WT**
 casing aluminum / white painting
 lamping LED 7W / Ra>80 / 700lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 185mm to 250mm



code **LWA516-WT**
 casing aluminum / white painting
 lamping LED 8W / Ra>80 / 800lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 185mm to 250mm



code **LWA517-WT**

casing aluminum / white painting


lamping LED 10W / Ra>80 / 1000lm

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation IP20

height adjustable from 185mm to 250mm



code **LWA518-WT**

casing aluminum / white painting


lamping LED 11W / Ra>80 / 1100lm

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation IP20

height adjustable from 185mm to 250mm



code **LWA519-WT**

casing aluminum / white painting

lamping LED 12W / Ra>80 / 1200lm


Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation IP20

height adjustable from 185mm to 250mm





code **LWA514-GD**

casing aluminum / anodized gold


lamping LED 5W / Ra>80 / 500lm

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation IP20

height adjustable from 185mm to 250mm



code **LWA515-GD**

casing aluminum / anodized gold


lamping LED 7W / Ra>80 / 700lm

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation IP20

height adjustable from 185mm to 250mm



code **LWA516-GD**

casing aluminum / anodized gold


lamping LED 8W / Ra>80 / 800lm

Beam acrylic diffuser


2700K/**3000K**/4000K/6000K

installation IP20


height adjustable from 185mm to 250mm



code **LWA517-GD**
 casing aluminum / anodized gold
 lamping LED 10W / Ra>80 / 1000lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 185mm to 250mm




code **LWA518-GD**
 casing aluminum / anodized gold
 lamping LED 11W / Ra>80 / 1100lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 185mm to 250mm




code **LWA519-GD**
 casing aluminum / anodized gold
 lamping LED 12W / Ra>80 / 1200lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 185mm to 250mm







code **LWA504-BK**
 casing aluminum / black painting
 lamping LED 4W / Ra>80 / 400lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm




code **LWA505-BK**
 casing aluminum / black painting
 lamping LED 4W / Ra>80 / 400lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm




code **LWA506-BK**
 casing aluminum / black painting
 lamping LED 6W / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm




code **LWA507-BK**
 casing aluminum / black painting
 lamping LED 8W / Ra>80 / 800lm
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm



code **LWA508-BK**
 casing aluminum / black painting
 lamping LED 8W / Ra>80 / 800lm
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm



code **LWA509-BK**
 casing aluminum / black painting
 lamping LED 10W / Ra>80 / 1000lm
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm



code **LWA506-WT**

casing aluminum / white painting


lamping LED 6W / Ra>80 / 600lm

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation IP20

height adjustable from 175mm to 240mm



code **LWA504-WT**

casing aluminum / white painting


lamping LED 4W / Ra>80 / 400lm

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation IP20

height adjustable from 175mm to 240mm



code **LWA505-WT**

casing aluminum / white painting


lamping LED 4W / Ra>80 / 400lm

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation IP20

height adjustable from 175mm to 240mm



code **LWA507-WT**

casing aluminum / white painting


lamping LED 8W / Ra>80 / 800lm

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

height adjustable from 175mm to 240mm



code **LWA508-WT**

casing aluminum / white painting


lamping LED 8W / Ra>80 / 800lm

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation IP20

height adjustable from 175mm to 240mm



code **LWA509-WT**

casing aluminum / white painting

lamping LED 10W / Ra>80 / 1000lm


Beam acrylic diffuser

2700K/3000K/4000K/6000K


installation IP20

height adjustable from 175mm to 240mm







code **LWA506-GD**
 casing aluminum / anodized gold
 lamping LED 6W / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm




code **LWA504-GD**
 casing aluminum / anodized gold
 lamping LED 4W / Ra>80 / 400lm
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm




code **LWA505-GD**
 casing aluminum / anodized gold
 lamping LED 4W / Ra>80 / 400lm
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm



code **LWA507-GD**
 casing aluminum / anodized gold
 lamping LED 8W / Ra>80 / 800lm
 Beam acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm



code **LWA508-GD**
 casing aluminum / anodized gold
 lamping LED 8W / Ra>80 / 800lm
 Beam acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm



code **LWA509-GD**
 casing aluminum / anodized gold
 lamping LED 10W / Ra>80 / 1000lm
 Beam acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation IP20
 height adjustable from 175mm to 240mm

LED PENDA

ANT LIGHTS







code **HLO 12-BK / HLO 12-WT**

surface customizable



chrome plated



concrete grey paint similar to RAL7037




anodized gold brushed circular

casing aluminum / black/white painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/~~3000K~~/4000K/6000K

installation     IP20 lamp shade dia28mm x 500mm 2meter cable / cable length customizable







code **LPL045-BK / LPL045-WT**

surface customizable



chrome plated




concrete grey paint similar to RAL7037




anodized gold brushed circular

casing aluminum / black/white painting / lamping LED 3W / Ra>80 / 120LM / Beam 30 degree / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade 25x25mm x 350mm 2meter cable / cable length customizable





code [LPL201-RD](#) / [LPL201-BK](#) / [LPL201-WT](#)

casing aluminum / red/black/white painting / lamping LED 1W / Ra>80 / 70LM / Beam 30 degree / 2700K/~~3000K~~/4000K/6000K

installation     IP20 lamp shade dia 16mm x 1100mm 1meter cable / cable length customizable

surface
customizable



chrome plated




concrete grey paint
similar to RAL7037



anodized gold
brushed linear







code LPL226-CR / LPL226-BK / LPL226-WT

surface
customizable

concrete grey paint
similar to RAL7037

casing steel tube / chrome/black/white painting / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia40mm x 500mm 1meter cable / cable length customizable




code [LPL264-BK](#) / [LPL264-CR](#) / [LPL264-WT](#)

surface
customizable

■ concrete grey paint
similar to RAL7037

casing Steel tube / black/chrome/white painting / lamping cob 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/~~3000K~~/4000K/6000K

installation     IP20 lamp shade dia40mm x 500mm 1meter cable / cable length customizable





code **LPL268-BK**

surface customizable

■ concrete grey paint similar to RAL7037

casing beech rod and aluminum / anodized black / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

code **LPL268-CR**

surface customizable

■ concrete grey paint similar to RAL7037

casing beech rod and aluminum / Chrome plated / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable

code **LPL268-WT**

surface customizable

■ concrete grey paint similar to RAL7037

casing beech rod and aluminum / white painting / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation ■ ⓘ CE ▽ IP20 lamp shade dia28mm x 500mm 1meter cable / cable length customizable



LPL287-BK



LPL288-BK



LPL286-BK



LPL290-BK

code **LPL286-BK / LPL286-WT**

surface customizable



chrome plated



concrete grey paint similar to RAL7037



anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 60mm x 75mm 2meter cable / cable length customizable

code **LPL287-BK / LPL287-WT**

surface customizable



chrome plated



concrete grey paint similar to RAL7037



anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 65mm x 75mm 2meter cable / cable length customizable



LPL290-WT



LPL287-WT



LPL286-WT



LPL288-WT

code **LPL288-BK / LPL288-WT**

surface customizable



chrome plated



concrete grey paint similar to RAL7037



anodized gold brushed linear

casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 75mm x 80mm 2meter cable / cable length customizable

code **LPL290-BK / LPL290-WT**

surface customizable



chrome plated




concrete grey paint similar to RAL7037




anodized gold brushed linear


casing aluminum / black/white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K


installation IP20 lamp shade dia 68mm x 75mm 2meter cable / cable length customizable



FEEL THE
NATURE
AT HOME








LPL348



LPL350



LPL349

code **LPL348**

casing aluminum+beech / anodized gold / lamping COB 5W / Ra>90 / 430LM / Beam 15 / 24 / 38 / 60 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 160mm x 110mm 2meter cable / cable length customizable

surface customizable  chrome plated

code **LPL349**

casing aluminum+beech+acrylic / anodized gold / lamping COB 5W / Ra>90 / 430LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 160mm x 130mm 2meter cable / cable length customizable

surface customizable  chrome plated

code **LPL350**

casing aluminum+beech / anodized gold / lamping E27 Socket / supplier with a 4W dia80mm LED bulb 3000K default

installation     IP20 lamp shade dia 160mm x 160mm 2meter cable / cable length customizable

surface customizable  chrome plated






code **LPL364-BK** surface customizable  chrome plated  concrete grey paint similar to RAL7037
 casing aluminum / black painting / Gu10 socket / bulb not included max 50W /  anodized silver brushed linear
 installation     IP20 lamp shade dia 148mm x 200mm 2meter cable / cable length customizable

code **LPL364-WT** surface customizable  chrome plated  concrete grey paint similar to RAL7037
 casing aluminum / white painting / Gu10 socket / bulb not included max 50W /  anodized silver brushed linear
 installation     IP20 lamp shade dia 148mm x 200mm 2meter cable / cable length customizable

code **LPL364-GD** surface customizable  chrome plated  concrete grey paint similar to RAL7037
 casing aluminum / ^{black painting}anodized gold / Gu10 socket / bulb not included max 50W /  anodized silver brushed linear
 installation     IP20 lamp shade dia 148mm x 200mm 2meter cable / cable length customizable



led pendant light
bracket series



code [LPL165-BK](#) / [LPL165-WT](#)

casing aluminum / black/white painting / lamping SMD 6W / Ra>80 / 600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 148mm x 60mm 1meter cable / cable length customizable

code [LPL165-CR](#) / [LPL165-GD](#) / [LPL165-SL](#)

casing aluminum / chrome plated / anodized gold / anodized silver

/ lamping SMD 6W / Ra>80 / 600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 148mm x 60mm 1meter cable / cable length customizable









LPL353-BK
SMALL
DIA 90MM
SPHEROID



LPL354-BK
MEDIUM
DIA 115MM
SPHEROID

code **LPL353-BK** surface customizable anodized gold brushed linear white paint similar to RAL9003

casing aluminum+acrylic / black painting / lamping LED 4W / Ra>80 /400LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 90mm x90mm 2meter cable / cable length customizable

code **LPL354-BK** surface customizable anodized gold brushed linear white paint similar to RAL9003

casing aluminum+acrylic / black painting / lamping LED 6W / Ra>80 /600LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 115mm x115mm 2meter cable / cable length customizable





LPL353-CR
SMALL
DIA 90MM
SPHEROID



LPL354-CR
MEDIUM
DIA 115MM
SPHEROID

code **LPL353-CR**

surface customizable anodized gold brushed linear white paint similar to RAL9003

casing aluminum+acrylic / chrome plated / lamping LED 4W / Ra>80 / 400LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade dia 90mm x90mm 2meter cable / cable length customizable

code **LPL354-CR**

surface customizable anodized gold brushed linear white paint similar to RAL9003

casing aluminum+acrylic / chrome plated / lamping LED 6W / Ra>80 / 600LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade dia 115mm x115mm 2meter cable / cable length customizable





code [LPL398-WT](#)

casing aluminum / white painting / lamping xpe 3W / Ra>80 / 120lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 80mm x 153mm / 2meter total length / cable length customizable

code [LPL398-BK](#)

casing aluminum / black painting / lamping xpe 3W / Ra>80 / 120lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 80mm x 153mm / 2meter total length / cable length customizable

code [LPL398-GD](#)

casing aluminum / anodized gold / lamping xpe 3W / Ra>80 / 120lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 80mm x 153mm / 2meter total length / cable length customizable





code [LPL399-WT](#)

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 100mm x 193mm / 2meter total length / cable length customizable

code [LPL399-BK](#)

casing aluminum / black painting / lamping COB 5W / Ra>90 / 430lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 100mm x 193mm / 2meter total length / cable length customizable

code [LPL399-GD](#)

casing aluminum / anodized gold / lamping COB 5W / Ra>90 / 430lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 100mm x 193mm / 2meter total length / cable length customizable





code [LPL374-BK](#) / [LPL374-WT](#)

casing Acrylic ball+steel rod / ^{black}_{white} painting / lamping SMD 6x0.5W / Ra>80 / 300LM / 2700K/**3000K**/4000K/6000K

installation     IP20 acrylic ball dia 70mm/60mm / 600mm rod / 2 meter total length / cable length customizable





code [LPL375-BK](#) / [LPL375-WT](#)

casing Acrylic ball+steel rod / ^{black}white painting / lamping SMD 12x0.5W / Ra>80 / 600LM / 2700K/**3000K**/4000K/6000K

installation     IP20 acrylic ball dia 70mm/60mm / 1200mm rod / 3 meter total length / cable length customizable





code [LPL376-WT / LPL376-BK](#)

casing Acrylic ball+steel rod / white painting / lamping SMD 12x0.5W / Ra>80 / 600LM / 2700K/**3000K**/4000K/6000K
black painting

installation     IP20 acrylic ball dia 70mm/60mm / 1200mm rod / 2 meter total length / cable length customizable





code [LPL377-BK](#) / [LPL377-WT](#)

casing Acrylic ball+steel rod / ^{black}_{white} painting / lamping SMD 12x0.5W / Ra>80 / 600LM / 2700K/**3000K**/4000K/6000K

installation     IP20 acrylic ball dia 70mm/60mm / 770mm rod / 2 meter total length / cable length customizable





code [LPL389-BK](#) / [LPL389-WT](#) / [LPL389-CR](#)

surface customizable  concrete grey paint similar to RAL7037

casing steel ball / black / white painting / chrome plated / lamping COB 5W / Ra>90 / 430LM / crystal lens / 2700K/**3000K**/4000K/6000K

installation     IP20 steel ball dia 100mm / 2meter total length / cable length customizable







code [LPL388-BK](#) / [LPL388-WT](#) / [LPL388-CR](#)

surface customizable  concrete grey paint similar to RAL7037

casing steel ball / black / white painting / chrome plated / lamping CREE XML 6W / Ra>80 / 400LM / crystal lens / color film / 2000K

installation     IP20 steel ball dia 100mm / 2meter total length / cable length customizable





code **LPL361-BK**

surface customizable  chrome plated  concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 18W / Ra>80 / 1800LM / side beam / 2700K/~~3000K~~/4000K/6000K

installation     IP20 lamp rode dia 16mm x 1500mm 2meter total lamp / cable length customizable

code **LPL361-GD**

surface customizable  chrome plated  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 18W / Ra>80 / 1800LM / side beam / 2700K/~~3000K~~/4000K/6000K

installation     IP20 lamp rode dia 16mm x 1500mm 2meter total lamp / cable length customizable



code LPL361-GD

surface
customizable





chrome plated






concrete grey paint
similar to RAL7037

casing aluminum / anodized gold / lamping LED 18W / Ra>80 / 1800LM / side beam / 2700K/3000K/4000K/6000K

installation     IP20 lamp rode dia 16mm x 1500mm 2meter total lamp / cable length customizable










code **LPL362-BK**
casing aluminum / black painting
lamping LED 18W
/ Ra>80 / 1800lm
Beam 2700K/3000K/4000K/6000K
installation     IP20

code **LPL362-WT**
casing aluminum / white painting

code **LPL362-GD**
casing aluminum / anodized gold

with 1.8m cable and EU plug
cable adjustable from 2.2-3 meter
lamp rode dia 16mm x 1500mm
3meter total lamp
cable length customizable







code [LPL384-BK](#)
casing aluminum / black painting
lamping LED 14W
/ Ra>80 / 1400lm
Beam 2700K/~~3000K~~/4000K/6000K
installation     IP20

code [LPL384-WT](#)
casing aluminum / white painting

code [LPL384-RD](#)
casing aluminum / red painting

lamp rode dia 12.5mm x 1100mm
2meter total lamp
cable length customizable





code **LPL363-BK**


casing aluminum / black painting


lampping LED 18W

/ Ra>80 /1800lm

Beam 2700K/3000K/4000K/6000K

installation     IP20







code **LPL363-WT**
 casing aluminum / white painting
 lamping LED 18W
 / Ra>80 / 1800lm
 Beam 2700K/3000K/4000K/6000K
 installation     IP20

code **LPL363-GD**
 casing aluminum / anodized gold













code **LPL400-WT**

casing aluminum / white painting / lamping up SMD 4W
down XPE 1W / Ra>80 / 470lm / acrylic diffuser / 2700K/3000K/4000K/5000K
installation     IP20 lamp shade dia 230mm x238mm / 2meter total length / cable length customizable

code **LPL400-BK**

casing aluminum / white painting / lamping up SMD 4W
+black painting down XPE 1W / Ra>80 / 470lm / acrylic diffuser / 2700K/3000K/4000K/5000K
installation     IP20 lamp shade dia 230mm x238mm / 2meter total length / cable length customizable

code **LPL400-GD**

casing aluminum / white painting / lamping up SMD 4W
+anodized gold down XPE 1W / Ra>80 / 470lm / acrylic diffuser / 2700K/3000K/4000K/5000K
installation     IP20 lamp shade dia 230mm x238mm / 2meter total length / cable length customizable





code **LPL401-WT**

casing aluminum / white painting / lamping up SMD 10W / Ra>80 / 1300lm / acrylic diffuser / 2700K/3000K/4000K/5000K
 down COB 3W/

installation     IP20 lamp shade dia 380mm x 191mm / 2meter total length / cable length customizable





code **LPL401-BK**

casing aluminum / white painting / lamping up SMD 10W / Ra>80 / 1300lm / acrylic diffuser / 2700K/3000K/4000K/5000K
 +black painting / down COB 3W/

installation     IP20 lamp shade dia 380mm x 191mm / 2meter total length / cable length customizable

code **LPL401-GD**

casing aluminum / white painting / lamping up SMD 10W / Ra>80 / 1300lm / acrylic diffuser / 2700K/3000K/4000K/5000K
 +anodized gold / down COB 3W/

installation     IP20 lamp shade dia 380mm x 191mm / 2meter total length / cable length customizable






Cone -shape base with no installation nuts outside makes the whole lamp harmonious



Spot light inside the cape makes this series unique it becomes a hanging spotlight when people thinks it is diffused



It has a perfect structure with no any screw or nuts outside the lamp the whole design looks so harmonius

code **LPL227-WT / LPL227-GR / LPL227-BK**

casing aluminum heat sink / white / grey / black / lamping COB 5W / Ra>90 / 430LM / 10/23/38 degree / 2700K/3000K/4000K/6000K
steel shade / inside and outside

installation     IP20 lamp shade dia 250 mm x 153mm 1meter cable / cable length customizable




BIGGER VERSION
DIA 310MM
FOR LPL227 SERIES



Cone -shape base with no installation nuts outside makes the whole lamp harmonious



Spot light inside the cone makes this series unique it becomes a hanging spotlight when people thinks it is diffused





It has a perfect structure with no any screw or nuts outside the lamp the whole design looks so harmonius

code **LPL228-WT / LPL228-GR / LPL228-BK**

casing aluminum heat sink / white / grey / black / lamping COB 9W / Ra>90 / 800LM / 10/23/38 degree / 2700K/3000K/4000K/6000K
steel shade / inside and outside


installation     IP20 lamp shade dia 310 mm x 213mm 1meter cable / cable length customizable



Cone -shape base with no installation nuts outside makes the whole lamp harmonious



With a little aluminum piece the acrylic cover installed on the cape diffuses the light soft and even







It has a perfect structure with no any screw or nuts outside the lamp the whole design looks so harmonius

code **LPL298-BK / LPL298-WT**


surface customizable  concrete grey point similar to RAL7037

casing aluminum heat sink / black / white paint / lamping SMD 10W / Ra>80 / 1000LM / acrylic diffuser / 2700K/3000K/4000K/6000K
steel shade / inside and outside


installation     IP20 lamp shade dia 250 mm x 153mm 1meter cable / cable length customizable



Cone -shape base with no installation nuts outside makes the whole lamp harmonious



With a little aluminum piece the acrylic cover installed on the cone diffuses the light soft and even



It has a perfect structure with no any screw or nuts outside the lamp the whole design looks so harmonius

code **LPL299-WT / LPL299-BK**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum heat sink / white / black paint / steel shade / lamping SMD 16W / Ra>80 / 1600LM / acrylic diffuser / 2700K//4000K/6000K

installation     IP20 lamp shade dia 310 mm x 213mm 1meter cable / cable length customizable









Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System

code [LPL404-BK](#)

casing steel shade / black painting / lamping cob 5W / Ra>97 / 430lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 200mm x 150mm / 2meter total length / cable length customizable

code [LPL404-WT](#)

casing steel shade / white painting / lamping cob 5W / Ra>97 / 430lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 200mm x 150mm / 2meter total length / cable length customizable



Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System

code [LPL405-BK](#)

casing steel shade / black painting / lamping cob 5W / Ra>97 / 430lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 200mm x 125mm / 2meter total length / cable length customizable

code [LPL405-WT](#)

casing steel shade / white painting / lamping cob 5W / Ra>97 / 430lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 200mm x 125mm / 2meter total length / cable length customizable



Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System

code [LPL402-BK](#)

casing steel shade / black painting / lamping cob 5W / Ra>97 / 430lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 200mm x 115mm / 2meter total length / cable length customizable

code [LPL402-WT](#)

casing steel shade / white painting / lamping cob 5W / Ra>97 / 430lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 200mm x 115mm / 2meter total length / cable length customizable



Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System

code [LPL403-BK](#)

casing steel shade / black painting / lamping cob 5W / Ra>97 / 430lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 200mm x90mm / 2meter total length / cable length customizable

code [LPL403-WT](#)

casing steel shade / white painting / lamping cob 5W / Ra>97 / 430lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 200mm x90mm / 2meter total length / cable length customizable





Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System


code [LPL414-WT](#)

casing steel shade / white painting / lamping SMD 6W / Ra>97 / 600lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 450mm x 110mm / 2meter total length / cable length customizable

code [LPL414-BK](#)




casing steel shade / black painting / lamping SMD 6W / Ra>97 / 600lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 450mm x 110mm / 2meter total length / cable length customizable

code [LPL414-GR](#)

casing steel shade / grey painting / lamping SMD 6W / Ra>97 / 600lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 450mm x 110mm / 2meter total length / cable length customizable



Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System

code [LPL412-WT](#)

casing steel shade / white painting / lamping SMD 4W / Ra>97 / 400lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 300mm x78mm / 2meter total length / cable length customizable

code [LPL412-BK](#)


casing steel shade / black painting / lamping SMD 4W / Ra>97 / 400lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 300mm x78mm / 2meter total length / cable length customizable

code [LPL412-GR](#)

casing steel shade / grey painting / lamping SMD 4W / Ra>97 / 400lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 300mm x78mm / 2meter total length / cable length customizable







Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mija
Wireless Smart
Control System


code [LPL415-WT](#)

casing steel shade / white painting / lamping SMD 6W / Ra>97 / 600lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 450mm x 110mm / 2meter total length / cable length customizable

code [LPL415-BK](#)

casing steel shade / black painting / lamping SMD 6W / Ra>97 / 600lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 450mm x 110mm / 2meter total length / cable length customizable

code [LPL415-GR](#)

casing steel shade / grey painting / lamping SMD 6W / Ra>97 / 600lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 450mm x 110mm / 2meter total length / cable length customizable



Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System

code [LPL413-WT](#)

casing steel shade / white painting / lamping SMD 4W / Ra>97 / 400lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 300mm x78mm / 2meter total length / cable length customizable

code [LPL413-BK](#)

casing steel shade / black painting / lamping SMD 4W / Ra>97 / 400lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia 300mm x78mm / 2meter total length / cable length customizable


code [LPL413-GR](#)



casing steel shade / grey painting / lamping SMD 4W / Ra>97 / 400lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation  IP20 lamp shade dia 300mm x78mm / 2meter total length / cable length customizable



Diabolo!!!





code [LPL335-BK](#) / [LPL335-WT](#)

casing Steel / black painting / white painting / lamping up LED 10W / Ra>80 / 2000LM / 2700K/~~3000K~~/4000K/6000K
down LED 10W

installation     IP20 lamp shade dia220mm x 50mm 2meter cable / cable length customizable



RELATED
PRODUCTS
IN THIS SERIES



Wall type
in white
LWA318-WT



Wall type
in grey
LWA318-GR



Ceiling type
in white
LBL231-WT



Ceiling type
in grey
LBL231-GR

code **LPL312-GR**

surface customizable  black paint equal to RAL9011

casing aluminum heat sink / steel sheet / grey paint / lamping SMD 18W+cob 9w downlight / Ra>80 / 1800+800LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp sheet Max dia 550 mm / 1meter cable / cable length customizable



RELATED
PRODUCTS
IN THIS SERIES



Wall type
in white
LWA318-WT



Wall type
in grey
LWA318-GR



Ceiling type
in white
LBL231-WT



Ceiling type
in grey
LBL231-GR

code **LPL312-WT**

casing aluminum heat sink / white paint / steel sheet / lamping SMD 18W+cob 9w downlight / Ra>80 / 1800+800LM / 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp sheet Max dia 550 mm / 1meter cable / cable length customizable

surface customizable  black paint equal to RAL9011





code [LPL385-WT](#) / [LPL385-RD](#) / [LPL385-BK](#)

casing aluminum heat-sink+steel shade / ^{white}red painting outside / lamping SMD 6W / Ra>80 / 600LM / 2700K/~~3000K~~/4000K/6000K
 installation     IP20 ^{black}steel shade dia 220mm x 60mm / 2 meter total length / cable length customizable






code [LPL386-WT](#) / [LPL385-BK](#) / [LPL385-RD](#)


casing aluminum heat-sink+steel shade / white painting outside / lamping SMD 10W / Ra>80 / 1000LM / 2700K/**3000K**/4000K/6000K
black
red

installation     IP20 steel shade dia 400mm x 60mm / 2 meter total length / cable length customizable








code **LPL313-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓛ CE ⚡ IP20 ▲ 0.75kg





code **LPL314-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓛ CE ⚡ IP20 ▲ 1.31kg




code **LPL315-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓛ Ⓒ Ⓜ IP20 ▲ 0.87kg



code **LPL316-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓛ Ⓒ Ⓜ IP20 ▲ 0.98kg




code **LPL317-WT**
 casing Steel
 finishing outer/white painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓢ Ⓢ IP20 ▲ 1.13kg




code **LPL317-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓢ Ⓢ IP20 ▲ 1.13kg







code **LPL313-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓛ CE ⚠ IP20 ⚠ 0.75kg



code **LPL314-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓛ CE ⚠ IP20 ⚠ 1.31kg



code **LPL315-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓟ CE ▽ IP20 ▲ 0.87kg



code **LPL316-BK**
 casing Steel
 finishing outer/black painting
 inner/ white painting
 lamping E27 Socket
 installation ceiling surface mount
 black fabric cable 1M long customizable
 ☐ Ⓟ CE ▽ IP20 ▲ 0.98kg





code **LPL252-BK**

surface
customizable

■ concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping LED 24W / Ra>80 / 2400LM / acrylic cover / 2700K/3000K/4000K/6000K

installation ■ ⊕ CE ▽ IP20 Ring dia 527mm / 2meter cable / cable length customizable

code **LPL253-BK**

surface
customizable

■ concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping LED 30W / Ra>80 / 3000LM / acrylic cover / 2700K/3000K/4000K/6000K

installation ■ ⊕ CE ▽ IP20 Ring dia 659mm / 2meter cable / cable length customizable



code **LPL254-BK**

surface
customizable

■ concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping LED 36W / Ra>80 / 3600LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation ■ ⊕ CE ▽ IP20 Ring dia 790mm / 2meter cable / cable length customizable

code **LPL255-BK**

surface
customizable

■ concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping LED 42W / Ra>80 / 4200LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation ■ ⊕ CE ▽ IP20 Ring dia 922mm / 2meter cable / cable length customizable



code **LPL252-WT**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 24W / Ra>80 / 2400LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 Ring dia 527mm / 2meter cable / cable length customizable

code **LPL253-WT**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 30W / Ra>80 / 3000LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 Ring dia 659mm / 2meter cable / cable length customizable



code **LPL254-WT**

surface
customizable

■ concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping LED 36W / Ra>80 / 3600LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation ■ ⊕ CE ▽ IP20 Ring dia 790mm / 2meter cable / cable length customizable

code **LPL255-WT**

surface
customizable

■ concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping LED 42W / Ra>80 / 4200LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation ■ ⊕ CE ▽ IP20 Ring dia 922mm / 2meter cable / cable length customizable




code **LPL256-BK**

surface
customizable

■ concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping LED 108W / Ra>80 / 10800LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 Ring dia 659/790/922mm / 2meter cable / cable length customizable




code **LPL256-WT**

surface
customizable

■ concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping LED 108W / Ra>80 / 10800LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 Ring dia 659/790/922mm / 2meter cable / cable length customizable




code **LPL434-BK**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 26W / Ra>80 / 2600LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 Ring 470x610mm / 2meter cable / cable length customizable

code **LPL435-BK**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 32W / Ra>80 / 3200LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 Ring 580x740mm / 2meter cable / cable length customizable



code **LPL436-BK**

surface
customizable

■ concrete grey paint
similar to RAL7037

casing aluminum / black painting / lamping LED 39W / Ra>80 / 3900LM / acrylic cover / 2700K/3000K/4000K/6000K

installation ■ ⊕ CE ▽ IP20 Ring 700x900mm / 2meter cable / cable length customizable




code **LPL434-WT**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 26W / Ra>80 / 2600LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 Ring 470x610mm / 2meter cable / cable length customizable

code **LPL435-WT**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping LED 32W / Ra>80 / 3200LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 Ring 580x740mm / 2meter cable / cable length customizable



code **LPL436-WT**

surface
customizable

■ concrete grey paint
similar to RAL7037

casing aluminum / white painting / lamping LED 39W / Ra>80 / 3900LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation ■ Ⓢ CE ▽ IP20 Ring 700x900mm / 2meter cable / cable length customizable





Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System

code [LPL410-BK](#)

casing steel shade / black painting / lamping SMD 15W / Ra>97 / 1500lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade 90x110x900mm / 2meter total length / cable length customizable

code [LPL411-BK](#)

casing steel shade / black painting / lamping SMD 18W / Ra>97 / 1800lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade 90x110x1200mm / 2meter total length / cable length customizable



Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System

code **LPL410-WT**

casing steel shade / white painting / lamping SMD 15W / Ra>97 / 1500lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade 90x110x900mm / 2meter total length / cable length customizable

code **LPL411-WT**

casing steel shade / white painting / lamping SMD 18W / Ra>97 / 1800lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade 90x110x1200mm / 2meter total length / cable length customizable







LPL406-BK

LPL407-BK

Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System

code LPL406-BK

casing aluminum / black painting / lamping SMD 18W / Ra>97 / 1800lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 acrylic dia85mm x rod 1200mm length/ 2meter hanging cable / cable length customizable

code LPL407-BK

casing aluminum / black painting / lamping SMD 18W / Ra>97 / 1800lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 acrylic dia80mm x rod 1200mm length/ 2meter hanging cable / cable length customizable



LPL408-BK

LPL409-BK

Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System

code LPL408-BK

casing aluminum / black painting / lamping SMD 18W / Ra>97 / 1800lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 acrylic 80x80mm x rod 1200mm length/ 2meter hanging cable / cable length customizable

code LPL409-BK

casing aluminum / black painting / lamping SMD 18W / Ra>97 / 1800lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 acrylic dia80mm x rod 1200mm length/ 2meter hanging cable / cable length customizable



LPL407-WT


LPL406-WT

Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mija
Wireless Smart
Control System

code **LPL406-WT**

casing aluminum / white painting / lamping SMD 18W / Ra>97 / 1800lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 acrylic dia85mm x rod 1200mm length/ 2meter hanging cable / cable length customizable

code **LPL407-WT**

casing aluminum / white painting / lamping SMD 18W / Ra>97 / 1800lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     IP20 acrylic dia80mm x rod 1200mm length/ 2meter hanging cable / cable length customizable





LPL409-WT

LPL408-WT

Full Spectrum
LED chips adopted
CRI>97

Customizable
to Zigbee/Mijia
Wireless Smart
Control System

code **LPL408-WT**

casing aluminum / white painting / lamping SMD 18W / Ra>97 / 1800lm / acrylic diffuser / 2700K/3000K/4000K/5000K


installation     **IP20** acrylic 80x80mm x rod 1200mm length/ 2meter hanging cable / cable length customizable

code **LPL409-WT**

casing aluminum / white painting / lamping SMD 18W / Ra>97 / 1800lm / acrylic diffuser / 2700K/3000K/4000K/5000K

installation     **IP20** acrylic dia80mm x rod 1200mm length/ 2meter hanging cable / cable length customizable






code **LPL372-BK**
 casing aluminum / black painting
 lamping LED 17W
 / Ra>80 / 1700LM
 Beam 2700K/~~3000K~~/4000K/6000K
 installation     IP20

code **LPL372-WT**
 casing aluminum / white painting



lighting up
to illuminate
the ceiling



code **LPL373-BK**
 casing aluminum / black painting
 lamping LED 17W
 /Ra>80 /1700LM
 Beam 2700K/**3000K**/4000K/6000K
 installation     IP20

code **LPL373-WT**
 casing aluminum / white painting







code **LPL390-BK**

casing aluminum+steel shade / black painting shade / anodized gold rod / lamping led 9W / Ra>80 / 900lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x920mm (rod length) / 1200mm cable length / cable length customizable





code **LPL391-BK**

casing aluminum+steel shade / black painting shade / anodized gold rod / lamping led 13W / Ra>80 / 1300lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x 1300mm (rod length) / 1200mm cable length / cable length customizable

code **LPL392-BK**

casing aluminum+steel shade / black painting shade / anodized gold rod / lamping led 18W / Ra>80 / 1800lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x 1650mm (rod length) / 1200mm cable length / cable length customizable





code **LPL390-WT**

casing aluminum+steel shade / white painting / lamping led 9W / Ra>80 / 900lm / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade 135mm x920mm (rod length) / 1200mm cable length / cable length customizable




code **LPL391-WT**

casing aluminum+steel shade / white painting / lamping led 13W / Ra>80 / 1300lm / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade 135mm x1300mm (rod length) / 1200mm cable length / cable length customizable

code **LPL392-WT**

casing aluminum+steel shade / white painting / lamping led 18W / Ra>80 / 1800lm / 2700K/**3000K**/4000K/6000K

installation     IP20 lamp shade 135mm x1650mm (rod length) / 1200mm cable length / cable length customizable









code **LPL393-BK**

casing aluminum+steel shade / black painting shade / anodized gold rod / lamping led 9W / Ra>80 / 900lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x920mm (rod length) / 1200mm cable length / cable length customizable


code **LPL394-BK**

casing aluminum+steel shade / black painting shade / anodized gold rod / lamping led 13W / Ra>80 / 1300lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x1300mm (rod length) / 1200mm cable length / cable length customizable

code **LPL395-BK**

casing aluminum+steel shade / black painting shade / anodized gold rod / lamping led 18W / Ra>80 / 1800lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x1650mm (rod length) / 1200mm cable length / cable length customizable





code **LPL393-WT**

casing aluminum+steel shade / white painting / lamping led 9W / Ra>80 / 900lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x920mm (rod length) / 1200mm cable length / cable length customizable



code **LPL394-WT**

casing aluminum+steel shade / white painting / lamping led 13W / Ra>80 / 1300lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x1300mm (rod length) / 1200mm cable length / cable length customizable

code **LPL395-WT**

casing aluminum+steel shade / white painting / lamping led 18W / Ra>80 / 1800lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x1650mm (rod length) / 1200mm cable length / cable length customizable





code [LPL396-BK](#)

casing aluminum+steel shade / black painting shade / anodized gold rod / lamping led 9W / Ra>80 / 900lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x900mm (rod length) / 1200mm cable length / cable length customizable

code [LPL357-BK](#)

casing aluminum+steel shade / black painting shade / anodized gold rod / lamping led 14W / Ra>80 / 1400lm / 2700K/3000K/4000K/6000K


installation     IP20 lamp shade 135mm x 1300mm (rod length) / 1200mm cable length / cable length customizable

code [LPL397-BK](#)

casing aluminum+steel shade / black painting shade / anodized gold rod / lamping led 17W / Ra>80 / 1700lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x 1600mm (rod length) / 1200mm cable length / cable length customizable





code **LPL396-WT**

casing aluminum+steel shade / white painting / lamping led 9W / Ra>80 / 900lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x900mm (rod length) / 1200mm cable length / cable length customizable

code **LPL357-WT**

casing aluminum+steel shade / white painting / lamping led 14W / Ra>80 / 1400lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x 1300mm (rod length) / 1200mm cable length / cable length customizable


code **LPL397-WT**

casing aluminum+steel shade / white painting / lamping led 17W / Ra>80 / 1700lm / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 135mm x 1600mm (rod length) / 1200mm cable length / cable length customizable



NETWORKS SERIES




NETWORKS


This series are meant to give a even lighting effect in the circumstance like living room,dinning table,restaurant,while the lamp takes a attracting attention in the space.The basic unit is a square of 285mm by 285mm. We designed six basic models which is from 2x3 to 4x4 squares.Of coures customer can require any models with more squares,while they have larger applications like hotel lobby,big hollows and etc.Every characteristics of this series is well designed and considered. The light coming from the acrylic is bright but not dazzling.The slim body of the lamp creates a brisk space.




what we have in standard




LPL339
2x3 grille /6W
285x535mm




LPL340
2x4 grille /8W
285x785mm




LPL344
4x4 grille /16W
785x785mm



LPL341
2x5 grille /10W
285x1035mm









LPL342
3x3 grille /9W
535x535mm





LPL343
3x5 grille /15W
1035x535mm

you can have more



.....





code **LPL339-BK**

surface customizable white paint similar to RAL9003

casing aluminum+steel / black painting / lamping cree 6W / Ra>80 / 420LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K


installation     IP20 grille size 285mm x 535mm 1.2meter cable / cable length customizable

code **LPL340-BK**

surface customizable white paint similar to RAL9003

casing aluminum+steel / black painting / lamping cree 8W / Ra>80 / 560LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 grille size 285mm x 785mm 1.2meter cable / cable length customizable



code **LPL342-BK**

surface customizable white paint similar to RAL9003

casing aluminum+steel / black painting / lamping cree 9W / Ra>80 / 630LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K


installation     IP20 grille size 535mm x 535mm 1.2meter cable / cable length customizable

code **LPL343-BK**

surface customizable white paint similar to RAL9003

casing aluminum+steel / black painting / lamping cree 15W / Ra>80 / 1050LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 grille size 535mm x 1035mm 1.2meter cable / cable length customizable



code **LPL344-BK**

surface customizable  white paint similar to RAL9003

casing aluminum+steel / black painting / lamping cree 16W / Ra>80 / 1120LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 grille size 785mm x 785mm 1.2meter cable / cable length customizable



GU10 CASING PENDENT SERIES



D60X110MM
DS006-BK



D60X200MM
DS007-BK



D60X300MM
DS008-BK



D60X400MM
DS009-BK

code DS006-BK / DS007-BK / DS008-BK / DS009-BK

casing aluminum / black painting / lamping Gu10 socket / supplied with 5W LED bulb / Ra>80 / 430LM / Beam 30 degree / 3000K

installation     IP20 1meter cable / cable length customizable / can be customized to be FABRIC CABLE



D60X400MM
DS009-WT



D60X300MM
DS008-WT



D60X200MM
DS007-WT



D60X110MM
DS006-WT

code DS006-WT / DS007-WT / DS008-WT / DS009-WT

casing aluminum / white painting / lamping Gu 10 socket / supplied with 5W LED bulb / Ra>80 / 430LM / Beam 30 degree / 3000K

installation     IP20 1meter cable / cable length customizable / can be customized to be FABRIC CABLE



D60X110MM
DS006-GD



D60X400MM
DS009-GD



D60X300MM
DS008-GD



D60X200MM
DS007-DG

code DS006-GD / DS007-GD / DS008-GD / DS009-GD

casing aluminum / anodized gold / lamping Gu 10 socket / supplied with 5W LED bulb / Ra>80 / 430LM / Beam 30 degree / 3000K

installation     IP20 1meter cable / cable length customizable / can be customized to be FABRIC CABLE



D60X200MM
DS007-SL



D60X300MM
DS008-SL



D60X400MM
DS009-SL




D60X110MM
DS006-SL

code DS006-SL / DS007-SL / DS008-SL / DS009-SL


casing aluminum / anodized silver / lamping Gu10 socket / supplied with 5W LED bulb / Ra>80 / 430LM / Beam 30 degree / 3000K

installation     IP20 1 meter cable / cable length customizable / can be customized to be FABRIC CABLE



LED PENDANT LIGHTS FOR OFFICE

OFFICE PENDANT LIGHT




- LED Panel light for office pendant
- 1.2M long and 20cm width. The width of the lamp can be custom made to be 25mm or 30mm
- 40W gives 4000lm before acrylic
- supplied with 1.2m hanging cable, electric wire, and connecting box
- supper slim lamp body, soft and even light emission. Nice for the meeting room and other public space





 IP20

code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
LQL003-WT	aluminum	white paint	SMD 40W	Ra>80	4000lm	Acrylic	2700K/3000K /4000K/6000K
LQL003-BK	aluminum	black paint	SMD 40W	Ra>80	4000lm	Acrylic	2700K/3000K /4000K/6000K




surface default

-  white paint similar to RAL9003
-  black paint equal to RAL9011

surface customizable

-  concrete grey paint similar to RAL7037


OFFICE PENDANT LIGHT



- made by pure aluminum extrusion can be custom made into any length normal size will be 600mm/1200mm /1800mm/2400mm
- five surface color available three surface colors in stock
- 20W led per 1.2 meter long 10W led for 0.6 meter and so on
- Can be made to be more power double to 40W or other for the same length
- supplied with 1.2m hanging cable, electric wire, and connecting box

IP20


code	casing	finishing	lamping	CRI	lumen	diffuser	LED color
LPL159-WT	aluminum	white paint	SMD 20W	Ra>80	1600lm	Acrylic	2700K/3000K /4000K/6000K
LPL159-SL	aluminum	brushed silver	SMD 20W	Ra>80	1600lm	Acrylic	2700K/3000K /4000K/6000K
LPL159-BK	aluminum	black paint	SMD 20W	Ra>80	1600lm	Acrylic	2700K/3000K /4000K/6000K




- surface default
- white paint similar to RAL9003
 - black paint equal to RAL9011
 - anodized silver brushed linear

- surface customizable
- concrete grey paint similar to RAL7037
 - anodized gold sandblasted

OFFICE PENDANT LIGHT



LPL 142A
wide flood
without lense



LPL 142
spot light
with lense




code LPL 142A

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / black paint / lamping SMD 20W / Ra>80 / 2000LM / acrylic cover / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 27mm x 17mm x 1170mm/1meter cable / cable length customizable

code LPL 142

surface customizable

white paint similar to RAL9003


concrete grey paint similar to RAL7037

casing aluminum / black paint / lamping CREE XPE 24X1W / Ra>80 / 1680LM / 30 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade 27mm x 17mm x 1170mm/1meter cable / cable length customizable

OFFICE PENDANT LIGHT

reflector available



code LPL119

surface customizable black paint equal to RAL9011 concrete grey paint similar to RAL7037

casing aluminum / white paint / lamping COB 5W / Ra>90 / 430LM / Beam 15/24/38 degree / 2700K/3000K/4000K/6000K


installation IP20 lamp shade dia 60mm x 100mm 1meter cable / cable length customizable

code LPL120

surface customizable black paint equal to RAL9011 concrete grey paint similar to RAL7037



casing aluminum / white paint / lamping COB 12W / Ra>90 / 900LM / Beam 15/24/38 degree / 2700K/3000K/4000K/6000K

installation IP20 lamp shade dia 102mm x 100mm 1meter cable / cable length customizable



OFFICE PENDANT / LED HIGH BAY

reflector available



- aluminum heat sink
steel lamp shade
- default five colors finish
black/white/red/green/
yellow
- 15/24/38 degree reflector
optional
- supplied with 2m hanging cable
- good for office, retail shop,
restaurant, café shop, and etc.

code LPL302-BK / LPL302-WT


casing aluminum casing / black paint / lamping COB 20W / Ra>90 / 1600LM / Beam 15/24/38 degree /
steel lamp shade / white paint

2700K/3000K
/4000K/6000K

installation IP20 lamp shade dia350mm x 250mm 2meter cable / cable length customizable


OFFICE PENDANT / LED HIGH BAY

reflector available



- solid aluminum heat sink /steel lamp shade
- good heat management / up to 42Watt / 3360lm
- supplied with 2m hanging chain and electrical cable


- lamp power 20/24/28/32/36/42W optional
20/24/28W are good for office lighting, while
32/36/42W are good for super market, retail
shop, restaurant, factory and etc.




■ Ⓢ CE IP20

code	finishing	lamping	CRI	lumen	Beam/degree	LED color
LPL311-BK-20W	black paint	CREE COB 1816 20W	Ra>90	1600lm	10 / 23 / 38	2700K/3000K/4000K/6000K
LPL311-BK-24W	black paint	CREE COB 1816 24W	Ra>90	1920lm	10 / 23 / 38	2700K/3000K/4000K/6000K
LPL311-BK-28W	black paint	CREE COB 1816 28W	Ra>90	2240lm	10 / 23 / 38	2700K/3000K/4000K/6000K
LPL311-BK-32W	black paint	CREE COB 1820 32W	Ra>90	2560lm	10 / 23 / 38	2700K/3000K/4000K/6000K
LPL311-BK-36W	black paint	CREE COB 2530 36W	Ra>90	2880lm	10 / 23 / 38	2700K/3000K/4000K/6000K
LPL311-BK-42W	black paint	CREE COB 2530 42W	Ra>90	3360lm	10 / 23 / 38	2700K/3000K/4000K/6000K
LPL311-WT-20W	white paint	CREE COB 1816 20W	Ra>90	1600lm	10 / 23 / 38	2700K/3000K/4000K/6000K
LPL311-WT-24W	white paint	CREE COB 1816 24W	Ra>90	1920lm	10 / 23 / 38	2700K/3000K/4000K/6000K
LPL311-WT-28W	white paint	CREE COB 1816 28W	Ra>90	2240lm	10 / 23 / 38	2700K/3000K/4000K/6000K
LPL311-WT-32W	white paint	CREE COB 1820 32W	Ra>90	2560lm	10 / 23 / 38	2700K/3000K/4000K/6000K
LPL311-WT-36W	white paint	CREE COB 2530 36W	Ra>90	2880lm	10 / 23 / 38	2700K/3000K/4000K/6000K
LPL311-WT-42W	white paint	CREE COB 2530 42W	Ra>90	3360lm	10 / 23 / 38	2700K/3000K/4000K/6000K

LED PENDANT MEASUREMENTS



HL012



LPL045



LPL201




LPL264



LPL226



LPL268




LPL286



LPL287



LPL288




LPL290




LPL364




LPL165




LPL348




LPL349



LPL350




LPL353



LPL354




LPL398




LPL399




LPL374



LPL375




LPL376




LPL377

LED PENDANT MEASUREMENTS



LPL388



LPL389




LPL361




LPL362




LPL384




LPL363




LPL400




LPL401




LPL227




LPL228




LPL298




LPL299




LPL402




LPL403




LPL404




LPL405




LPL412




LPL414




LPL413




LPL415




LPL335



LPL312




LPL385




LPL386


LED PENDANT MEASUREMENTS




LPL313



LPL314




LPL315




LPL316




LPL317




LPL252




LPL253




LPL254




LPL255




LPL434




LPL435




LPL436




LPL256




LPL119




LPL120




DS006



DS007




DS008




DS009


LED PENDANT MEASUREMENTS




LPL410




LPL411




LPL406




LPL407




LPL408




LPL409




LPL390




LPL391




LPL392




LPL372




LPL373




LPL393




LPL394




LPL395



LPL396




LPL357




LPL397

LED CEILING LIGHT






**GLASS
SHADE
CEILING
LIGHT
SERIES**




code **LBL327**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 8W
 Ra>97 /800LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijia Wireless Smart system



code **LBL329**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 3x8W
 Ra>97 /2400LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijia Wireless Smart system






code **LBL330**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 4x8W
 Ra>97 / 3200LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijja Wireless Smart system




Three Colors
 Changing by Switch
 or remote controller



code **LBL328**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 2X8W
 Ra>97 /1600LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijja Wireless Smart system



Three Colors
 Changing by Switch
 or remote controller




code **LBL331**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 2x8W
 Ra>97 /1600LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation IP20

Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijia Wireless system



Three Colors
 Changing by Switch
 or remote controller




code **LBL332**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 3x8W
 Ra>97 /2400LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation IP20

Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijia Wireless system



Three Colors
 Changing by Switch
 or remote controller






code **LBL333**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 4x8W
 Ra>97 /3200LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation IP20

Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijia Wireless system



Three Colors
 Changing by Switch
 or remote controller



code **LBL313**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 4x8W
 Ra>97 /3200LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation  IP20

Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijia Wireless system



Three Colors
 Changing by Switch
 or remote controller


code **LBL314**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 4x8W
 Ra>97 /3200LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation  IP20

Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijia Wireless system





Three Colors
 Changing by Switch
 or remote controller









code **LBL312**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 4x8W
 Ra>97 /3200LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation     IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijja Wireless system




code **LBL315**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 4x8W
 Ra>97 /3200LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation     IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijja Wireless system





code **LBL317**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 6x8W
 Ra>97 /4800LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation     IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijja Wireless system






Three Colors
 Changing by Switch
 or remote controller


code **LBL318**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 6x8W
 Ra>97 /4800LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation     IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijja Wireless system



Three Colors
 Changing by Switch
 or remote controller






code **LBL320**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 6x8W
 Ra>97 /4800LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation     IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijja Wireless system



code **LBL319**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 6x8W
 Ra>97 /4800LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation     IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijja Wireless system







code **LBL322**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 9x8W
 Ra>97 /7200LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijia Wireless system




code **LBL323**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 9x8W
 Ra>97 /7200LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijia Wireless system



code **LBL324**
 casing steel/aluminum heat sink/glass shade
 white painting
 lamping brigdelux full spectrm SMD 9x8W
 Ra>97 /7200LM
 Beam 3000K/4000K/6000K three colors
 changing by switch
 installation IP20
 Full Spectrum LED chips adopted CRI>97
 Customizable to Zigbee/Mijia Wireless system








code [LBL283-WT](#) / [LBL283-RD](#) / [LBL283-BK](#)

casing aluminum heat-sink+steel shade / ^{white}red painting outside / lamping SMD 6W / Ra>80 / 600LM / 2700K/~~3000K~~/4000K/6000K
black

installation IP20 steel shade dia 220mm x 60mm / total dia 220mmx H190mm / ceiling surface mount






code [LBL284-WT](#) / [LBL284-RD](#) / [LBL284-BK](#)


casing aluminum heat-sink+steel shade / ^{white}red painting outside / lamping SMD 10W / Ra>80 / 1000LM / 2700K/~~3000K~~/4000K/6000K

installation     IP20 steel shade dia 400mm x 60mm / total dia 400mmx H185mm / ceiling surface mount






code **LBL 139-BK**
 casing aluminum / black painting
 lamping LED 18W / Ra>80 / 1800LM
 Beam 2700K/3000K/4000K/6000K
 installation     IP20




code **LBL 140-BK**
 casing aluminum / black painting
 lamping LED 36W / Ra>80 / 3600LM
 Beam 2700K/3000K/4000K/6000K
 installation     IP20






code **LBL 139-WT**
 casing aluminum / white painting
 lamping LED 18W / Ra>80 / 1800LM
 Beam 2700K/**3000K**/4000K/6000K
 installation     IP20



code **LBL 140-WT**
 casing aluminum / white painting
 lamping LED 36W / Ra>80 / 3600LM
 Beam 2700K/**3000K**/4000K/6000K
 installation     IP20




code **LBL 139-CR**

surface customizable ■ black paint equal to RAL9011 ■ white paint similar to RAL9003 ■ concrete grey paint similar to RAL7037

casing aluminum / chrome plated / lamping LED 3x6W / Ra>80 / 1800LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation ■ ⚡ CE ▽ IP20 DALI / 0/1-10V / TRIAC dimming driver customizable




code **LBL 140-CR**

surface customizable ■ black paint equal to RAL9011 ■ white paint similar to RAL9003 ■ concrete grey paint similar to RAL7037

casing aluminum / chrome plated / lamping LED 6x6W / Ra>80 / 3600LM / acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation ■ ⚡ CE ▽ IP20 DALI / 0/1-10V / TRIAC dimming driver customizable




surface
customizable

- anodized black sandblasted
- concrete grey paint similar to RAL7037

code **LBL165**

casing steel sheet / white paint
 lamping LED 6X6W / Ra>80 / 3600LM
 Beam indirect light /
 2700K/**3000K**/4000K/6000K
 installation IP20

DALI / 0/1-10V / TRIAC
 dimming driver customizable



surface
customizable


- anodized black sandblasted
- concrete grey paint similar to RAL7037





code **LBL166**

casing steel sheet / white paint
 lamping LED 9X6W / Ra>80 / 5400LM
 Beam indirect light /
 2700K/**3000K**/4000K/6000K
 installation IP20

DALI / 0/1-10V / TRIAC
 dimming driver customizable










code **LPL241**
 casing steel sheet / white paint
 lamping LED 9X6W / Ra>80 / 5400LM
 Beam indirect light /
 2700K/3000K/4000K/6000K
 installation     IP20

DALI / 0/1-10V / TRIAC
 dimming driver customizable

surface
 customizable

-  anodized black sandblasted
-  concrete grey paint similar to RAL7037




code **LPL242**
 casing steel sheet / white paint
 lamping LED 13X6W / Ra>80 / 7800LM
 Beam indirect light /
 2700K/3000K/4000K/6000K
 installation     IP20

DALI / 0/1-10V / TRIAC
 dimming driver customizable

surface
 customizable

-  anodized black sandblasted
-  concrete grey paint similar to RAL7037



code **LBL231-WT**

casing aluminum / white paint / lamping SMD 18W+COB 9W / Ra>80 / 1800+800LM / 38 degree down/

2700K/~~3000K~~
4000K/6000K

installation IP20

DALI / 0/1-10V / TRIAC dimming driver customizable

Related Products



Wall mount
LWA318
white paint




Wall mount
LWA318
grey paint



pendant
LPL312
white paint



pendant
LPL312
grey paint



code **LBL231-GR**

casing aluminum / grey paint / lamping SMD 18W+COB 9W / Ra>80 / 1800+800LM / 38 degree down/

2700K/~~3000K~~
4000K/6000K

installation     IP20

DALI / 0/1-10V / TRIAC dimming driver customizable

Related Products



Wall mount
LWA318
white paint



Wall mount
LWA318
grey paint



pendant
LPL312
white paint




pendant
LPL312
grey paint


**LED
TABLE
LAMPS**

LED FLOOR LAMPS










code **LTL037**
casing steel + aluminum
finishing black painting + anodized gold
lamping SMD 4W / Ra>80 / 400LM
Beam 2700K/3000K/4000K/6000K
installation     IP20
supplied with 1.5meter EU standard plug
switch in the base



code **LFL047**

casing steel + aluminum

finishing black painting + anodized gold

lamping SMD 18W / Ra>80 / 1800LM


Beam 2700K/~~3000K~~/4000K/6000K

installation     IP20


supplied with 1.5meter EU standard plug
Touching switch in the base to dim the light








code **LTL039-WT**
 casing aluminum / white painting
 lamping LED 3W
 / Ra>80 / 300LM
 Beam 2700K/**3000K**/4000K/6000K
 installation   **CE**  IP20



code **LTL039-BK**
 casing aluminum / black painting
 lamping LED 3W
 / Ra>80 / 300LM
 Beam 2700K/**3000K**/4000K/6000K
 installation   **CE**  IP20




code **LFL052-BK**
 casing aluminum / black painting
 lamping LED 6W
 / Ra>80 / 600lm
 Beam 2700K/**3000K**/4000K/6000K
 shade adjustable
 installation **CE** IP20

code **LFL052-WT**
 casing aluminum / white painting
 lamping LED 6W
 / Ra>80 / 600lm
 Beam 2700K/**3000K**/4000K/6000K
 shade adjustable
 installation **CE** IP20



code **LFL053-WT**
casing aluminum / white painting
lamping LED 12W
/ Ra>80 / 900lm
Beam 2700K/3000K/4000K/6000K
lighting up to the ceiling
installation     IP20



code **LTLO38-CR / LTLO38-WT / LTLO38-BK**

surface customizable

■ concrete grey paint similar to RAL7037


■ anodized gold brushed circular

casing aluminum+beech / chrome plated / white paint / anodized black / lamping LED 3W / Ra>80 / 120LM / 30 degree / 2700K/3000K/4000K/6000K

installation   **CE** IP20

EU standard plug with switch on the cable/ driver in the plug box / 1.5M cable






code **LTLO41-WT**

casing aluminum+wood / white painting

lamping supplied with a 4W led candle bulb
/ Ra>80 /280LM

Beam 2700K/3000K/4000K/6000K

installation     IP20




code **LTLO41-BK**

casing aluminum+wood / black painting

lamping supplied with a 4W led candle bulb
/ Ra>80 /280LM

Beam 2700K/3000K/4000K/6000K

installation     IP20




code **LTLO41-GR**

casing aluminum+wood / grey painting

lamping supplied with a 4W led candle bulb
/ Ra>80 /280LM

Beam 2700K/3000K/4000K/6000K

installation     IP20




code **LTL032-GD**
 casing aluminum / anodized gold
 lamping LED 2x6W / Ra>80 / 1200LM
 Beam acrylic diffuser / up and down light
 2700K/3000K/4000K/6000K
 installation IP20

code **LTL032-SL**
 casing aluminum / anodized silver

code **LTL032-BK**
 casing aluminum / anodized black



PENGUIN SERIES
TABLE READING LAMP



surface
customizable

 chrome plated

 concrete grey paint
similar to RAL7037

code **LTLO18-BK**

casing steel / black painting

lamping LED 3W / Ra>80 / 120LM

Beam 10/20/**30** degree /

2700K/**3000K**/4000K/6000K

installation   **CE** IP20

code **LTLO18-WT**


casing steel / white painting

lamping LED 3W / Ra>80 / 120LM

Beam 10/20/**30** degree /

2700K/**3000K**/4000K/6000K

installation   **CE** IP20



code **LTLO29-BK**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation   IP20 EU standard plug with switch on the cable / 1.5M cable



code **LTLO30-BK**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation   IP20 EU standard plug with switch on the cable / 1.5M cable





code **LTLO31-BK**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037 anodized gold brushed circular

casing aluminum / anodized black / lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation   IP20 EU standard plug with switch on the cable / 1.5M cable



code **LTL029-CR**

casing aluminum / chrome plated /

installation   **CE IP20**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized gold brushed circular

lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/~~3000K~~/4000K/6000K

EU standard plug with switch on the cable / 1.5M cable



code **LTL030-CR**

casing aluminum / chrome plated /

installation   **CE IP20**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized gold brushed circular

lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/~~3000K~~/4000K/6000K

EU standard plug with switch on the cable / 1.5M cable



code **LTL031-CR**

casing aluminum / chrome plated /

installation   **CE IP20**

surface customizable  white paint similar to RAL9003  concrete grey paint similar to RAL7037  anodized gold brushed circular

lamping COB 3W / Ra>90 / 300LM / acrylic diffuser / 2700K/~~3000K~~/4000K/6000K


EU standard plug with switch on the cable / 1.5M cable



LED LIGHTING ARCHITECTURE



LIGHT STRUCTURE



**LED
RECESSED
SPOT LIGHT**





With the design principle of being as simple as possible, we design this series of recessed spot light. Although it cost a lot of aluminum material to make the lamp casing from a solid aluminum trunk, the front cover looks so entirety and elegant. It has got perfect shape by seeing in front, one piece, same color, perfect straight curve, big shielding angle. By using CREE CXA series Cob chips, the CRI of this series can reach up to RA90, and very high lumen output efficiency, up to 80lm per watt. The installation is also easy with easy connector between lamp and the power-supply.

This series have got three default color, white, gold, and black. Also it has got three sizes, from 5W to 20W, output will be from 430lm to 1800lm. The light angle can be 15/24/38/60 degree, from narrow beam to wide flood. It can fulfill most requirements of home lighting and architecture lighting. The lamp body can be custom made to other colors if customer want something new in the ceiling. As we know, pure aluminum is very nice material, it can be anodized or plated or power-coating. So this series will give customer choices as much as possible.


LED SPOT LIGHT DEEP RECESSED

COB 5W SERIES



code	casing	finishing	lamping	CRI	lumen	LED color
LDC988-WT	aluminum	white paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K

reflector available



code	casing	finishing	lamping	CRI	lumen	LED color
LDC988-BK	aluminum	black paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K



cut-out dia 72mm



code	casing	finishing	lamping	CRI	lumen	LED color
LDC988-GD	aluminum	anodized gold	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K

surface customizable


concrete grey paint similar to RAL7037

COB 9W SERIES



code	casing	finishing	lamping	CRI	lumen	LED color
LDC989-WT	aluminum	white paint	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K

reflector available



code	casing	finishing	lamping	CRI	lumen	LED color
LDC989-BK	aluminum	black paint	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K




cut-out dia 97mm




code	casing	finishing	lamping	CRI	lumen	LED color
LDC989-GD	aluminum	anodized gold	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K

surface customizable


concrete grey paint similar to RAL7037




stainless steel installation spring



plug and lock connector between led and power-supply



LDC988 up to 60 degree shielding angle



LDC989 up to 57 degree shielding angle


LED SPOT LIGHT DEEP RECESSED

COB 12W SERIES



code	casing	finishing	lamping	CRI	lumen	LED color
LDC990-WT	aluminum	white paint	COB 12W	Ra>90	900lm	2700K/ 3000K /4000K/6000K

reflector available



code	casing	finishing	lamping	CRI	lumen	LED color
LDC990-BK	aluminum	black paint	COB 12W	Ra>90	900lm	2700K/ 3000K /4000K/6000K



cut-out dia 122mm



code	casing	finishing	lamping	CRI	lumen	LED color
LDC990-GD	aluminum	anodized gold	COB 12W	Ra>90	900lm	2700K/ 3000K /4000K/6000K

surface customizable


concrete grey paint similar to RAL7037

COB 20W SERIES



code	casing	finishing	lamping	CRI	lumen	LED color
LDC991-WT	aluminum	white paint	COB 20W	Ra>90	1700lm	2700K/ 3000K /4000K/6000K

reflector available



code	casing	finishing	lamping	CRI	lumen	LED color
LDC991-BK	aluminum	black paint	COB 20W	Ra>90	1700lm	2700K/ 3000K /4000K/6000K




cut-out dia 122mm




code	casing	finishing	lamping	CRI	lumen	LED color
LDC991-GD	aluminum	anodized gold	COB 20W	Ra>90	1700lm	2700K/ 3000K /4000K/6000K

surface customizable


concrete grey paint similar to RAL7037




stainless steel installation spring



plug and lock connector between led and power-supply



LDC990 up to 55 degree shielding angle



LDC991 up to 55 degree shielding angle

LED SPOT LIGHT FREE ROTATE



code LDC970

casing aluminum / white painting

lamping cob 12W / Ra>90 / 900LM

Beam 15 / 24 / **38** / 60 degree

2700K/**3000K**/4000K/6000K

installation cut-out dia 150mm

code LDC969

casing aluminum / white painting

lamping cob 5W / Ra>90 / 430LM

Beam 15 / 24 / **38** / 60 degree

2700K/**3000K**/4000K/6000K



installation cut-out dia 115mm

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

reflector available

- | | | | |
|---------------------------|--------------------|--------------------------------|--------------------------|
| 15°
narrow beam | 24°
spot | default
38°
flood | 60°
wide flood |
|---------------------------|--------------------|--------------------------------|--------------------------|



LED SPOT LIGHT

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037 ■ anodized gold brushed circular



LDC926-WT



LDC927-WT



LDC928-WT



LDC928-SL



LDC927-SL




LDC926-SL


LED SPOT LIGHT

Datasheet


■ ◆ CE ▼ IP20



code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
LDC926-WT	aluminum	white paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	15° narrow beam, 24° spot, 38° flood (default), 60° wide flood
LDC926-SL	aluminum	anodized silver	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	15° narrow beam, 24° spot, 38° flood (default), 60° wide flood



code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
LDC927-WT	aluminum	white paint	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K	15° narrow beam, 24° spot, 38° flood (default), 60° wide flood
LDC927-SL	aluminum	anodized silver	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K	15° narrow beam, 24° spot, 38° flood (default), 60° wide flood



code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
LDC928-WT	aluminum	white paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K	15° narrow beam, 24° spot, 38° flood (default), 60° wide flood
LDC928-SL	aluminum	anodized silver	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K	15° narrow beam, 24° spot, 38° flood (default), 60° wide flood



LED SPOT LIGHT

surface
customizable



black paint
equal to RAL9011



concrete grey paint
similar to RAL7037



anodized gold
brushed circular



LDC926A-SL



LDC928A-WT



LDC927A-SL



LDC927A-WT



LDC928A-SL



LDC926A-WT




























LED SPOT LIGHT

Datasheet





 IP20

 cut-out dia 70mm	code	casing	finishing	lamping	CRI	lumen	LED color	reflector available			
	LDC926A-WT	aluminum	white paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	   			
LDC926A-SL	aluminum	anodized silver	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	   				
 cut-out dia 90mm	code	casing	finishing	lamping	CRI	lumen	LED color	reflector available			
	LDC927A-WT	aluminum	white paint	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K	   			
LDC927A-SL	aluminum	anodized silver	COB 9W	Ra>90	800lm	2700K/3000K /4000K/6000K	   				
 cut-out dia 115mm	code	casing	finishing	lamping	CRI	lumen	LED color	reflector available			
	LDC928A-WT	aluminum	white paint	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K	   			
LDC928A-SL	aluminum	anodized silver	COB 12W	Ra>90	900lm	2700K/3000K /4000K/6000K	   				



LED SPOT LIGHT

surface customizable black paint equal to RAL9011 concrete grey paint similar to RAL7037 anodized gold brushed circular chrome plated



LDC978B



LDC979B



LDC978A




LDC979A

LED SPOT LIGHT

reflector available

Datasheet




		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
<p>Dia 70mm</p>	<p>IP20</p>	LDC978B	aluminum	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/ 3000K /4000K/6000K
<p>Dia 70mm</p>	<p>IP20</p>	LDC979B	aluminum	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/ 3000K /4000K/6000K
<p>Dia 70mm</p>	<p>IP20</p>	LDC978A	acrylic cover aluminum heat sink	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/ 3000K /4000K/6000K
<p>Dia 70mm</p>	<p>IP20</p>	LDC979A	acrylic cover aluminum heat sink	brushed silver	COB 5W	Ra>90	430lm	15 / 24 / 38 / 60	2700K/ 3000K /4000K/6000K



LED SPOT LIGHT RIMLESS


reflector available



surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037





RIMLESS
DEEP RECESSED
SPOTLIGHT UP TO 12W
EASY INSTALLATION





code LDC339
casing aluminum / white painting
lamping cob 5W / Ra>90 / 430LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation  cut-out dia 74mm

  IP20




code LDC340
casing aluminum / white painting
lamping cob 9W / Ra>90 / 800LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation  cut-out dia 94mm

  IP20



code LDC341
casing aluminum / white painting
lamping cob 12W / Ra>90 / 900LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation  cut-out dia 116mm


  IP20



Installation Guide

reflector available

LED SPOT LIGHT RIMLESS



surface customizable black paint equal to RAL9011 concrete grey paint similar to RAL7037

RIMLESS
DEEP RECESSED
ROTATABLE
SPOTLIGHT UP TO 12W
EASY INSTALLATION

code LDC342
casing aluminum / white painting
lamping cob 5W / Ra>90 / 430LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out dia 94mm




code LDC343
casing aluminum / white painting
lamping cob 9W / Ra>90 / 800LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out dia 116mm



code LDC344
casing aluminum / white painting
lamping cob 12W / Ra>90 / 900LM
Beam 15 / 24 / 38 / 60 degree
2700K/3000K/4000K/6000K
installation cut-out dia 137mm



Installation Guide




LED MINI SPOTLIGHT SERIES





LED MINI SPOT LIGHT

LED DOT LIGHT



The effect of this little tiny thing is twinkling stars on the roof when you install amounts of those lights. The led inside the lamp emits directly down to the ground and with no lense or any optic components, the led chips are shinning with original lights, just like stars in the galaxy. We design this sery beacuse we want a roof like galaxy and the project effect proofs it to be real.

power-supply not included

IP20 Dia 20mm installed in groups



code	casing	finishing	lamping	CRI	lumen	Beam	LED color
LDC880-BK	aluminum	brushed black	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue



code	casing	finishing	lamping	CRI	lumen	Beam	LED color
LDC880-WT	aluminum	white coated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue



code	casing	finishing	lamping	CRI	lumen	Beam	LED color
LDC880-SL	aluminum	brushed silver	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue



code	casing	finishing	lamping	CRI	lumen	Beam	LED color
LDC880-CR	aluminum	chrome plated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue



code	casing	finishing	lamping	CRI	lumen	Beam	LED color
LDC880-GD	aluminum	gold plated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue



code	casing	finishing	lamping	CRI	lumen	Beam	LED color
LDC880-RG	aluminum	rose gold plated	LED 1W	Ra>80	70lm	No lense	2700K/3000K/4000K/6000K/ red /green/blue

LED MINI SPOT LIGHT

LED DOT LIGHT




LDC880A series is an updated version for LDC880 series. Adding lens to the led chips, to prevent dazzle light directly from the led chips. Though its' light doesn't look like a shining star, it has got more soft light and gives more light on the ground or objects on the ground. Installing those little fixtures by groups every other 30cm in the whole roof instead of installing a bigger recessed spot light every other 2 meter, it appears more fancy and attractive.

This series has got 4 default colors available and they almost match most of the ceiling color, no matter you want a harmony design or a conflict design. Except installed on the roof, it is also very good for bathroom. Just imagine lots of little light on the bathroom ceiling, far more fancy than a boring 5W spot light. And one more application is cabinet lighting. You can install this series in the shop cabinets, like cloth shop, wine shop and so on. It can be easily installed due to its little size and gives just enough light, no more and no less.

LED MINI SPOT LIGHT

lens available

LED DOT LIGHT 1W SERIES



LDC880A-WT




LDC880A-SL



LDC880A-GD



LDC880A-BK



Dia 20mm
 installed in groups
 power-supply
 not included



IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC880A-WT	aluminum	brushed black	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/ 3000K /4000K/6000K /red/green/blue
LDC880A-SL	aluminum	brushed silver	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/ 3000K /4000K/6000K /red/green/blue
LDC880A-GD	aluminum	gold plated	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/ 3000K /4000K/6000K /red/green/blue
LDC880A-BK	aluminum	brushed black	LED 1W	Ra>80	70lm	10 / 20 / 30	2700K/ 3000K /4000K/6000K /red/green/blue

LED MINI SPOT LIGHT


lens available

LED DOT LIGHT 3W SERIES



surface customizable

-  chrome plated
-  concrete grey paint similar to RAL7037




-    IP20
-  Dia 30mm
- installed in groups
- power-supply not included


code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC005A-WT	aluminum	white painting	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
LDC005A-BK	aluminum	anodized black	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
LDC005A-SL	aluminum	anodized silver	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue
LDC005A-GD	aluminum	gold plated	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/3000K /4000K/6000K /red/green/blue

LED MINI SPOT LIGHT


GUIDE FOR INSTALLATION IN SERIES LDC880/LDC880A/LDC005A/LDC001A




Drill holes on the ceiling
20mm for LDC880/LDC880A
30mm for LDC005A
40mm for LDC001A



Installed power-supply on the ceiling power-supply will be supplied separately by manufacturer. Consult with seller's engineer for the specification of power-supply you need. 6-12pcs for one group is strongly recommended.




Connect the lamp each by each, using the junction cable supplied with the lamp and put the end connector to the last lamp. Connect the first lamp to the power-supply. The default MAXIMUM distance between two lamps is 50cm. If you would like to make it more than 50cm, the junction cables must be longer.



LED MINI SPOT LIGHT


lens available

**LED DOT LIGHT
3W SERIES
ROTATABLE**



surface customizable

- chrome plated
- concrete grey paint similar to RAL7037



IP20

Dia 40mm

installed in groups/single
power-supply for single
installation is included

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC001A-WT	aluminum	white painting	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/ 3000K /4000K/6000K /red/green/blue
LDC001A-BK	aluminum	anodized black	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/ 3000K /4000K/6000K /red/green/blue
LDC001A-SL	aluminum	anodized silver	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/ 3000K /4000K/6000K /red/green/blue
LDC001A-GD	aluminum	gold plated	LED 3W	Ra>80	120lm	10 / 20 / 30	2700K/ 3000K /4000K/6000K /red/green/blue

LED SPOT LIGHT

surface customizable  anodized silver brushed linear  concrete grey paint similar to RAL7037  chrome plated

DEEP RECESSED
MINI COB SPOTLIGHT
5W UP TO 430LM CRI90
DIA 56MM CUT DIA 50MM
FOUR COLORS OPTIONAL
THREE COLORS CUSTOMIZABLE



LDC992-BK



LDC992-WT



LDC992-GD



LDC992-SL

DEEP RECESSED
MINI COB SPOTLIGHT
5W UP TO 430LM CRI90
ROTATABLE FOUR COLORS
THREE COLORS CUSTOMIZABLE



LDC993-BK



LDC993-WT




LDC993-GD



LDC993-SL


LED SPOT LIGHT

Datasheet



IP20
 cut-out dia 50mm

code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
LDC992-BK	aluminum	black paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	
LDC992-WT	aluminum	white paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	
LDC992-GD	aluminum	anodized gold	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	
LDC992-SL	aluminum	anodized silver	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	




IP20
 cut-out dia 60mm


code	casing	finishing	lamping	CRI	lumen	LED color	reflector available
LDC992-BK	aluminum	black paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	
LDC992-WT	aluminum	white paint	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	
LDC992-GD	aluminum	anodized gold	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	
LDC992-SL	aluminum	anodized silver	COB 5W	Ra>90	430lm	2700K/3000K /4000K/6000K	



The frosted glass makes the light soft and even and over 90% efficiency after glass



plug and lock connector between led and power-supply



up to 40 degree shielding angle

LED SPOT LIGHT

reflector available

surface customizable



black paint equal to RAL9011



concrete grey paint similar to RAL7037




anodized gold brushed circular




		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
<p>Ø Dia 65mm</p>	<p>IP20</p>	LDC994-SL	aluminum	brushed silver	COB 5W	Ra>90	430lm	13 / 23	2700K/3000K /4000K/6000K
<p>Ø 65x145 mm</p>	<p>IP20</p>	LDC995-SL	aluminum	brushed silver	COB 2x6W	Ra>90	1000lm	13 / 23	2700K/3000K /4000K/6000K
<p>Ø 65x220 mm</p>	<p>IP20</p>	LDC996-SL	aluminum	brushed silver	COB 3x6W	Ra>90	1500lm	13 / 23	2700K/3000K /4000K/6000K
<p>Ø 145x145 mm</p>	<p>IP20</p>	LDC997-SL	aluminum	brushed silver	COB 4x6W	Ra>90	2000lm	13 / 23	2700K/3000K /4000K/6000K



The frosted glass makes the light soft and even and over 90% efficiency after glass



plug and lock connector between led and power-supply



up to 40 degree shielding angle

LED SPOT LIGHT

reflector available

surface customizable




black paint equal to RAL9011



concrete grey paint similar to RAL7037




anodized gold brushed circular




		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
<p>⌀ Dia 65mm</p>	 IP20	LDC994-WT	aluminum	white paint	COB 5W	Ra>90	430lm	13 / 23	2700K/3000K /4000K/6000K
<p>⌀ 65x145 mm</p>	 IP20	LDC995-WT	aluminum	white paint	COB 2x6W	Ra>90	1000lm	13 / 23	2700K/3000K /4000K/6000K
<p>⌀ 65x220 mm</p>	 IP20	LDC996-WT	aluminum	white paint	COB 3x6W	Ra>90	1500lm	13 / 23	2700K/3000K /4000K/6000K
<p>⌀ 145x145 mm</p>	 IP20	LDC997-WT	aluminum	white paint	COB 4x6W	Ra>90	2000lm	13 / 23	2700K/3000K /4000K/6000K



The frosted glass makes the light soft and even and over 90% efficiency after glass



plug and lock connector between led and power supply




up to 40 degree shielding angle




INVISIBLE

HIGH END LED SPOT LIGHT SERIES


SPOT LIGHT / FIXED
3W/5W/7W/9W/12W




SPOT LIGHT / ROTATABLE
3W/5W/7W/9W/12W




RIMLESS / FIXED
3W/5W/7W/9W/12W



RIMLESS / ROTATABLE
3W/5W/7W/9W/12W




SPOT LIGHT / BLACK HOLE
3W/5W/7W/9W/12W




GRILLE SPOT / FIXED




3W




2X3W




3X3W




7W




2X7W




3X7W



12W




2X12W




3X12W


GRILLE SPOT / ROTATABLE




5W




2X5W




3X5W



12W




2X12W




3X12W


GRILLE SPOT / RIMLESS




5W




2X5W




3X5W



12W



2X12W



3X12W





SPOT LIGHT FIXED







 IP20

Lens angle available/ xpe lamp


default





Lens angle available/COB lamp



CCT available / for xpe lamp




CCT available / for COB lamp



LDC423

aluminum / white painting / black plated shield
xpe 3W / Ra>80 / 120lm / 10 degree / 3000K


 Cut-out dia 28mm



LDC424

aluminum / white painting / black plated shield
COB 5W / Ra>90 / 430lm / 24 degree / 3000K


 Cut-out dia 37mm



LDC425

aluminum / white painting / black plated shield
COB 7W / Ra>90 / 560lm / 24 degree / 3000K


 Cut-out dia 43mm



LDC426

aluminum / white painting / black plated shield
COB 9W / Ra>90 / 800lm / 24 degree / 3000K

 Cut-out dia 52mm



LDC427

aluminum / white painting / black plated shield
COB 12W / Ra>90 / 900lm / 24 degree / 3000K

 Cut-out dia 62mm



SPOT LIGHT ROTABLE







 IP20

Lens angle available/ xpe lamp


default





Lens angle available/COB lamp



CCT available / for xpe lamp



CCT available / for COB lamp



LDC428

aluminum / white painting / black plated shield
xpe 3W / Ra>80 / 120lm / 10 degree / 3000K


 Cut-out dia 33mm



LDC429

aluminum / white painting / black plated shield
COB 5W / Ra>90 / 430lm / 24 degree / 3000K


 Cut-out dia 42mm



LDC430

aluminum / white painting / black plated shield
COB 7W / Ra>90 / 560lm / 24 degree / 3000K


 Cut-out dia 47mm



LDC431

aluminum / white painting / black plated shield
COB 9W / Ra>90 / 800lm / 24 degree / 3000K

 Cut-out dia 55mm



LDC432





aluminum / white painting / black plated shield
COB 12W / Ra>90 / 900lm / 24 degree / 3000K

 Cut-out dia 62mm







RIMLESS FIXED





 IP20


Lens angle available/ xpe lamp





Lens angle available/COB lamp




CCT available / for xpe lamp




CCT available / for COB lamp





LDC438

aluminum / white painting / black plated shield
xpe 3W / Ra>80 / 120lm / 10 degree / 3000K
 Cut-out dia 40mm





LDC439

aluminum / white painting / black plated shield
COB 5W / Ra>90 / 430lm / 24 degree / 3000K
 Cut-out dia 50mm





LDC440

aluminum / white painting / black plated shield
COB 7W / Ra>90 / 560lm / 24 degree / 3000K
 Cut-out dia 60mm





LDC441

aluminum / white painting / black plated shield
COB 9W / Ra>90 / 800lm / 24 degree / 3000K
 Cut-out dia 65mm



LDC442

aluminum / white painting / black plated shield
COB 12W / Ra>90 / 900lm / 24 degree / 3000K
 Cut-out dia 70mm




RIMLESS ROTATABLE


IP20

Lens angle available/ xpe lamp


default





Lens angle available/COB lamp



CCT available / for xpe lamp




CCT available / for COB lamp



LDC443

aluminum / white painting / black plated shield
xpe 3W / Ra>80 / 120lm / 10 degree / 3000K


Cut-out dia 50mm



LDC444

aluminum / white painting / black plated shield
COB 5W / Ra>90 / 430lm / 24 degree / 3000K


Cut-out dia 60mm



LDC445

aluminum / white painting / black plated shield
COB 7W / Ra>90 / 560lm / 24 degree / 3000K


Cut-out dia 65mm



LDC446

aluminum / white painting / black plated shield
COB 9W / Ra>90 / 800lm / 24 degree / 3000K

Cut-out dia 70mm



LDC447

aluminum / white painting / black plated shield
COB 12W / Ra>90 / 900lm / 24 degree / 3000K

Cut-out dia 75mm



BLACK HOLE SERIES





 IP20

Lens angle available/ xpe lamp

default






 narrow beam

Lens angle available/COB lamp








 narrow beam

CCT available / for xpe lamp

default





CCT available / for COB lamp


default







LDC433

aluminum / white painting / black plated shield
 xpe 3W / Ra>80 / 120lm / 10 degree / 3000K


 Cut-out dia 28mm



LDC434

aluminum / white painting / black plated shield
 COB 5W / Ra>90 / 430lm / 15 degree / 3000K


 Cut-out dia 37mm



LDC435

aluminum / white painting / black plated shield
 COB 7W / Ra>90 / 560lm / 15 degree / 3000K


 Cut-out dia 43mm



LDC436

aluminum / white painting / black plated shield
 COB 9W / Ra>90 / 800lm / 15 degree / 3000K

 Cut-out dia 52mm




LDC437









aluminum / white painting / black plated shield
 COB 12W / Ra>90 / 900lm / 15 degree / 3000K

 Cut-out dia 60mm

LED SPOT LIGHT RECESSED

BI-COLOR FOR FLOOD AND SPOT




		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
Dia 95mm	IP20	LDC717	aluminum	white painting	SMD 10W	Ra>80	1000lm	24	3000K for spot around 6000K for flood center
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
Dia 110 mm	IP20	LDC718	aluminum	white painting	SMD 12W	Ra>80	1200lm	24	3000K for spot around 6000K for flood center
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
Dia 160 mm	IP20	LDC719	aluminum	white painting	SMD 18W	Ra>80	1800lm	24	3000K for spot around 6000K for flood center
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
Dia 200 mm	IP20	LDC720	aluminum	white painting	SMD 20W	Ra>80	2000lm	24	3000K for spot around 6000K for flood center


DEEP RECESSED LINEAR LIGHT




code **LDC721**
 casing aluminum / white painting
 lamping SMD 2W / Ra>80 / 200LM
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 Cut-out 38X38mm




code **LDC722**
 casing aluminum / white painting
 lamping SMD 2X2W / Ra>80 / 400LM
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 Cut-out 60X35mm




code **LDC723**
 casing aluminum / white painting
 lamping SMD 3X2W / Ra>80 / 600LM
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 Cut-out 88X35mm



code **LDC724**
 casing aluminum / white painting
 lamping SMD 4X2W / Ra>80 / 800LM
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 Cut-out 68X68mm



code **LDC725**
 casing aluminum / white painting
 lamping SMD 5X2W / Ra>80 / 1000LM
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 Cut-out 140X35mm




LED SPOT LIGHT RECESSED

reflector available



DEEP RECESSED LINEAR LIGHT




code **LDC726**
casing aluminum / white painting
lamping SMD 9X2W / Ra>80 / 1800LM
Beam 24 degree /
2700K/~~3000K~~/4000K/6000K
installation IP20
 Cut-out 98X98mm



code **LDC727**
casing aluminum / white painting
lamping SMD 10X2W / Ra>80 / 2000LM
Beam 24 degree /
2700K/~~3000K~~/4000K/6000K
installation IP20
 Cut-out 276X35mm




code **LDC728**
casing aluminum / white painting
lamping SMD 15X2W / Ra>80 / 3000LM
Beam 24 degree /
2700K/~~3000K~~/4000K/6000K
installation IP20
 Cut-out 408X35mm




LED SPOT LIGHT RECESSED


reflector available




code **LDC730**
 casing aluminum / white painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 Cut-out dia 55mm




code **LDC731**
 casing aluminum / white painting
 lamping COB 12W / Ra>90 / 900LM
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 Cut-out dia 75mm



code **LDC732**
 casing aluminum / white painting
 lamping COB 20W / Ra>90 / 1700LM
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 Cut-out dia 95mm




code **LDC733**
 casing aluminum / white painting
 lamping COB 30W / Ra>90 / 2500LM
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 Cut-out dia 120mm




LED SPOT LIGHT RECESSED

reflector available


SUPER SLIM




code **LDC734**
casing aluminum / white painting
lamping COB 5W / Ra>90 / 430LM
Beam 24 degree /
2700K/3000K/4000K/6000K
installation IP20
 Cut-out dia 55mm




code **LDC735**
casing aluminum / white painting
lamping COB 9W / Ra>90 / 800LM
Beam 24 degree /
2700K/3000K/4000K/6000K
installation IP20
 Cut-out dia 75mm



code **LDC736**
casing aluminum / white painting
lamping COB 15W / Ra>90 / 1275LM
Beam 24 degree /
2700K/3000K/4000K/6000K
installation IP20
 Cut-out dia 95mm





LED SPOT LIGHT HIGH POWER HIGH LUMENS



LED SPOT LIGHT HIGH POWER HIGH LUMENS


reflector available

surface customizable  black paint equal to RAL9011  concrete grey paint similar to RAL7037



cut-out dia 140mm
IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC207-20W	aluminum	white painting	CREE COB 18 16 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
LDC207-24W	aluminum	white painting	CREE COB 18 16 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
LDC207-28W	aluminum	white painting	CREE COB 18 20 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out dia 170mm
IP20




code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC208-20W	aluminum	white painting	CREE COB 18 16 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
LDC208-24W	aluminum	white painting	CREE COB 18 16 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
LDC208-28W	aluminum	white painting	CREE COB 18 20 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K




cut-out dia 140mm
IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC209-20W	aluminum	white painting	CREE COB 18 16 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
LDC209-24W	aluminum	white painting	CREE COB 18 16 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
LDC209-28W	aluminum	white painting	CREE COB 18 20 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K

LDC209 four steps installation




strong and solid heat sink makes good heat management



philips power-supply for the whole series





strong metal spring clips



locking connectors make easy and stable connection between lamp and power-supply



Related products LDC211 series in chapter LED grille light







LED GRILLE LIGHTS





GRILLE SPOT FIXED





 IP20

Lens angle available/ xpe lamp

default



narrow
beam



spot




flood



wide
flood


CCT available / for xpe lamp



LDC448

aluminum / white painting / black plated shield
xpe 3W / Ra>80 / 120lm / 10 degree / 3000K


 Cut-out 45x45mm



LDC449

aluminum / white painting / black plated shield
xpe 2x3W / Ra>80 / 240lm / 10 degree / 3000K

 Cut-out 100x45mm



LDC450

aluminum / white painting / black plated shield
xpe 3x3W / Ra>80 / 360lm / 10 degree / 3000K

 Cut-out 155x45mm




GRILLE SPOT FIXED







 IP20

Lens angle available/COB lamp




CCT available / for COB lamp



LDC451

aluminum / white painting / black plated shield
COB 7W / Ra>90 / 560lm / 24 degree / 3000K


 Cut-out 60x60mm



LDC452

aluminum / white painting / black plated shield
COB 2x7W / Ra>90 / 1120lm / 24 degree / 3000K

 Cut-out 135x60mm



LDC453

aluminum / white painting / black plated shield
COB 3x7W / Ra>90 / 1680lm / 24 degree / 3000K

 Cut-out 210x60mm




GRILLE SPOT FIXED







 IP20

Lens angle available/COB lamp




CCT available / for COB lamp



LDC454

aluminum / white painting / black plated shield
COB 12W / Ra>90 / 900lm / 24 degree / 3000K


 Cut-out 85x85mm



LDC455

aluminum / white painting / black plated shield
COB 2x12W / Ra>90 / 1800lm / 24 degree / 3000K

 Cut-out 180x85mm



LDC456

aluminum / white painting / black plated shield
COB 3x12W / Ra>90 / 2700lm / 24 degree / 3000K

 Cut-out 280x85mm






GRILLE SPOT ROTATABLE







 IP20

Lens angle available/COB lamp




CCT available / for COB lamp



LDC463

aluminum / white painting / black plated shield
COB 5W / Ra>90 / 430lm / 24 degree / 3000K


 Cut-out 80x80mm



LDC464

aluminum / white painting / black plated shield
COB 2x5W / Ra>90 / 860lm / 24 degree / 3000K

 Cut-out 145x80mm



LDC465

aluminum / white painting / black plated shield
COB 3x5W / Ra>90 / 1290lm / 24 degree / 3000K

 Cut-out 215x80mm




GRILLE SPOT ROTATABLE







 IP20

Lens angle available/COB lamp




CCT available / for COB lamp



LDC466

aluminum / white painting / black plated shield
COB 12W / Ra>90 / 900lm / 24 degree / 3000K


 Cut-out 110x110mm



LDC467

aluminum / white painting / black plated shield
COB 2x12W / Ra>90 / 1800lm / 24 degree / 3000K

 Cut-out 200x110mm



LDC468

aluminum / white painting / black plated shield
COB 3x12W / Ra>90 / 2700lm / 24 degree / 3000K

 Cut-out 295x110mm






GRILLE RIMLESS







 IP20

Lens angle available/COB lamp




CCT available / for COB lamp



LDC457

aluminum / white painting / black plated shield
COB 5W / Ra>90 / 430lm / 24 degree / 3000K


 Cut-out 85x85mm



LDC458

aluminum / white painting / black plated shield
COB 2x5W / Ra>90 / 860lm / 24 degree / 3000K

 Cut-out 155x85mm







LDC459

aluminum / white painting / black plated shield
COB 3x5W / Ra>90 / 1290lm / 24 degree / 3000K


 Cut-out 225x85mm





GRILLE SPOT ROTATABLE





 IP20

Lens angle available/COB lamp




CCT available / for COB lamp



LDC460

aluminum / white painting / black plated shield
COB 12W / Ra>90 / 900lm / 24 degree / 3000K


 Cut-out 110x110mm



LDC461

aluminum / white painting / black plated shield
COB 2x12W / Ra>90 / 1800lm / 24 degree / 3000K

 Cut-out 205x110mm



LDC462

aluminum / white painting / black plated shield
COB 3x12W / Ra>90 / 2700lm / 24 degree / 3000K

 Cut-out 300x110mm



code LDC955
 casing aluminum / white painting
 lamping cob 5W / Ra>90 / 430LM
 Beam 15 / 24 / 38 / 60 degree
 2700K/3000K/4000K/6000K
 installation cut-out 90x90mm

code LDC956
 casing aluminum / white painting
 lamping cob 2x5W / Ra>90 / 860LM
 Beam 15 / 24 / 38 / 60 degree
 2700K/3000K/4000K/6000K
 installation cut-out 165x90mm



code LDC957
 casing aluminum / white painting
 lamping cob 3x5W / Ra>90 / 1290LM
 Beam 15 / 24 / 38 / 60 degree
 2700K/3000K/4000K/6000K
 installation cut-out 240x90mm

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

reflector available

narrow beam
 spot
 flood
 wide flood

default



code LDC958
 casing aluminum / white painting
 lamping cob 9W / Ra>90 / 800LM
 Beam 15 / 24 / **38** / 60 degree
 2700K/**3000K**/4000K/6000K
 installation cut-out 110x110mm

code LDC959
 casing aluminum / white painting
 lamping cob 2x9W / Ra>90 / 1600LM
 Beam 15 / 24 / **38** / 60 degree
 2700K/**3000K**/4000K/6000K
 installation cut-out 205x110mm



code LDC960
 casing aluminum / white painting
 lamping cob 3x9W / Ra>90 / 2400LM
 Beam 15 / 24 / **38** / 60 degree
 2700K/**3000K**/4000K/6000K
 installation cut-out 300x110mm

surface customizable
 ■ black paint equal to RAL9011
 ■ concrete grey paint similar to RAL7037

reflector available
 15° narrow beam
 24° spot
 38° flood (default)
 60° wide flood



code LDC961
 casing aluminum / white painting
 lamping cob 12W / Ra>90 / 900LM
 Beam 15 / 24 / 38 / 60 degree
 2700K/3000K/4000K/6000K
 installation cut-out 135x135mm

code LDC963
 casing aluminum / white painting
 lamping cob 3x12W / Ra>90 / 2700LM
 Beam 15 / 24 / 38 / 60 degree
 2700K/3000K/4000K/6000K
 installation cut-out 365x135mm

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

reflector available

narrow beam	spot	flood	wide flood

default





code LDC962
 casing aluminum / white painting
 lamping cob 2x12W / Ra>90 / 1800LM
 Beam 15 / 24 / 38 / 60 degree
 2700K/3000K/4000K/6000K
 installation cut-out 250x135mm


bathx
Product and Life





FREE ROTATE LED GRILLE LIGHTS








code LDC317
 casing aluminum / white painting
 lamping cob 5W / Ra>90 / 430LM
 Beam 15 / 24 / 38 / 60 degree
 2700K/3000K/4000K/6000K
 installation  cut-out 105x105mm






code LDC318
 casing aluminum / white painting
 lamping cob 2x5W / Ra>90 / 860LM
 Beam 15 / 24 / 38 / 60 degree
 2700K/3000K/4000K/6000K
 installation  cut-out 195x105mm










code LDC319
 casing aluminum / white painting
 lamping cob 3x5W / Ra>90 / 1290LM
 Beam 15 / 24 / 38 / 60 degree
 2700K/3000K/4000K/6000K
 installation  cut-out 285x105mm

surface customizable

-  black paint equal to RAL9011
-  concrete grey paint similar to RAL7037

reflector available

-  15° narrow beam
-  24° spot
-  38° flood default
-  60° wide flood




The led head can be pulled out and in and rotatable horizontally 350 degree vertically 180 degree





This series are remarkable for its' highly free rotating lamp head. Good solution for wall washing and signboard lighting


FREE ROTATE LED GRILLE LIGHTS


BIG VERSION








code LDC320
casing aluminum / white painting
lamping cob 12W / Ra>90 / 900LM
Beam 15 / 24 / **38** / 60 degree
2700K/**3000K**/4000K/6000K
installation  cut-out 135x135mm





code LDC321
casing aluminum / white painting
lamping cob 2x12W / Ra>90 / 1800LM
Beam 15 / 24 / **38** / 60 degree
2700K/**3000K**/4000K/6000K
installation  cut-out 300x135mm










code LDC322
casing aluminum / white painting
lamping cob 3x12W / Ra>90 / 2700LM
Beam 15 / 24 / **38** / 60 degree
2700K/**3000K**/4000K/6000K
installation  cut-out 440x135mm

surface customizable

-  black paint equal to RAL9011
-  concrete grey paint similar to RAL7037

reflector available

- 
15°
narrow beam
- 
24°
spot
- 
38°
flood
- 
60°
wide flood



The led head can be pulled out and in and rotatable horizontally 350 degree vertically 180 degree



This series are remarkable for its' highly free rotating lamp head. Good solution for wall washing and signboard lighting



code LDC418
 casing aluminum / white painting
 lamping cob 9W / Ra>90 / 720LM
 Beam 10 / 20 / 30 degree
 2700K/3000K/4000K/6000K
 installation cut-out 155x155mm

code LDC419
 casing aluminum / white painting
 lamping cob 2x9W / Ra>90 / 1440LM
 Beam 10 / 20 / 30 degree
 2700K/3000K/4000K/6000K
 installation cut-out 295x155mm



code LDC420
 casing aluminum / white painting
 lamping cob 16W / Ra>90 / 1280LM
 Beam 10 / 20 / 30 degree
 2700K/3000K/4000K/6000K
 installation cut-out 185x185mm

code LDC421
 casing aluminum / white painting
 lamping cob 2x16W / Ra>90 / 2560LM
 Beam 10 / 20 / 30 degree
 2700K/3000K/4000K/6000K
 installation cut-out 360x185mm

RIMLESS LED GRILLE LIGHTS



code LDC356

casing aluminum / black painting

lampping cob 6W / Ra>90 /500LM

Beam 10 / 23 / 38 degree

2700K/3000K/4000K/6000K

installation cut-out 93x93mm



code LDC357

casing aluminum / black painting

lampping cob 2x6W / Ra>90 /1000LM

Beam 10 / 23 / 38 degree

2700K/3000K/4000K/6000K

installation cut-out 165x93mm



code LDC358

casing aluminum / black painting


lampping cob 3x6W / Ra>90 /1500LM

Beam 10 / 23 / 38 degree

2700K/3000K/4000K/6000K

installation cut-out 240x93mm


reflector available



surface customizable

- white paint similar to RAL9003
- concrete grey paint similar to RAL7037

installation guide



RIMLESS LED GRILLE LIGHTS



code LDC359

casing aluminum / black painting

lamping cob 9W / Ra>90 / 800LM

Beam 10 / 23 / 38 degree

2700K/3000K/4000K/6000K

installation cut-out 114x114mm



code LDC360

casing aluminum / black painting

lamping cob 2x9W / Ra>90 / 1600LM

Beam 10 / 23 / 38 degree

2700K/3000K/4000K/6000K

installation cut-out 209x114mm



code LDC361

casing aluminum / black painting


lamping cob 3x9W / Ra>90 / 2400LM

Beam 10 / 23 / 38 degree

2700K/3000K/4000K/6000K

installation cut-out 304x114mm

installation guide



surface customizable


- white paint similar to RAL9003
- concrete grey paint similar to RAL7037


reflector available



- default
- 10°
 narrow beam
 - 23°
 spot
 - 38°
 flood





RIMLESS LED GRILLE LIGHTS




code LDC362
 casing aluminum / black painting
 lamping cob 12W / Ra>90 / 900LM
 Beam 10 / 23 / **38** degree
 2700K/**3000K**/4000K/6000K
 installation  cut-out 136x136mm

code LDC363
 casing aluminum / black painting
 lamping cob 2x12W / Ra>90 / 1800LM
 Beam 10 / 23 / **38** degree
 2700K/**3000K**/4000K/6000K
 installation  cut-out 253x136mm


code LDC364
 casing aluminum / black painting
 lamping cob 3x12W / Ra>90 / 2700LM
 Beam 10 / 23 / **38** degree
 2700K/**3000K**/4000K/6000K
 installation  cut-out 370x136mm






Installation guide

surface customizable

-  white paint similar to RAL9003
-  concrete grey paint similar to RAL7037



reflector available

- default
-  10° narrow beam
 -  23° spot
 -  38° flood

HIGH CLASS / HIGH LUMENS LED GRILLE LIGHTS

UP TO 28W FOR SINGLE HEAD
UP TO 6720 LUMENS FOR
3 HEADS LAMP

10/23/38 DEGREE BEAM ANGLE
SOLID AND EASY INSTALLATION

VERY GOOD HEAT
MANAGEMENT


SUPPLIED WITH
PHILIPS POWER-SUPPLY

20W/24W/28W AVAILABLE

LASER-CUT COVER SHEET
CAN BE CUSTOMIZED TO
OTHER SHAPE


ONE OF THE BEST CHOICE
FOR ARCHITECTURE
LIGHTING






cut-out 180x180mm
 IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC211-20W	steel casing aluminum heat sink	white painting	CREE COB 18 16 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
LDC211-24W	steel casing aluminum heat sink	white painting	CREE COB 18 16 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
LDC211-28W	steel casing aluminum heat sink	white painting	CREE COB 18 20 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K





cut-out 365x180mm
 IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC212-20W	steel casing aluminum heat sink	white painting	CREE COB 18 16 2X20W	Ra>90	3200lm	10/23/38	2700K/3000K /4000K/6000K
LDC212-24W	steel casing aluminum heat sink	white painting	CREE COB 18 16 2X24W	Ra>90	3840lm	10/23/38	2700K/3000K /4000K/6000K
LDC212-28W	steel casing aluminum heat sink	white painting	CREE COB 18 20 2X28W	Ra>90	4480lm	10/23/38	2700K/3000K /4000K/6000K



cut-out 550x180mm
 IP20


code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC213-20W	steel casing aluminum heat sink	white painting	CREE COB 18 16 3X20W	Ra>90	4800lm	10/23/38	2700K/3000K /4000K/6000K
LDC213-24W	steel casing aluminum heat sink	white painting	CREE COB 18 16 3X24W	Ra>90	5760lm	10/23/38	2700K/3000K /4000K/6000K
LDC213-28W	steel casing aluminum heat sink	white painting	CREE COB 18 20 3X28W	Ra>90	6720lm	10/23/38	2700K/3000K /4000K/6000K



hiding-screwing out-screwing down
 3 steps installation module makes
 NO HARM to the roof and lamp itself
 Very stable ceiling lamp installation



1.5mm thickness
 Laser-cut integrated
 steel cover sheet
 gives enough intensity




quick pressing
 connector
 makes installation
 easy


surface
 customizable

- black paint
 equal to RAL9011
- concrete grey paint
 similar to RAL7037

reflector available



15mm aluminum
 front cover and
 reflector makes
 45 degree
 shielding angle




lense on the
 central of
 reflector
 makes the light
 soft and more
 efficient

HIGH CLASS / HIGH LUMENS LED GRILLE LIGHTS


RIMLESS VERSION






cut-out 185x180mm
 IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC214-20W	steel casing aluminum heat sink	white painting	CREE COB 18 16 20W	Ra>90	1600lm	10/23/38	2700K/3000K /4000K/6000K
LDC214-24W	steel casing aluminum heat sink	white painting	CREE COB 18 16 24W	Ra>90	1920lm	10/23/38	2700K/3000K /4000K/6000K
LDC214-28W	steel casing aluminum heat sink	white painting	CREE COB 18 20 28W	Ra>90	2240lm	10/23/38	2700K/3000K /4000K/6000K



cut-out 370x180mm
 IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC215-20W	steel casing aluminum heat sink	white painting	CREE COB 18 16 2X20W	Ra>90	3200lm	10/23/38	2700K/3000K /4000K/6000K
LDC215-24W	steel casing aluminum heat sink	white painting	CREE COB 18 16 2X24W	Ra>90	3840lm	10/23/38	2700K/3000K /4000K/6000K
LDC215-28W	steel casing aluminum heat sink	white painting	CREE COB 18 20 2X28W	Ra>90	4480lm	10/23/38	2700K/3000K /4000K/6000K




cut-out 555x180mm
 IP20


code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC216-20W	steel casing aluminum heat sink	white painting	CREE COB 18 16 3X20W	Ra>90	4800lm	10/23/38	2700K/3000K /4000K/6000K
LDC216-24W	steel casing aluminum heat sink	white painting	CREE COB 18 16 3X24W	Ra>90	5760lm	10/23/38	2700K/3000K /4000K/6000K
LDC216-28W	steel casing aluminum heat sink	white painting	CREE COB 18 20 3X28W	Ra>90	6720lm	10/23/38	2700K/3000K /4000K/6000K



easy installation
by putting by hands
put the lamp into
the ceiling hole with
one side oblique



The holding pieces
can be adjusted
by customer
according to the
thickness of the
ceiling board





quick pressing
connector
makes installation
easy


surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037


reflector available



15mm aluminum
front cover and
reflector makes
45 degree
shielding angle



lense on the
central of
reflector
makes the light
soft and more
efficient



**LED
RECESSED
DOWN
LIGHT**



TEA AREA

ANTI-GLARE LED DOWNLIGHT



This series LED downlight has got 3 different sizes and 3 different colors, so totally 9 items.
3 inches is Dia 105mm by 59mm height, with cut-off Dia 90mm
4 inches is Dia 128mm by 59mm height, with cut-off Dia 115mm
6 inches is Dia 175mm by 59mm height, with cut-off Dia 160mm

Those items are good at kitchen, toilet ceiling and for bedside lighting, also passage is a good place to put this series, for the elegant out-looking and anti-glare shade.

The second advantage from this series is the lamp color, aluminium anodized silver and gold is giving a metallic looking, clear, modern but not vulgar like shining chrome.


ANTI-GLARE LED DOWNLIGHT



surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037


equal to 3 inch



- cut-out Dia 90mm
- IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC931A-SL	aluminum	anodized silver	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/ 3000K /4000K/6000K
LDC931A-GD	aluminum	anodized gold	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/ 3000K /4000K/6000K
LDC931A-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/ 3000K /4000K/6000K


equal to 4 inch



- cut-out Dia 115mm
- IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC932A-SL	aluminum	anodized silver	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/ 3000K /4000K/6000K
LDC932A-GD	aluminum	anodized gold	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/ 3000K /4000K/6000K
LDC932A-WT	aluminum	white paint	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/ 3000K /4000K/6000K

equal to 6 inch



- cut-out Dia 160mm
- IP20

code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
LDC934A-SL	aluminum	anodized silver	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/ 3000K /4000K/6000K
LDC934A-GD	aluminum	anodized gold	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/ 3000K /4000K/6000K
LDC934A-WT	aluminum	white paint	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/ 3000K /4000K/6000K

LED DOWNLIGHT

We call this series MOOOON, because the original idea of the lamp comes from the FULL MOON, the moon at middle of the month is totally round and nothing defected. This series of lamp lights up just like full moon, very thin edge, the object is totally like a lighting ball from the ceiling, well-stacked and beautiful.









They have got four sizes 3 inches, 4 inches, 5 inches, and 6 inches. Also two colors available, painted white and anodized brushed silver. They give enough light, good for passage, balcony, toilet, kitchen, and etc.


surface
customizable

- black paint
equal to RAL9011
- concrete grey paint
similar to RAL7037

    IP20



		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		LDC964-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/ 3000K /4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		LDC965-WT	aluminum	white paint	SMD 10W	Ra>80	1000lm	Acrylic cover	2700K/ 3000K /4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		LDC966-WT	aluminum	white paint	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/ 3000K /4000K/6000K
		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
		LDC967-WT	aluminum	white paint	SMD 20W	Ra>80	2000lm	Acrylic cover	2700K/ 3000K /4000K/6000K



**CEILING RECESSED
LED PANNEL LIGHT
ULTRA SLIM AND
BRIGHTNESS**

We call this type of lamp PANEL LIGHT, because the whole lamp is extremely slim, just like a panel. The theory of panel light is putting the led on the side of the lamp casing, 90 degree opposite of the lighting direction. There are three layers of acrylic lighting unit, on the front is a very thin acrylic sheet to make the light soft, the middle layer is a diffuser which turning the lighting direction from side to downwards, the back layer is a reflector to reflect the lighting downwards, the led give lights to the acrylic panels, the three layers of acrylic make the light all downwards to the ground.

This type of PNAEL LIGHT is very slim, efficient, soft light and other lots of advantage. We have got four sizes from 105mm to 280mm, the watt from 6W to 24W, it can fulfill most requirements.

There are also round shape and square shape, black and white color, and also other color can be custom made.





LED PANEL DOWNLIGHT | DATASHEET

IP20

surface customizable concrete grey paint similar to RAL7037

		code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
	 Dia105mm	LDC201S-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K /4000K/6000K
	 Dia160mm	LDC201-WT	aluminum	white paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/3000K /4000K/6000K
	 Dia205mm	LDC202-WT	aluminum	white paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/3000K /4000K/6000K
	 Dia280mm	LDC203-WT	aluminum	white paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/3000K /4000K/6000K
	 Dia105mm	LDC201S-BK	aluminum	black paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/3000K /4000K/6000K
	 Dia160mm	LDC201-BK	aluminum	black paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/3000K /4000K/6000K
	 Dia205mm	LDC202-BK	aluminum	black paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/3000K /4000K/6000K
	 Dia280mm	LDC203-BK	aluminum	black paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/3000K /4000K/6000K



**CEILING RECESSED
LED PANNEL LIGHT
ULTRA SLIM AND
BRIGHTNESS**

We call this type of lamp PANEL LIGHT, because the whole lamp is extremely slim, just like a panel. The theory of panel light is putting the led on the side of the lamp casing, 90 degree opposite of the lighting direction. There are three layers of acrylic lighting unit, on the front is a very thin acrylic sheet to make the light soft, the middle layer is a diffuser which turning the lighting direction from side to downwards, the back layer is a reflector to reflect the lighting downwards the led give lights to the acrylic panels, the three layers of acrylic make the light all downwards to the ground.

This type of PNAEL LIGHT is very slim, efficient, soft light and other lots of advantage. We have got four sizes from 105mm to 280mm, the watt from 6W to 24W, it can fulfill most requirements. There are also round shape and square shape, black and white color, and also other color can be custom made.



LED PANEL DOWNLIGHT | DATASHEET



 IP20

surface customizable  concrete grey paint similar to RAL7037

	code	casing	finishing	lamping	CRI	lumen	Beam/degree	LED color
  Dia 105x105mm	LDC204S-WT	aluminum	white paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Dia 155x155mm	LDC204-WT	aluminum	white paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Dia 205x205mm	LDC205-WT	aluminum	white paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Dia 280x280mm	LDC206-WT	aluminum	white paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Dia 105x105mm	LDC204S-BK	aluminum	black paint	SMD 6W	Ra>80	600lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Dia 155x155mm	LDC204-BK	aluminum	black paint	SMD 12W	Ra>80	1200lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Dia 205x205mm	LDC205-BK	aluminum	black paint	SMD 18W	Ra>80	1800lm	Acrylic cover	2700K/ 3000K /4000K/6000K
  Dia 280x280mm	LDC206-BK	aluminum	black paint	SMD 24W	Ra>80	2400lm	Acrylic cover	2700K/ 3000K /4000K/6000K




LED SURFACE DOWN LIGHT







LAZER SERIES
 SURFACE DOWNLIGHT
 BLACK FRONT COVER
 65 DEGREE ANT-GLARE ANGLE
 23 DEGREE BEAM ANGLE
 PERFECT LIGHT CIRCLE







surface customizable

-  black paint equal to RAL9011
-  concrete grey paint similar to RAL7037
-  chrome plated


code **LBL219-GD**
 casing aluminum / anodized gold
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/**23**/38 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20

code **LBL219-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/**23**/38 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20

code **LBL219-WT**
 casing aluminum / white painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/**23**/38 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20



LAZER SERIES
 SURFACE DOWNLIGHT
 BLACK FRONT COVER
 65 DEGREE ANT-GLARE ANGLE
 23 DEGREE BEAM ANGLE
 PERFECT LIGHT CIRCLE
 9W MIDDLE SIZE



surface customizable

-  black paint equal to RAL9011
-  concrete grey paint similar to RAL7037
-  chrome plated


code **LBL220-GD**
 casing aluminum / anodized gold
 lamping COB 9W / Ra>90 /800LM
 Beam 15/23/38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

code **LBL220-SL**
 casing aluminum / anodized silver
 lamping COB 9W / Ra>90 /800LM
 Beam 15/23/38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

code **LBL220-WT**
 casing aluminum / white painting
 lamping COB 9W / Ra>90 /800LM
 Beam 15/23/38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20




LAZER SERIES
 SURFACE DOWNLIGHT
 BLACK FRONT COVER
 65 DEGREE ANT-GLARE ANGLE
 23 DEGREE BEAM ANGLE
 PERFECT LIGHT CIRCLE
 12W LARGE SIZE







surface customizable


-  black paint equal to RAL9011
-  concrete grey paint similar to RAL7037
-  chrome plated

code **LBL221-GD**
 casing aluminum / anodized gold
 lamping COB 12W / Ra>90 /900LM
 Beam 15/23/38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

code **LBL221-SL**
 casing aluminum / anodized silver
 lamping COB 12W / Ra>90 /900LM
 Beam 15/23/38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

code **LBL221-WT**
 casing aluminum / white painting
 lamping COB 12W / Ra>90 /900LM
 Beam 15/23/38 degree /
 2700K/3000K/4000K/6000K
 installation     IP20






code **LBL135-BK**

surface customizable concrete grey paint similar to RAL7037 anodized gold sandblasted

casing aluminum / black painting / lamping COB 5W / Ra>90 / 430LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation IP20 check photometric on page 001




code **LBL136-BK**

surface customizable concrete grey paint similar to RAL7037 anodized gold sandblasted

casing aluminum / black painting / lamping COB 9W / Ra>90 / 800LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation IP20 check photometric on page 001




code **LBL137-BK**

surface customizable concrete grey paint similar to RAL7037 anodized gold sandblasted

casing aluminum / black painting / lamping COB 12W / Ra>90 / 900LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation IP20 check photometric on page 001




code **LBL135-WT**

surface customizable  concrete grey paint similar to RAL7037  anodized gold sandblasted

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 check photometric on page 001




code **LBL136-WT**

surface customizable  concrete grey paint similar to RAL7037  anodized gold sandblasted

casing aluminum / white painting / lamping COB 9W / Ra>90 / 800LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 check photometric on page 001



code **LBL137-WT**

surface customizable  concrete grey paint similar to RAL7037  anodized gold sandblasted




casing aluminum / white painting / lamping COB 12W / Ra>90 / 900LM / acrylic cover / 2700K/**3000K**/4000K/6000K

installation     IP20 check photometric on page 001





Minimalism Style
 Surface Downlight Series
 Full Spectrum Led Chips
 Adopted CRI>97
 Customizable To Zigbee/Mija
 Wireless Smart System






code **LBL293-WT**
 casing aluminum / white painting
 lamping Led 6W / Ra>97 / 600LM
 Beam acrylic cover/
 2700K/3000K/4000K/6000K
 installation IP20

code **LBL294-WT**
 casing aluminum / white painting
 lamping Led 12W / Ra>97 / 1200LM
 Beam acrylic cover/
 2700K/3000K/4000K/6000K
 installation IP20

code **LBL295-WT**
 casing aluminum / white painting
 lamping Led 20W / Ra>97 / 2000LM
 Beam acrylic cover/
 2700K/3000K/4000K/6000K
 installation IP20




Minimalism Style
 Surface Downlight Series
 Full Spectrum Led Chips
 Adopted CRI>97
 Customizable To Zigbee/Mija
 Wireless Smart System






code **LBL293-BK**
 casing aluminum / black painting
 lamping Led 6W / Ra>97 / 600LM
 Beam acrylic cover/
 2700K/3000K/4000K/6000K
 installation

code **LBL294-BK**
 casing aluminum / black painting
 lamping Led 12W / Ra>97 / 1200LM
 Beam acrylic cover/
 2700K/3000K/4000K/6000K
 installation

code **LBL295-BK**
 casing aluminum / black painting
 lamping Led 20W / Ra>97 / 2000LM
 Beam acrylic cover/
 2700K/3000K/4000K/6000K
 installation



Minimalism Style
 Surface Downlight Series
 Full Spectrum Led Chips
 Adopted CRI>97
 Customizable To Zigbee/Mija
 Wireless Smart System




code **LBL293-GD**
 casing aluminum / anodized gold
 lamping Led 6W / Ra>97 / 600LM
 Beam acrylic cover/
 2700K/3000K/4000K/6000K
 installation

code **LBL294-GD**
 casing aluminum / anodized gold
 lamping Led 12W / Ra>97 / 1200LM
 Beam acrylic cover/
 2700K/3000K/4000K/6000K
 installation

code **LBL295-GD**
 casing aluminum / anodized gold
 lamping Led 20W / Ra>97 / 2000LM
 Beam acrylic cover/
 2700K/3000K/4000K/6000K
 installation






code **LBL104**

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037 ■ anodized gold sandblasted

casing aluminum / white painting / lamping SMD 4W / Ra>80 / 400LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation ■ ⊕ CE ▽ IP20




code **LBL105**

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037 ■ anodized gold sandblasted

casing aluminum / white painting / lamping SMD 10W / Ra>80 / 1000LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation ■ ⊕ CE ▽ IP20






code **LBL106**

surface customizable ■ black paint equal to RAL9011 ■ concrete grey paint similar to RAL7037 ■ anodized gold sandblasted

casing aluminum / white painting / lamping SMD 20W / Ra>80 / 2000LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation ■ ⊕ CE ▽ IP20










Minimalism Style
 Surface Downlight Series
 Full Spectrum Led Chips
 Adopted CRI>97
 Section Switch for LBL297
 Flood and Spot on/off
 Separately

code **LBL297-BK**
 casing aluminum / black painting
 lamping Flood 12W+spot 12W /
 Ra>97 / 2100LM
 Beam 24 degree for spot
 2700K/3000K/4000K/6000K
 installation     IP20

code **LBL296-BK**
 casing aluminum / black painting
 lamping Flood 6W+spot 5W /
 Ra>97 / 1000LM
 Beam 23 degree for spot
 2700K/3000K/4000K/6000K
 installation     IP20








Minimalism Style
 Surface Downlight Series
 Full Spectrum Led Chips
 Adopted CRI>97
 Section Switch for LBL297
 Flood and Spot on/off
 Separately

code **LBL297-WT**
 casing aluminum / white painting
 lamping Flood 12W+spot 12W /
 Ra>97 / 2100LM
 Beam 24 degree for spot
 2700K/3000K/4000K/6000K
 installation     IP20

code **LBL296-WT**
 casing aluminum / white painting
 lamping Flood 6W+spot 5W /
 Ra>97 / 1000LM
 Beam 23 degree for spot
 2700K/3000K/4000K/6000K
 installation     IP20







code **LBL049**
 casing aluminum / white paint
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP20




surface customizable

-  black paint equal to RAL9011
-  concrete grey paint similar to RAL7037
-  anodized silver sandblasted
-  anodized gold brushed circular




code **LBL050**
 casing aluminum / white paint
 lamping COB 12W / Ra>90 / 900LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP20



surface customizable

-  black paint equal to RAL9011
-  concrete grey paint similar to RAL7037
-  anodized silver sandblasted
-  anodized gold brushed circular






code **BL001-WT**

casing aluminum / white painting / Gu10 socket / bulb not included

installation IP20

surface customizable

concrete grey paint similar to RAL7037




code **BL002-WT**

casing aluminum / white painting / 2x Gu10 socket / bulb not included

installation IP20

surface customizable

concrete grey paint similar to RAL7037




code **BL003-WT**

casing aluminum / white painting / 3x Gu10 socket / bulb not included

installation IP20

surface customizable

concrete grey paint similar to RAL7037




code **BLO01-BK**

casing aluminum / black painting / Gu10 socket / bulb not included

installation     IP20

surface customizable

 concrete grey paint similar to RAL7037




code **BLO02-BK**

casing aluminum / black painting / 2x Gu10 socket / bulb not included

installation     IP20

surface customizable

 concrete grey paint similar to RAL7037



code **BLO03-BK**


casing aluminum / black painting / 3x Gu10 socket / bulb not included

installation     IP20


surface customizable

 concrete grey paint similar to RAL7037






code **LBL705**
 casing aluminium / white painting
 lamping COB 12W / Ra>90 / 900lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation



code **LBL706**
 casing aluminium / white painting
 lamping COB 20W / Ra>90 / 1950lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation



code **LBL707**
 casing aluminium / white painting
 lamping COB 30W / Ra>90 / 2500lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation



BAYMAX SERIES SURFACE DOWNLIGHT

This series is consisted of pendants, surface downlights, spotlights. The idea is to make a ultimate surface downlight, with perfect shape and perfect light. The baymax series has realized all of this purpose, with square shape but nicely curved, and 23 degree beam, white painting. All above perfectly match the modern house decoration.

The name of BAYMAX comes from a Japanese cartoon film. BAYMAX is the major character of the film. He is warm hearted, but very strong and skilled. He is trained to protect people. Just like Baymax, this series of light have got nice white housing, and strong warm heart-high lumen output, with no harm to people--with anti-glare angle and checker glass front cover.

surface
customizable

-  black paint equal to RAL9011
-  concrete grey paint similar to RAL7037
-  anodized silver sandblasted
-  anodized gold sandblasted



code **LBL210**

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K


installation     IP20 check photometric on page 001



code **LBL211**

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001



code **LBL212**

casing aluminum / white painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 check photometric on page 001




BAYMAX SERIES
SURFACE DOWNLIGHT
BIGGER VERSION

This series is consisted of pendants, surface downlights, spotlights. The idea is to make a ultimate surface downlight, with perfect shape and perfect light. The baymax series has realized all of this purpose, with square shape but nicely curved, and 23 degree beam, white painting. All above perfectly match the modern house decoration.
The name of BAYMAX comes from a Japanese cartoon film. BAYMAX is the major character of the film. He is warm hearted, but very strong and skilled. He is trained to protect people. Just like Baymax, this series of light have got nice white housing, and strong warm heart-high lumen output, with no harm to people--with anti-glare angle and checker glass front cover.

surface
customizable


-  black paint
equal to RAL9011
-  concrete grey paint
similar to RAL7037
-  anodized silver
sandblasted
-  anodized gold
sandblasted



code **LBL213**

casing aluminum / white painting / lamping COB 12W / Ra>90 / 900LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K


installation     IP20 check photometric on page 001



code **LBL214**

casing aluminum / white painting / lamping COB 12W / Ra>90 / 900LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K


installation     IP20 check photometric on page 001




code **LBL215**

casing aluminum / white painting / lamping COB 12W / Ra>90 / 900LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K


installation     IP20 check photometric on page 001




code **LBL708-BK**
 casing aluminium / black painting
 lamping COB 9W / Ra>90 / 800lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation




code **LBL709-BK**
 casing aluminium / black painting
 lamping COB 2X9W / Ra>90 / 1600lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation




code **LBL710-BK**
 casing aluminium / black painting
 lamping COB 3X9W / Ra>90 / 2400lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation




code **LBL708-WT**
 casing aluminium / white painting
 lamping COB 9W / Ra>90 / 800lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20




code **LBL709-WT**
 casing aluminium / white painting
 lamping COB 2X9W / Ra>90 / 1600lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20



code **LBL710-WT**
 casing aluminium / white painting
 lamping COB 3X9W / Ra>90 / 2400lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20





code **LBL7 11-BK**
 casing aluminium / black painting
 lamping COB 4X9W / Ra>90 / 3200lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20



code **LBL7 11-WT**
 casing aluminium / white painting
 lamping COB 4X9W / Ra>90 / 3200lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20



Super Slim
 Surface Downlight Series
 Full Spectrum Led Chips
 Adopted CRI>97
 TRIAC dimming Driver
 White/black color





code **LBL721-BK**
 casing aluminum / black painting
 lamping COB 8W
 Ra>97 /640LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation IP20

code **LBL721-WT**
 casing aluminum / white painting
 lamping COB 8W
 Ra>97 /640LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation IP20

code **LBL722-BK**
 casing aluminum / black painting
 lamping COB 2x8W
 Ra>97 /1920LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation IP20



code **LBL722-WT**
 casing aluminum / white painting
 lamping COB 2x8W
 Ra>97 /1920LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation IP20



Super Slim
 Surface Downlight Series
 Full Spectrum Led Chips
 Adopted CRI>97
 TRIAC dimming Driver
 White/black color





code **LBL723-BK**
 casing aluminum / black painting
 lamping COB 3X8W
 Ra>97 / 1920LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation IP20

code **LBL723-WT**
 casing aluminum / white painting
 lamping COB 3X8W
 Ra>97 / 1920LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation IP20




Super Slim
 Surface Downlight Series
 Full Spectrum Led Chips
 Adopted CRI>97
 TRIAC dimming Driver
 White/black color

code **LBL724-BK**
 casing aluminum / black painting
 lamping COB 4X8W
 Ra>97 /2560LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation     IP20

code **LBL724-WT**
 casing aluminum / white painting
 lamping COB 4X8W
 Ra>97 /2560LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation     IP20



ANTI-GLARE HIGH EFFICIENCY UP TO 42W/3300lm LED DOWNLIGHT




high efficiency
chrome plated
reflector
high lumen output



strong and solid heat sink
makes lamp low temperature
and high output efficiency
and also longer life span



lamp shade made from steel
make this series economic choice
standard color black and white,
grey painting is customizable



CREE COB and good reflector
makes a perfect light emission




The whole series adopt high
quality certificated power supply
up to 20000hrs long life span
and 5 five years guarantee





surface customizable

concrete grey paint similar to RAL7037



Equal to 4 inch

code **LBL274-BK / LBL274-WT**

casing aluminum / black / white painting

lampping CREE COB 1507 / 6W

CRI Ra>90




Lumens 610 lm (lamp output/3000K)

Beam 50 degree / check photometrics

lamp color 2700K / **3000K** / 5000K


installation

test condition: ta 25 degree / 3000K



surface customizable

concrete grey paint similar to RAL7037



Equal to 5 inch

code **LBL275-BK / LBL275-WT**

casing aluminum / black / white painting

lampping CREE COB 1507 / 12W

CRI Ra>90




Lumens 930 lm (lamp output/3000K)

Beam 50 degree / check photometrics

lamp color 2700K / **3000K** / 5000K

installation


test condition: ta 25 degree / 3000K





surface customizable

■ concrete grey paint similar to RAL7037



Equal to 6 inch

code **LBL276-BK / LBL276-WT**

casing aluminum / black / white painting

lampping CREE COB 1816 / 20W

CRI Ra>90



Lumens 1950 lm (lamp output/3000K)

Beam 50 degree / check photometrics

lamp color 2700K / **3000K** / 5000K

installation IP20

test condition: ta 25 degree / 3000K




30.2 degree	distance (m)	lumen (lx)	diameter (m)
	1.0	1806.52	0.540
	2.0	451.63	1.079
	3.0	290.72	1.619
	4.0	112.91	2.159
	5.0	72.26	2.698
	6.0	50.18	3.238



surface customizable

■ concrete grey paint similar to RAL7037



Equal to 7 inch

code **LBL277-BK / LBL277-WT**

casing aluminum / black / white painting

lampping CREE COB 1820 / 28W

CRI Ra>90



Lumens 2500 lm (lamp output/3000K)

Beam 50 degree / check photometrics

lamp color 2700K / **3000K** / 5000K

installation IP20

test condition: ta 25 degree / 3000K




26.6 degree	distance (m)	lumen (lx)	diameter (m)
	1.0	2412.31	0.473
	2.0	603.08	0.946
	3.0	268.03	1.418
	4.0	150.77	1.891
	5.0	96.49	2.364
	6.0	67.01	2.837



surface customizable

concrete grey paint similar to RAL7037



Equal to 8 inch

code **LBL278-BK / LBL278-WT**

casing aluminum / black / white painting

lampping CREE COB 2520 / 42W

CRI Ra>90





Lumens 3300 lm (lamp output/3000K)

Beam 50 degree / check photometrics




lamp color 2700K / **3000K** / 5000K

installation IP20

test condition: θ_a 25 degree / 3000K








code **LBL717**

casing aluminum / white painting / lamping LED 10W / Ra>80 / 1000LM / spot beam 24 degree / bio-color


installation IP20



code **LBL718**

casing aluminum / white painting / lamping LED 12W / Ra>80 / 1200LM / spot beam 24 degree / bio-color centre flood 6000K
around spot 3000K


installation IP20



code **LBL719**

casing aluminum / white painting / lamping LED 18W / Ra>80 / 1800LM / spot beam 24 degree / bio-color centre flood 6000K
around spot 3000K

installation IP20




code **LBL720**


casing aluminum / white painting / lamping LED 20W / Ra>80 / 2000LM / spot beam 24 degree / bio-color centre flood 6000K
around spot 3000K

installation IP20







code **LBL701**
 casing aluminium / white painting
 lamping COB 12W / Ra>90 / 900lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20



code **LBL702**
 casing aluminium / white painting
 lamping COB 20W / Ra>90 / 1950lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20



code **LBL703**
 casing aluminium / white painting
 lamping COB 25W / Ra>90 / 2450lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20




code **LBL704**
 casing aluminium / white painting
 lamping COB 30W / Ra>90 / 2500lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation IP20



GO RIGHT AHEAD
THIVING FLOURISHING





code **LBL201-WT**

surface customizable

■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 12W / Ra>80 / 1200LM / wide flood / 2700K/■/4000K/6000K

installation ■ ⊕ CE ▽ IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **LBL202-WT**

surface customizable

■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 18W / Ra>80 / 1800LM / wide flood / 2700K/■/4000K/6000K

installation ■ ⊕ CE ▽ IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **LBL203-WT**

surface customizable

■ concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 24W / Ra>80 / 2400LM / wide flood / 2700K/■/4000K/6000K

installation ■ ⊕ CE ▽ IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **LBL201-BK**

surface customizable

■ concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 12W / Ra>80 / 1200LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation ■ ⊕ CE ▽ IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **LBL202-BK**

surface customizable

■ concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 18W / Ra>80 / 1800LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation ■ ⊕ CE ▽ IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V





code **LBL203-BK**

surface customizable

■ concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 24W / Ra>80 / 2400LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation ■ ⊕ CE ▽ IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **LBL203-WT**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 12W / Ra>80 / 1200LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation     IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **LBL204-WT**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 18W / Ra>80 / 1800LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation     IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **LBL205-WT**


surface customizable  concrete grey paint similar to RAL7037

casing aluminum / white painting / lamping SMD 24W / Ra>80 / 2400LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation     IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **LBL203-BK**


surface customizable  concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 12W / Ra>80 / 1200LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation     IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V




code **LBL204-BK**


surface customizable  concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 18W / Ra>80 / 1800LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation     IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V





code **LBL205-BK**

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping SMD 24W / Ra>80 / 2400LM / wide flood / 2700K/~~3000K~~/4000K/6000K

installation     IP20 check photometric on page 001/ Customized to be Dimmable in TRIAC/DALI/0-10V





surface
customizable


- anodized silver
brushed linear
- concrete grey paint
similar to RAL7037
- anodized gold
brushed linear

code **LBL116-WT / LBL116-BK / LBL116-SL**

lamp length can be customized to 1800mm/2400mm.
LED can be customized to 40W high lumen output

casing aluminum / white/black paint/anodized silver / lamping SMD 20W / Ra>80 / 1600LM / Acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 easy installation with spring clip, no screw installation / check photometric on page 001



surface
customizable

■ concrete grey paint
similar to RAL7037


■ anodized gold
brushed linear

code **LBL115-WT / LBL115-BK / LBL115-SL**

lamp length can be customized to 1800mm/2400mm.
LED can be customized to 40W/1.2m high lumen output


casing aluminum / white/black paint/ ^{anodized} silver / lamping SMD 10W / Ra>80 / 800LM / Acrylic cover / 2700K/~~3000K~~/4000K/6000K

installation     IP20 easy installation with spring clip, no screw installation / check photometric on page 001



surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized gold brushed linear



surface customizable

- black paint equal to RAL9011
- white paint similar to RAL9003
- concrete grey paint similar to RAL7037
- anodized gold brushed linear

code **LBL108-2-SL**

lamp length can be customized to any size below 2400mm.
Number of spots can be customized to any qty. if space permits

casing aluminum / anodized silver / lamping COB 2X5W / Ra>90 / 860LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K


installation IP20 easy installation , no screw seen on both sides

code **LBL108-3-SL**

lamp length can be customized to any size below 2400mm.
Number of spots can be customized to any qty. if space permits

casing aluminum / anodized silver / lamping COB 3X5W / Ra>90 / 1290LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP20 easy installation , no screw seen on both sides



There is big difference between this series and other surface mounted spot lights, that is the lighting head could be moved freely along the aluminium extrusion. The light could be turned and moved, it helps to light objects in unfixed position. It shows like a surface mounted downlight but it functions like a track and several track lights.

surface customizable



-  black paint equal to RAL9011
-  white paint similar to RAL9003
-  concrete grey paint similar to RAL7037
-  anodized gold brushed linear

code **LBL108-5-SL**


lamp length can be customized to any size below 2400mm.
Number of spots can be customized to any qty. if space permits

casing aluminum / anodized silver / lamping COB 5X5W / Ra>90 / 2150LM / 15/24/38/60 degree / 2700K/3000K/4000K/6000K


installation     IP20 easy installation, no screw seen on both sides





code **LBL7 12-BK**
 casing aluminium / black painting
 lamping SMD 9W / Ra>80 / 360lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20




code **LBL7 13-BK**
 casing aluminium / black painting
 lamping SMD 15W / Ra>80 / 600lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20




code **LBL7 14-BK**
 casing aluminium / black painting
 lamping SMD 30W / Ra>80 / 1200lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20




code **LBL712-WT**
 casing aluminium / white painting
 lamping SMD 9W / Ra>80 / 360lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20




code **LBL713-WT**
 casing aluminium / white painting
 lamping SMD 15W / Ra>80 / 600lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20



code **LBL714-WT**
 casing aluminium / white painting
 lamping SMD 30W / Ra>80 / 1200lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation IP20



code **LBL715-BK**
 casing aluminium / black painting
 lamping SMD 27W / Ra>80 / 1080lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation     IP20




code **LBL715-WT**
 casing aluminium / white painting
 lamping SMD 27W / Ra>80 / 1080lm
 Beam 24 degree /
 2700K/3000K/4000K/6000K
 installation     IP20

GU10
CASING
DOWNLIGHT
HEXAGEN
SERIES







HEXAGON SERIES
Gu10 SOCKET
SURFACE
DOWNLIGHT




surface
customizable
■ concrete grey paint
similar to RAL7037






5W COB
GU10 LED
BULB
RECOMMENDED

code [LBL251-BK](#) / [LBL251-WT](#) / [LBL251-GD](#) / [LBL251-SL](#)

casing aluminum / black painting / white painting / anodized gold / anodized silver / lamping Gu10 socket Max 50w / surface mount

installation     IP20 / bulb not included / Gu10 5W LED Bulb recommended





HEXAGON SERIES
Gu10 SOCKET
SURFACE
DOWNLIGHT

surface
customizable
■ concrete grey paint
similar to RAL7037





5W COB
GU10 LED
BULB
RECOMMENDED

code [LBL252-BK](#) / [LBL252-WT](#) / [LBL252-GD](#) / [LBL252-SL](#)

casing aluminum / black painting / white painting / anodized gold / anodized silver / lamping 2X Gu10 socket Max 50w / surface mount

installation     IP20 / bulb not included / Gu10 5W LED Bulb recommended




HEXAGON SERIES
Gu10 SOCKET
SURFACE
DOWNLIGHT

surface
customizable
■ concrete grey paint
similar to RAL7037





5W COB
GU10 LED
BULB
RECOMMENDED



code [LBL253A-BK](#) / [LBL253A-WT](#) / [LBL253A-GD](#) / [LBL253A-SL](#)

casing aluminum / black painting / white painting / anodized gold / anodized silver / lamping 3X Gu10 socket Max 50w / surface mount

installation     IP20 / bulb not included / Gu10 5W LED Bulb recommended



HEXAGON SERIES
Gu10 SOCKET
SURFACE
DOWNLIGHT

surface
customizable
■ concrete grey paint
similar to RAL7037



5W COB
GU10 LED
BULB
RECOMMENDED



code [LBL253B-BK](#) / [LBL253B-WT](#) / [LBL253B-GD](#) / [LBL253B-SL](#)

casing aluminum / black painting / white painting / anodized gold / anodized silver / lamping 3X Gu10 socket Max 50w / surface mount

installation IP20 / bulb not included / Gu10 5W LED Bulb recommended





639



code [LBL254-BK](#) / [LBL254-WT](#) / [LBL254-GD](#) / [LBL254-SL](#)


casing aluminum / black painting / white painting / anodized gold / anodized silver / lamping 4X Gu10 socket Max 50w / surface mount

installation     IP20 / bulb not included / Gu10 5W LED Bulb recommended



HEXAGON SERIES
Gu10 SOCKET
SURFACE
DOWNLIGHT

surface
customizable


 concrete grey paint
similar to RAL7037




5W COB
GU10 LED
BULB
RECOMMENDED







code **LBL229-BK**
 casing aluminum / black painting
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20



code **LBL229-WT**
 casing aluminum / white painting
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20



code **LBL229-SL**
 casing aluminum / anodized silver
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20




code **LBL229-GD**
 casing aluminum / anodized silver
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20



code **LBL229-CR**
 casing aluminum / chrome plated
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser /
 2700K/3000K/4000K/6000K
 installation IP20





code **LBL281-WT**

casing aluminum+wood / white painting
 lamping supplied with a 4W led candle bulb
 / Ra>80 /280LM
 Beam 2700K/**3000K**/4000K/6000K
 installation

code **LBL281-BK**

casing aluminum+wood / black painting
 lamping supplied with a 4W led candle bulb
 / Ra>80 /280LM
 Beam 2700K/**3000K**/4000K/6000K
 installation


code **LBL281-GR**

casing aluminum+wood / grey painting
 lamping supplied with a 4W led candle bulb
 / Ra>80 /280LM
 Beam 2700K/**3000K**/4000K/6000K
 installation





LWA447
SERIES
IN
CEILING
MOUNTING





code **LWA447-WT**
 casing steel / white painting
 lamping LED 4W
 / Ra>80 /400lm
 Beam white glass shade
 2700K/**3000K**/4000K/6000K
 installation IP20

code **LWA447-BK**
 casing steel / black painting

code **LWA447-GD**
 casing stainless steel gold
 lamping LED 4W
 / Ra>80 /400lm
 Beam white glass shade
 2700K/**3000K**/4000K/6000K
 installation IP20


code **LWA447-CR**
 casing stainless steel





code **LBL299-BK**
 casing aluminum / black painting
 lamping Led 6W / Ra>80 / 600LM
 Beam acrylic diffuser/
 2700K/3000K/4000K/6000K
 installation IP20

code **LBL299-WT**
 casing aluminum / white painting
 lamping Led 6W / Ra>80 / 600LM
 Beam acrylic diffuser/
 2700K/3000K/4000K/6000K
 installation IP20



LED
SPOT
LIGHTS
SURFACE
MOUNT






code **DS001-BK**
 casing aluminum
 finishing black paint
 lamping Gu10 Socket
 supplied with a
 5W LED Gu10 bulb
 Lumens 430LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation surface mount



 Net Weight 0.41kg

lens available



surface customizable  chrome plated
 concrete grey paint similar to RAL7037




code **DS001-WT**
 casing aluminum
 finishing White paint
 lamping Gu10 Socket
 supplied with a
 5W LED Gu10 bulb
 Lumens 430LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation surface mount



 Net Weight 0.41kg

lens available



surface customizable  chrome plated
 concrete grey paint similar to RAL7037




code **DS001-SL**
 casing aluminum
 finishing anodized silver
 lamping Gu 10 Socket
 supplied with a
 5W LED Gu 10 bulb
 Lumens 430LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC 100-240V
 installation surface mount



▲ Net Weight 0.41kg

lens available



surface customizable

- chrome plated
- concrete grey paint similar to RAL7037




code **DS001-GD**
 casing aluminum
 finishing anodized gold
 lamping Gu 10 Socket
 supplied with a
 5W LED Gu 10 bulb
 Lumens 430LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/**3000K**/4000K/6000K
 Input AC 100-240V
 installation surface mount



▲ Net Weight 0.41kg

lens available



surface customizable

- chrome plated
- concrete grey paint similar to RAL7037



code	DS002-GD
casing	aluminum / anodized gold
lamping	2XGU10 socket/supplied with 2 Gu 10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /860lm
Beam	30 degree



code	DS002-SL
casing	aluminum / anodized silver
lamping	2XGU10 socket/supplied with 2 Gu 10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /860lm
Beam	30 degree



code	DS002-WT
casing	aluminum / white painting
lamping	2XGU10 socket/supplied with 2 Gu 10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /860lm
Beam	30 degree



code	DS002-BK
casing	aluminum / black painting
lamping	2XGU10 socket/supplied with 2 Gu 10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /860lm
Beam	30 degree

surface customizable

concrete grey paint similar to RAL7037

Gu 10 bulb can be easily changed
 lamp can also be supplied without led bulbs and only casing



	<p>code DS003-WT casing aluminum / white painting lamping 3XGU10 socket/supplied with 3 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /1290lm Beam 30 degree</p>	<p>surface customizable concrete grey paint similar to RAL7037</p>	<p>reflector available default 30° flood Gu10 bulb can be easily changed lamp can also be supplied without led bulbs and only casing</p>
--	---	--	---



	<p>code DS003-BK casing aluminum / black painting lamping 3XGU10 socket/supplied with 3 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /1290lm Beam 30 degree</p>	<p>surface customizable concrete grey paint similar to RAL7037</p>	<p>reflector available default 30° flood Gu10 bulb can be easily changed lamp can also be supplied without led bulbs and only casing</p>
--	---	--	---



	<p>code DS003-GD casing aluminum / anodized gold lamping 3XGU10 socket/supplied with 3 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K Beam 30 degree</p>	<p>surface customizable concrete grey paint similar to RAL7037</p>	<p>reflector available default 30° Gu10 bulb can be easily changed flood lamp can also be supplied without led bulbs and only casing</p>
--	--	--	---



	<p>code DS003-SL casing aluminum / anodized silver lamping 3XGU10 socket/supplied with 3 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K Beam 30 degree</p>	<p>surface customizable concrete grey paint similar to RAL7037</p>	<p>reflector available default 30° Gu10 bulb can be easily changed flood lamp can also be supplied without led bulbs and only casing</p>
--	--	--	---



	<p>code DS004-WT casing aluminum / white painting lamping 4XGU10 socket/supplied with 4 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /1720lm Beam 30 degree</p>	<p>surface customizable concrete grey paint similar to RAL7037</p>	<p>reflector available default 30° Gu10 bulb can be easily changed flood lamp can also be supplied without led bulbs and only casing</p>
--	---	--	--



	<p>code DS004-BK casing aluminum / black painting lamping 4XGU10 socket/supplied with 4 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /1720lm Beam 30 degree</p>	<p>surface customizable concrete grey paint similar to RAL7037</p>	<p>reflector available default 30° Gu10 bulb can be easily changed flood lamp can also be supplied without led bulbs and only casing</p>
--	---	--	--





	<p>code DS004-GD casing aluminum / anodized gold lamping 4XGU10 socket/supplied with 4 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /1720lm Beam 30 degree</p>	<p>surface customizable concrete grey paint similar to RAL7037</p>	<p>reflector available default 30° Gu10 bulb can be easily changed flood lamp can also be supplied without led bulbs and only casing</p>
--	--	--	--



	<p>code DS004-SL casing aluminum / anodized silver lamping 4XGU10 socket/supplied with 4 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /1720lm Beam 30 degree</p>	<p>surface customizable concrete grey paint similar to RAL7037</p>	<p>reflector available default 30° Gu10 bulb can be easily changed flood lamp can also be supplied without led bulbs and only casing</p>
--	--	--	--




LED SPOT LIGHT SURFACE MOUNT




code **LSP180-WT**
 casing aluminum / white painting
 lamping COB 5W / Ra>90 /430LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 TRIAC dimming driver customizable
 Check photometric on page001

surface customizable
 black paint equal to RAL9011
 concrete grey paint similar to RAL7037




code **LSP180-SL**
 casing aluminum / anodized silver
 lamping COB 5W / Ra>90 /430LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 TRIAC dimming driver customizable
 Check photometric on page001

surface customizable
 black paint equal to RAL9011
 concrete grey paint similar to RAL7037



code **LSP180-GD**
 casing aluminum / anodized gold
 lamping COB 5W / Ra>90 /430LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 TRIAC dimming driver customizable
 Check photometric on page001

surface customizable
 black paint equal to RAL9011
 concrete grey paint similar to RAL7037



LED SPOT LIGHT SURFACE MOUNT

code **LSP181-WT**

casing aluminum / white painting

lamping COB 9W / Ra>90 / 800LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation    IP20


TRIAC dimming driver customizable

Check photometric on page001

surface customizable

 black paint equal to RAL9011

 concrete grey paint similar to RAL7037



code **LSP181-SL**

casing aluminum / anodized silver

lamping COB 9W / Ra>90 / 800LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation    IP20


TRIAC dimming driver customizable

Check photometric on page001

surface customizable

 black paint equal to RAL9011

 concrete grey paint similar to RAL7037



code **LSP181-GD**

casing aluminum / anodized gold

lamping COB 9W / Ra>90 / 800LM

Beam 10/23/38 degree /

2700K/3000K/4000K/6000K

installation    IP20


TRIAC dimming driver customizable

Check photometric on page001

surface customizable

 black paint equal to RAL9011

 concrete grey paint similar to RAL7037




LED SPOT LIGHT SURFACE MOUNT



code **LSP182-WT**
 casing aluminum / white painting
 lamping COB 12W / Ra>90 /900LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 TRIAC dimming driver customizable
 Check photometric on page001

surface customizable


- black paint equal to RAL9011
- concrete grey paint similar to RAL7037



code **LSP182-SL**
 casing aluminum / anodized silver
 lamping COB 12W / Ra>90 /900LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 TRIAC dimming driver customizable
 Check photometric on page001

surface customizable


- black paint equal to RAL9011
- concrete grey paint similar to RAL7037




code **LSP182-GD**
 casing aluminum / anodized gold
 lamping COB 12W / Ra>90 /900LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 TRIAC dimming driver customizable
 Check photometric on page001

surface customizable

- black paint equal to RAL9011
- concrete grey paint similar to RAL7037









code **LDC422-BK**
 casing steel / black painting
 lamping COB 5W / Ra>90 / 430lm
 Beam Crystal lens /
 2700K/3000K/4000K/6000K
 installation IP20
 cut-out dia60mm

the ball adjustable 90 degree vertical
 and 350 degree horizontal




code **LDC422-WT**
 casing steel / white painting
 lamping COB 5W / Ra>90 / 430lm
 Beam Crystal lens /
 2700K/3000K/4000K/6000K
 installation IP20
 cut-out dia60mm

the ball adjustable 90 degree vertical
 and 350 degree horizontal



code **LBL285-BK**
 casing steel / black painting
 lamping COB 5W / Ra>90 / 430lm
 Beam Crystal lens /
 2700K/3000K/4000K/6000K
 installation IP20

the ball adjustable 90 degree vertical
 and 350 degree horizontal



code **LBL285-WT**
 casing steel / white painting
 lamping COB 5W / Ra>90 / 430lm
 Beam Crystal lens /
 2700K/3000K/4000K/6000K
 installation IP20

the ball adjustable 90 degree vertical
 and 350 degree horizontal



code **LBL287-WT**

casing steel / white painting


lamping COB 2x5W / Ra>90 / 860lm

Beam Crystal lens /

2700K/3000K/4000K/6000K

installation     IP20

the ball adjustable 90 degree vertical
and 350 degree horizontal



code **LBL286-WT**

casing steel / white painting


lamping COB 5W / Ra>90 / 430lm

Beam Crystal lens /

2700K/3000K/4000K/6000K

installation     IP20

the ball adjustable 90 degree vertical
and 350 degree horizontal



code **LBL288-WT**

casing steel / white painting


lamping COB 3x5W / Ra>90 / 1290lm


Beam Crystal lens /

2700K/3000K/4000K/6000K

installation     IP20

the ball adjustable 90 degree vertical
and 350 degree horizontal





code **LBL288-BK**


casing steel / black painting

lamping COB 3x5W / Ra>90 / 1290lm

Beam Crystal lens /
2700K/3000K/4000K/6000K

installation IP20

the ball adjustable 90 degree vertical
and 350 degree horizontal



code **LBL287-BK**


casing steel / black painting

lamping COB 2x5W / Ra>90 / 860lm

Beam Crystal lens /
2700K/3000K/4000K/6000K

installation IP20

the ball adjustable 90 degree vertical
and 350 degree horizontal



code **LBL286-BK**


casing steel / black painting

lamping COB 5W / Ra>90 / 430lm


Beam Crystal lens /
2700K/3000K/4000K/6000K

installation IP20



the ball adjustable 90 degree vertical
and 350 degree horizontal



code **LBL289-WT**
 casing steel / white painting
 lamping COB 4x5W / Ra>90 / 1720lm
 Beam Crystal lens /
 2700K/3000K/4000K/6000K
 installation IP20
 the ball adjustable 90 degree vertical
 and 350 degree horizontal



code **LBL289-BK**
 casing steel / black painting
 lamping COB 4x5W / Ra>90 / 1720lm
 Beam Crystal lens /
 2700K/3000K/4000K/6000K
 installation IP20
 the ball adjustable 90 degree vertical
 and 350 degree horizontal



code **LBL199**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 3x3W / Ra>80 / 360LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K


installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable

code **LBL200**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping LED 6x3W / Ra>80 / 720LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 TRIAC / 0/1-10V / DALI dimming driver customizable



surface customizable


- black paint equal to RAL9011
- concrete grey paint similar to RAL7037

code **LBL051**

casing aluminum / white painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/24/38/60 degree /
 2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable
 Check photometric on page001



surface customizable

- anodized gold brushed circular
- concrete grey paint similar to RAL7037

code **LWA187-WT**

casing aluminum / white painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/24/38/60 degree /
 2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable
 Check photometric on page001



code **LWA187-BK**

casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 15/24/38/60 degree /
 2700K/3000K/4000K/6000K

installation IP20

TRIAC dimming driver customizable
 Check photometric on page001



code **LSP164-WT**

casing aluminum / white painting

lampping COB 2x5W / Ra>90 / 860LM

Beam 15/24/38/60 degree /

2700K/3000K/4000K/6000K

installation     IP20

TRIAC dimming driver customizable

Check photometric on page001



code **LSP164-BK**

casing aluminum / black painting

lampping COB 2x5W / Ra>90 / 860LM

Beam 15/24/38/60 degree /

2700K/3000K/4000K/6000K

installation     IP20


TRIAC dimming driver customizable

Check photometric on page001

surface
customizable

 anodized gold
brushed circular

 concrete grey paint
similar to RAL7037








code **LSP165-WT**
 casing aluminum / white painting
 lamping COB 3x5W / Ra>90 / 1290LM
 Beam 15/24/38/60 degree /
 2700K/3000K/4000K/6000K
 installation     IP20
 TRIAC dimming driver customizable
 Check photometric on page001




surface
 customizable

-  anodized gold
brushed circular
-  concrete grey paint
similar to RAL7037




code **LSP165-BK**
 casing aluminum / black painting
 lamping COB 3x5W / Ra>90 / 1290LM
 Beam 15/24/38/60 degree /
 2700K/3000K/4000K/6000K
 installation     IP20
 TRIAC dimming driver customizable
 Check photometric on page001




surface customizable
 white point similar to RAL9003
 concrete grey point similar to RAL7037

code **LSP210**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 TRIAC dimming driver customizable
 Check photometric on page001




surface customizable
 white point similar to RAL9003
 concrete grey point similar to RAL7037

code **LSP211**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 TRIAC dimming driver customizable
 Check photometric on page001




surface customizable
 white point similar to RAL9003
 concrete grey point similar to RAL7037

code **LSP212**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 TRIAC dimming driver customizable
 Check photometric on page001




surface customizable
 white point similar to RAL9003
 concrete grey point similar to RAL7037


code **LSP213**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 10/23/38 degree /
 2700K/3000K/4000K/6000K
 installation IP20
 TRIAC dimming driver customizable
 Check photometric on page001




code **LSP705-BK**
casing aluminium / black painting
lamping COB 5W / Ra>90 / 430lm
Beam 24 degree /
2700K/**3000K**/4000K/6000K
installation     IP20



code **LSP706-BK**
casing aluminium / black painting
lamping COB 12W / Ra>90 / 900lm
Beam 24 degree /
2700K/**3000K**/4000K/6000K
installation     IP20




code **LSP705-WT**
 casing aluminium / white painting
 lamping COB 5W / Ra>90 / 430lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20




code **LSP706-WT**
 casing aluminium / white painting
 lamping COB 12W / Ra>90 / 900lm
 Beam 24 degree /
 2700K/**3000K**/4000K/6000K
 installation     IP20







code **LBL264-WT**
 casing aluminum / white painting
 lamping COB 9W / Ra>90 / 720lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb




code **LBL265-WT**
 casing aluminum / white painting
 lamping COB 9W / Ra>90 / 720lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb



code **LBL264-BK**
 casing aluminum / black painting
 lamping COB 9W / Ra>90 / 720lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb




code **LBL265-BK**
 casing aluminum / black painting
 lamping COB 9W / Ra>90 / 720lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb




IP20

code **LBL266-WT**
 casing aluminum / white painting
 lamping COB 2x9W / Ra>90 / 1440lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb




IP20

code **LBL267-WT**
 casing aluminum / white painting
 lamping COB 3x9W / Ra>90 / 2160lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb



IP20


code **LBL266-BK**
 casing aluminum / black painting
 lamping COB 2x9W / Ra>90 / 1440lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb




IP20

code **LBL267-BK**
 casing aluminum / black painting
 lamping COB 3x9W / Ra>90 / 2160lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb







code **LBL268-WT**
 casing aluminum / white painting
 lamping COB 16W / Ra>90 / 1280lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb




code **LBL269-WT**
 casing aluminum / white painting
 lamping COB 16W / Ra>90 / 1280lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb



code **LBL268-BK**
 casing aluminum / black painting
 lamping COB 16W / Ra>90 / 1280lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb




code **LBL269-BK**
 casing aluminum / black painting
 lamping COB 16W / Ra>90 / 1280lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb




IP20

code **LBL271-WT**
 casing aluminum / white painting
 lamping COB 3x16W / Ra>90 / 3840lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb




IP20

code **LBL270-WT**
 casing aluminum / white painting
 lamping COB 2x16W / Ra>90 / 2560lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb



IP20

code **LBL271-BK**
 casing aluminum / black painting
 lamping COB 3x16W / Ra>90 / 3840lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb



IP20

code **LBL270-BK**
 casing aluminum / black painting
 lamping COB 2x16W / Ra>90 / 2560lm
 2700K/**3000K**/4000K/6000K
 Beam 10/**20**/30 degree
 with 3mm honeycomb

LED TRACK

LIGHTS






the secret of this series is the super slim track adopter. With the power-supply inside the cylinder of lamp body, the total lamp appears super slim, integral and pretty. The idea of this design is we just want a simplest track lamp beyond any complicated shape, just a cylinder on the track, nothing else. So we design the track adopter, put the power-supply in the cylinder, and make good heat management. Another advantage of this series is the big shielding angle up to 60 degree. It is very hard to see the led source even it lights straight down. It is a good series for home, store, museum, cafe, and etc. Just like a simple T-shirt, it can match almost any style of decoration. Three default finishing color, and four more custom made, three sizes and wattage. It could be a universal track light for any circumstance


SUPER SLIM LED TRACK SPOT LIGHT / 9W / DIA80MM VERSION




Super slim track adppter



easy track installation fast and stable



deep recessed reflector high shielding angle



reflector + lens make perfect light 10/23/38 degree optional






**SUPER SLIM LED TRACK SPOT LIGHT
12W / DIA102MM VERSION**

**DEFAULT 3 FINISHING COLOR AVAILABLE
4 MORE FINISHING COLOR CUSTOM MADE**



**GOOD SERIES FOR HOME, MUSEUM,
CAFÉ SHOP, RETAIL SHOP, AND ETC.**




code LSP177-WT
LSP177-GD
LSP177-SL

casing aluminum
finishing white paint
anodized gold
anodized silver
lampping CREE COB 1304 / 5 Watt
Lumens 430LM
CRI Ra>90
Beam 10 / 23 / 38
lamp color 2700K/3000K/4000K/6000K
Input AC220-240V
installation single circuit/2 line track



Net Weight 0.41kg

lens available



surface customizable

- anodized silver sandblasted
- black paint equal to RAL9011
- chrome plated
- concrete grey paint similar to RAL7037


code LSP178-WT
LSP178-GD
LSP178-SL

casing aluminum
finishing white paint
anodized gold
anodized silver
lampping CREE COB 1507 / 9 Watt
Lumens 800LM
CRI Ra>90
Beam 10 / 23 / 38
lamp color 2700K/3000K/4000K/6000K
Input AC220-240V
installation single circuit/2 line track



Net Weight 0.7kg

lens available



surface customizable

- anodized silver sandblasted
- black paint equal to RAL9011
- chrome plated
- concrete grey paint similar to RAL7037


code LSP179-WT
LSP179-GD
LSP179-SL

casing aluminum
finishing white paint
anodized gold
anodized silver
lampping CREE COB 1507 / 12 Watt
Lumens 900LM
CRI Ra>90
Beam 10 / 23 / 38
lamp color 2700K/3000K/4000K/6000K
Input AC220-240V
installation single circuit/2 line track



Net Weight 1.07kg

lens available



surface customizable

- anodized silver sandblasted
- black paint equal to RAL9011
- chrome plated
- concrete grey paint similar to RAL7037









code LSP194
 casing aluminum
 finishing black paint+anodized gold
 lamping COB 9W
 Lumens 800LM
 CRI Ra>90
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation single circuit/3 line track



Net Weight 0.65kg

lens available





code LSP195
 casing aluminum
 finishing black paint+anodized gold
 lamping COB 16W
 Lumens 1400LM
 CRI Ra>90
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation single circuit/3 line track



Net Weight 0.95kg

lens available





code LSP196
 casing aluminum
 finishing black paint+anodized gold
 lamping COB 24W
 Lumens 1900LM
 CRI Ra>90
 Beam 10 / 20 / 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation single circuit/3 line track



Net Weight 1.25kg

lens available








code **LSP197-WT**
 casing aluminum+steel
 finishing white paint
 lamping COB 5W
 Lumens 430LM
 CRI Ra>90
 Beam 20 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation single circuit/2 line track




▲ Net Weight 0.35kg

lens available



surface customizable

- chrome plated
- concrete grey paint similar to RAL7037




code **LSP198-WT**
 casing aluminum+steel
 finishing white paint
 lamping COB 12W
 Lumens 900LM
 CRI Ra>90
 Beam 20 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation single circuit/2 line track




▲ Net Weight 0.55kg

lens available



surface customizable

- chrome plated
- concrete grey paint similar to RAL7037






code **LSP197-BK**
 casing aluminum+steel
 finishing black paint
 lamping COB 5W
 Lumens 430LM
 CRI Ra>90
 Beam 20 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation single circuit/2 line track




▲ Net Weight 0.35kg

lens available



surface customizable

- chrome plated
- concrete grey paint similar to RAL7037




code **LSP198-BK**
 casing aluminum+steel
 finishing black paint
 lamping COB 12W
 Lumens 900LM
 CRI Ra>90
 Beam 20 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation single circuit/2 line track




▲ Net Weight 0.55kg

lens available




surface customizable

- chrome plated
- concrete grey paint similar to RAL7037







code DS005-GD
 casing aluminum
 finishing Anodized gold
 lamping Gu 10 Socket
 supplied with 5W led bulb
 Lumens 430LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation single circuit/2 line track
 3-line with earth customizable




▲ Net Weight 0.33kg

lens available

default



flood



code DS005-BK
 casing aluminum
 finishing black painting
 lamping Gu 10 Socket
 supplied with 5W led bulb
 Lumens 430LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation single circuit/2 line track
 3-line with earth customizable



▲ Net Weight 0.33kg


lens available

default



flood





code DS005-WT
 casing aluminum
 finishing white painting
 lamping Gu 10 Socket
 supplied with 5W led bulb
 Lumens 430LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation single circuit/2 line track
 3-line with earth customizable




Net Weight 0.33kg

lens available

default



flood



code DS005-SL
 casing aluminum
 finishing Anodized silver
 lamping Gu 10 Socket
 supplied with 5W led bulb
 Lumens 430LM
 CRI Ra>80
 Beam 30 degree
 lamp color 2700K/3000K/4000K/6000K
 Input AC100-240V
 installation single circuit/2 line track
 3-line with earth customizable



Net Weight 0.33kg

lens available

default




flood



code **LSP226-BK**
 casing aluminum
 finishing black paint
 lamping Gu10 Socket
 bulb not included
 Gu10 5W LED Bulb recommended
 installation 3-lines track adopter



▲ Net Weight 0.61kg



surface customizable
 concrete grey paint similar to RAL7037

code **LSP226-WT**
 casing aluminum
 finishing white paint
 lamping Gu10 Socket
 bulb not included
 Gu10 5W LED Bulb recommended
 installation 3-lines track adopter



▲ Net Weight 0.61kg




surface customizable
 concrete grey paint similar to RAL7037



code **LSP226-SL**
 casing aluminum
 finishing anodized silver
 lamping Gu 10 Socket
 bulb not included
 Gu 10 5W LED Bulb recommended
 installation 3-lines track adpoter



▲ Net Weight 0.61kg



5W COB GU 10 LED
 BULB RECOMMENDED

surface customizable concrete grey paint similar to RAL7037

code **LSP226-GD**
 casing aluminum
 finishing anodized gold
 lamping Gu 10 Socket
 bulb not included
 Gu 10 5W LED Bulb recommended
 installation 3-lines track adpoter



▲ Net Weight 0.61kg



5W COB GU 10 LED
 BULB RECOMMENDED

surface customizable concrete grey paint similar to RAL7037






code **LSP227-BK**
 casing aluminum
 finishing black painting
 lamping COB 9W
 Lumens 720LM
 CRI Ra>90
 Beam 10/20/30 degree
 with 3mm honeycomb
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation 3-line track




▲ Net Weight 0.82 kg

lens available



surface customizable concrete grey paint similar to RAL7037




code **LSP228-BK**
 casing aluminum
 finishing black painting
 lamping COB 16W
 Lumens 1280LM
 CRI Ra>90
 Beam 10/20/30 degree
 with 3mm honeycomb
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation 3-line track




▲ Net Weight 0.82 kg




lens available



surface customizable concrete grey paint similar to RAL7037








code LSP190-SL
 casing aluminum
 finishing anodized silver
 lamping CREE COB 1512
 20 Watt
 Lumens 1600LM
 CRI Ra>90
 Beam 10 / 20 / 30
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation single circuit/3 line track



▲ Net Weight 1.26kg

lens available




surface customizable
 concrete grey paint similar to RAL7037
 anodized gold sandblasted

code LSP190-BK
 casing aluminum
 finishing anodized black
 lamping CREE COB 1512
 20 Watt
 Lumens 1600LM
 CRI Ra>90
 Beam 10 / 20 / 30
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation single circuit/3 line track



▲ Net Weight 1.26kg

lens available




surface customizable
 concrete grey paint similar to RAL7037
 anodized gold sandblasted

code LSP190-WT
 casing aluminum
 finishing white coated
 lamping CREE COB 1512
 20 Watt
 Lumens 1600LM
 CRI Ra>90
 Beam 10 / 20 / 30
 lamp color 2700K/3000K/4000K/6000K
 Input AC220-240V
 installation single circuit/3 line track



▲ Net Weight 1.26kg




lens available



surface customizable
 concrete grey paint similar to RAL7037
 anodized gold sandblasted



LED TRACK SPOT LIGHT




General info

casing aluminum
 CRI Ra >90
 lamp color 2700K/3000K/4000K/6000K
 installation 1 circuit / 3 line track

▲ Net Weight 2.3kg

lens available



Order Code	surface	lampping	Lumen	beam angle
LSP176-SL-20W	anodized silver	CREE COB 18 16 / 20W	1600 lm	15 / 24 degree
LSP176-WT-20W	white paint	CREE COB 18 16 / 20W	1600 lm	15 / 24 degree
LSP176-BK-20W	black paint	CREE COB 18 16 / 20W	1600 lm	15 / 24 degree
LSP176-SL-25W	anodized silver	CREE COB 18 16 / 25W	2000 lm	15 / 24 degree
LSP176-WT-25W	white paint	CREE COB 18 16 / 25W	2000 lm	15 / 24 degree
LSP176-BK-25W	black paint	CREE COB 18 16 / 25W	2000 lm	15 / 24 degree
LSP176-SL-30W	anodized silver	CREE COB 18 20 / 30W	2400 lm	15 / 24 degree
LSP176-WT-30W	white paint	CREE COB 18 20 / 30W	2400 lm	15 / 24 degree
LSP176-BK-30W	black paint	CREE COB 18 20 / 30W	2400 lm	15 / 24 degree

surface default


- anodized silver brushed circular
- white paint similar to RAL9003
- black paint equal to RAL9011

surface customizable


- concrete grey paint similar to RAL7037
- anodized gold brushed circular

TRACK ACCESSORIES

tracks



Code	accessory type	length	color	head connector
TRC210WT	2 lines track (without earth connection)	1 Meter	white	included
TRC215WT	2 lines track (without earth connection)	1.5 Meter	white	included
TRC220WT	2 lines track (without earth connection)	2 Meter	white	included
TRC210BK	2 lines track (without earth connection)	1 Meter	black	included
TRC215BK	2 lines track (without earth connection)	1.5 Meter	black	included
TRC220BK	2 lines track (without earth connection)	2 Meter	black	included



Code	accessory type	length	color	head connector
TRC310WT	3 lines track (with earth connection)	1 Meter	white	included
TRC315WT	3 lines track (with earth connection)	1.5 Meter	white	included
TRC320WT	3 lines track (with earth connection)	2 Meter	white	included
TRC310BK	3 lines track (with earth connection)	1 Meter	black	included
TRC315BK	3 lines track (with earth connection)	1.5 Meter	black	included
TRC320BK	3 lines track (with earth connection)	2 Meter	black	included

TRACK ACCESSORIES

track connectors

	Code	accessory type	color
	TRC401WT	2 lines track 180 degree connector	white
	TRC401BK	2 lines track 180 degree connector	black
	TRC402WT	3 lines track 180 degree connector	white
	TRC402BK	3 lines track 180 degree connector	black
	TRC403WT	2 lines track 90 degree connector	white
	TRC403BK	2 lines track 90 degree connector	black
	TRC404WT	3 lines track 90 degree connector	white
	TRC404BK	3 lines track 90 degree connector	black
	TRC405WT	2 lines track four ways connector	white
	TRC405BK	2 lines track four ways connector	black
	TRC406WT	3 lines track four ways connector	white
	TRC406BK	3 lines track four ways connector	black







MAGNETIC
TRACK
LIGHT
SYSTEM



MAGNETIC TRACK LED DOWN LIGHT








 IP20

installation
 48V Magnetic Track


beam available
 default



wide flood



code **LSP721**
 casing aluminum / black painting
 lamping Osram SMD 6W / Ra>90 /480LM
 Beam 120 degree /
3000K/4000K/6000K
 Lamp size :L112*W23*H45mm



code **LSP722**
 casing aluminum / black painting
 lamping Osram SMD 12W / Ra>90 /960LM
 Beam 120 degree /
3000K/4000K/6000K
 Lamp size :L220*W23*H45mm




code **LSP723**
 casing aluminum / black painting
 lamping Osram SMD 24W / Ra>90 /1920LM
 Beam 120 degree /
3000K/4000K/6000K
 Lamp size :L436*W23*H45mm



track locks on both sides

Tuya 2.4G,
 Mijia,
 Tmall,
 Zigbee,
 Bluetooth,
 0-10V,
 Dali

adopted to many intelligent system customizable




Two surface color black and white



customizable to as many as six length and wattage


MAGNETIC TRACK LED DOWN LIGHT




installation
 48V Magnetic Track

beam available

default




spot wide spot




code **LSP717**

casing aluminum / black painting
 lamping Osram SMD 12W / Ra>90 / 1080LM
 Beam **24** / 36 degree /
3000K/4000K/6000K
 Lamp size :L220*W23*H45mm




code **LSP718**

casing aluminum / black painting
 lamping Osram SMD 18W / Ra>90 / 1620LM
 Beam **24** / 36 degree /
3000K/4000K/6000K
 Lamp size :L328*W23*H45mm



code **LSP719**

casing aluminum / black painting
 lamping Osram SMD 24W / Ra>90 / 2160LM
 Beam **24** / 36 degree /
3000K/4000K/6000K
 Lamp size :L436*W23*H45mm



code **LSP720**


casing aluminum / black painting
 lamping Osram SMD 36W / Ra>90 / 3240LM
 Beam **24** / 36 degree /
3000K/4000K/6000K
 Lamp size :L652*W23*H45mm




track locks on both sides

Tuya 2.4G,
 Mijia,
 Tmall,
 Zigbee,
 Bluetooth,
 0-10V,
 Dali

adopted to many intelligent system customizable



Two surface color black and white



customizable to as many as six length and wattage



MAGNETIC TRACK LED SPOT LIGHT







 IP20


installation
 48V Magnetic Track

beam available


default




spot wide spot



code **LSP714**
 casing aluminum / black painting
 lamping Osram SMD 6W / Ra>90 / 540LM
 Beam **24** / 36 degree /
3000K / 4000K / 6000K
 Lamp size : L120*W35*H75mm



code **LSP715**
 casing aluminum / black painting
 lamping Osram SMD 12W / Ra>90 / 1080LM
 Beam **24** / 36 degree /
3000K / 4000K / 6000K
 Lamp size : L230*W35*H75mm



code **LSP716**
 casing aluminum / black painting
 lamping Osram SMD 18W / Ra>90 / 1620LM
 Beam **24** / 36 degree /
3000K / 4000K / 6000K
 Lamp size : L230*W35*H75mm



track locks on both sides

Tuya 2.4G,
 Mijia,
 Tmall,
 Zigbee,
 Bluetooth,
 0-10V,
 Dali

adopted to many intelligent system customizable

surface default
 white paint similar to RAL9003
 black paint equal to RAL9011

Two surface color black and white



Beam 180 degree rotatable

MAGNETIC LED TRACK SPOT LIGHT










 IP20

installation
 48V Magnetic Track


beam available




code **LSP710**
 casing aluminum / black painting
 lamping Osram COB 7W / Ra>90 / 600LM
 Beam 15 / 24 / 36 degree /
 3000K/4000K/6000K
 Lamp size : dia 35 mm * L80mm



code **LSP711**
 casing aluminum / black painting
 lamping Osram COB 10W / Ra>90 / 900LM
 Beam 15 / 24 / 36 degree /
 3000K/4000K/6000K
 Lamp size : dia45mm * L100mm



code **LSP712**
 casing aluminum / black painting
 lamping Osram COB 15W / Ra>90 / 1400LM
 Beam 15 / 24 / 36 degree /
 3000K/4000K/6000K
 Lamp size : dia55mm * L120mm



code **LSP713**
 casing aluminum / black painting
 lamping Osram COB 20W / Ra>90 / 1800LM
 Beam 15 / 24 / 36 degree /
 3000K/4000K/6000K
 Lamp size : dia65mm * L140mm



track locks on both sides

Tuya 2.4G,
 Mijia,
 Tmall,
 Zigbee,
 Bluetooth,
 0-10V,
 Dali

adopted to many intelligent system customizable



Two surface color black and white

MAGNETIC TRACK LED SPOT LIGHT




IP20

installation
 48V Magnetic Track


beam available

default



code **LSP307**

casing aluminum / black painting
 lamping Osram SMD 6W / Ra>90 /480LM
 Beam **24°** / 36 degree /
3000K /4000K/6000K
 Lamp size :L112*W23*H113mm



code **LSP308**


casing aluminum / black painting
 lamping Osram SMD 12W / Ra>90 /960LM
 Beam **24°** / 36 degree /
3000K /4000K/6000K
 Lamp size :L220*W23*H113mm



track locks on both sides

Tuya 2.4G,
 Mijia,
 Tmall,
 Zigbee,
 Bluetooth,
 0-10V,
 Dali

adopted to many intelligent system customizable




Two surface color black and white



Beam 180 degree rotatable



MAGNETIC TRACK LED PENDANT LIGHT



code **HL012-MT**
 casing aluminum / black painting
 lamping XPE 3W / Ra>80 / 120LM
 Beam 10 / 20 / **30** / 60 degree /
 2700K/**3000K**/4000K/6000K
 Lamp size dia25mm * L500mm
 total length 2m / cable customizable

code **LPL201-MT**
 casing aluminum / black painting
 lamping XPE 1W / Ra>80 / 70LM
 Beam 10 / 20 / **30** / 60 degree /
 2700K/**3000K**/4000K/6000K
 Lamp size dia16mm * L1100mm
 total length 2m / cable customizable

code **LPL286-MT**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam **10** / 23 / 38 degree /
 2700K/**3000K**/4000K/5000K
 Lamp size dia60mm * 75mm
 total length 2m / cable customizable

code **LPL288-MT**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam **10** / 23 / 38 degree /
 2700K/**3000K**/4000K/5000K
 Lamp size dia75mm * 80mm
 total length 2m / cable customizable

IP20

installation
 48V Magnetic Track



track locks on both sides


Tuya 2.4G,
 Mijia,
 Tmall,
 Zigbee,
 Bluetooth,
 0-10V,
 Dali

adopted to many intelligent system customizable

surface default
 white paint similar to RAL9003
 black paint equal to RAL9011

Two surface color available

MAGNETIC TRACK LED PENDANT LIGHT



code **LPL353-MT**
 casing aluminum / black painting
 lamping SMD 4W / Ra>80 / 400LM
 Beam Acrylic diffuser/
 2700K/3000K/4000K/6000K
 Lamp size dia90mm * 90mm
 total length 2m / cable customizable

code **LPL354-MT**
 casing aluminum / black painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam Acrylic diffuser/
 2700K/3000K/4000K/6000K
 Lamp size dia115mm * 115mm
 total length 2m / cable customizable

code **LPL165-MT**
 casing aluminum / black painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam Acrylic diffuser/
 2700K/3000K/4000K/6000K
 Lamp size dia148mm * 60mm
 total length 2m / cable customizable

code **LPL227-MT**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 10 / 23 / 38 degree /
 2700K/3000K/4000K/5000K
 Lamp size dia250mm * 150mm
 total length 2m / cable customizable

CE IP20

installation
 48V Magnetic Track



track locks on both sides



Tuya 2.4G, Mijia, Tmall, Zigbee, Bluetooth, 0-10V, Dali

adopted to many intelligent system customizable

surface default
 white paint similar to RAL9003
 black paint equal to RAL9011

Two surface color available

48V MAGNETIC TRACKS




48V recessed magnetic track behind the cupboard

48V recessed magnetic track on the cupboard


48V magnetic track surface mount and hanging

48V MAGNETIC TRACK INSTALLATION GUIDE


TRC701BK-48V recessed magnetic track behind the cupboard



TRC702BK-48V recessed magnetic track on the cupboard




TRC703BK/TRC704BK - 48V surface mount magnetic track




48V MAGNETIC TRACK ACCESSORIES



order name	measurements
100Watt 48V magnetic embedded transformer	L 230x22x43mm
200Watt 48V magnetic embedded transformer	L 290x22x43mm



order name	measurements
magnetic track power connector	L 95x17x17mm/total 350mm



order name	measurements
magnetic track 180 degree connector	L 95x17x17mm/total 210mm



order name	measurements
magnetic track 90 degree connector	L 95x17x17mm/total 380mm



order name	measurements
magnetic track flat joint for 3 types of tracks	L 100 x H 100mm



order name	measurements
magnetic track vertical joint for 3 types of tracks	L 100 x H 100mm



**LED
CABINET
LIGHTS**



LSD014-BK



LSD013-BK


code **LSD014-BK**

surface customizable  anodized silver brushed linear  anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation    IP20  cut-off dia 10mm hole for installation / maximum 25mm thickness board

code **LSD013-BK**

surface customizable  anodized silver brushed linear  anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation    IP20  cut-off dia 10mm hole for installation / maximum 25mm thickness board



LSD014-CR



LSD013-CR

code **LSD014-CR**

surface customizable  anodized silver brushed linear  anodized silver sandblasted

casing aluminum / chrome plated / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation    IP20  cut-off dia 10mm hole for installation / maximum 25mm thickness board

code **LSD013-CR**

surface customizable  anodized silver brushed linear  anodized silver sandblasted

casing aluminum / chrome plated / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation    IP20  cut-off dia 10mm hole for installation / maximum 25mm thickness board





code **LSD016**

surface customizable white paint similar to RAL9003 anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1x1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 10mm hole for installation / maximum 25mm thickness board

code **LSD017**

surface customizable white paint similar to RAL9003 anodized silver sandblasted

casing aluminum / anodized black / lamping LED 2x1W / Ra>80 / 140LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 10mm hole for installation / maximum 25mm thickness board

code **LSD018**

surface customizable white paint similar to RAL9003 anodized silver sandblasted

casing aluminum / anodized black / lamping LED 3x1W / Ra>80 / 210LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 10mm hole for installation / maximum 25mm thickness board




code **LDC365**

surface customizable white paint similar to RAL9003 anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1x1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 28mm hole precisely for installation / minimum 10mm thickness board




code **LDC368**

surface customizable white paint similar to RAL9003 anodized silver sandblasted

casing aluminum / anodized black / lamping LED 1x3W / Ra>80 / 120LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 40mm hole precisely for installation / minimum 10mm thickness board



code **LDC371**

surface customizable white paint similar to RAL9003 anodized silver sandblasted

casing aluminum / anodized black / lamping COB 6W / Ra>90 / 550LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off dia 75mm hole precisely for installation / minimum 10mm thickness board



LDC366



LDC367



LDC369




LDC370



LDC372



LDC373




code **LDC366**

casing aluminum / anodized black / lamping LED 2x1W / Ra>80 / 140LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off 100x35mm hole precisely for installation / minimum 10mm thickness board

surface customizable white paint similar to RAL9003 anodized silver sandblasted




code **LDC367**

casing aluminum / anodized black / lamping LED 3x1W / Ra>80 / 210LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off 150x35mm hole precisely for installation / minimum 10mm thickness board

surface customizable white paint similar to RAL9003 anodized silver sandblasted




code **LDC369**

casing aluminum / anodized black / lamping LED 2x3W / Ra>80 / 240LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off 130x47mm hole precisely for installation / minimum 10mm thickness board

surface customizable white paint similar to RAL9003 anodized silver sandblasted




code **LDC370**

casing aluminum / anodized black / lamping LED 3x3W / Ra>80 / 360LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off 195x47mm hole precisely for installation / minimum 10mm thickness board

surface customizable white paint similar to RAL9003 anodized silver sandblasted




code **LDC372**

casing aluminum / anodized black / lamping COB 2x6W / Ra>90 / 1100LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off 210x77mm hole precisely for installation / minimum 10mm thickness board

surface customizable white paint similar to RAL9003 anodized silver sandblasted



code **LDC373**

casing aluminum / anodized black / lamping COB 3x6W / Ra>90 / 1650LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation IP20 cut-off 320x77mm hole precisely for installation / minimum 10mm thickness board

surface customizable white paint similar to RAL9003 anodized silver sandblasted



LED EXTR








NIGHT PRIOR

**LED
OUTDOOR
WALL
LIGHTS**










code **LWA215**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 430LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65







surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037


code **LWA216**
 casing aluminum / black painting
 lamping COB 2x6W / Ra>90 / 860LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65







surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA217**
 casing aluminum / black painting
 lamping COB 12W / Ra>90 / 900LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65




surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

code **LWA218**
 casing aluminum / black painting
 lamping COB 2x12W / Ra>90 / 1800LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65







surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037








code **LWA253**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 430LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65




code **LWA254**
 casing aluminum / black painting
 lamping COB 2x6W / Ra>90 / 860LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65






code **LWA255**
 casing aluminum / black painting
 lamping COB 12W / Ra>90 / 900LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65



surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

code **LWA256**
 casing aluminum / black painting
 lamping COB 2x12W / Ra>90 / 1800LM
 Beam 15/24/38/60 degree
 2700K/3000K/4000K/6000K
 installation     IP65




surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA288-BK**
 casing aluminum / black painting
 lamping LED 2X3W / Ra>80 / 600LM
 Beam up and down light can be
 adjusted from 5 degree to
 120 degree /
 2700K/~~3000K~~/4000K/6000K
 installation     IP65


up and down light cover sheet adjustable




code **LWA288-WT**
 casing aluminum / white painting
 lamping LED 2X3W / Ra>80 / 600LM
 Beam up and down light can be
 adjusted from 5 degree to
 120 degree /
 2700K/~~3000K~~/4000K/6000K
 installation     IP65

up and down light cover sheet adjustable







code **LWA288A-BK**
 casing aluminum / black painting
 lamping LED 2X3W / Ra>80 / 600LM
 Beam adjustable when moving the shield sheet inside the lamp varies from 0 to 90 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65



code **LWA288A-WT**
 casing aluminum / white painting
 lamping LED 2X3W / Ra>80 / 600LM
 Beam adjustable when moving the shield sheet inside the lamp varies from 0 to 90 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65








code **LWA452-BK**
 casing aluminum / black painting
 lamping COB 5W / 20 degree
 / Ra>90 / 430lm
 Beam 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA452-WT**
 casing aluminum / white painting
 lamping COB 5W / 20 degree
 / Ra>90 / 430lm
 Beam 2700K/**3000K**/4000K/6000K
 installation     IP65











code **LWA453-WT**
 casing aluminum / white painting
 lamping COB 2x5W / 20 degree
 / Ra>90 / 860lm
 Beam 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA453-BK**
 casing aluminum / black painting
 lamping COB 2x5W / 20 degree
 / Ra>90 / 860lm
 Beam 2700K/**3000K**/4000K/6000K
 installation     IP65







code **LWA454-WT**
 casing aluminum / white painting
 lamping SMD 6W / flood
 / Ra>80 / 600lm
 Beam 2700K/**3000K**/4000K/6000K
 installation     IP65

code **LWA454-GR**
 casing aluminum / grey painting

code **LWA454-BK**
 casing aluminum / black painting




code [LWA455-WT](#)
casing aluminum / white painting
lamping SMD 12W / flood
/ Ra>80 / 1200lm
Beam 2700K/**3000K**/4000K/6000K
installation     IP65

code [LWA455-GR](#)
casing aluminum / grey painting


code [LWA455-BK](#)
casing aluminum / black painting








code **LWA250**
 casing aluminum / black painting
 lamping LED 1W / Ra>80 / 70LM
 Beam NO LENSE
 2700K/3000K/4000K/6000K
 installation     IP65




code **LWA251**
 casing aluminum / black painting
 lamping LED 2X1W / Ra>80 / 140LM
 Beam NO LENSE
 2700K/3000K/4000K/6000K
 installation     IP65






code **LWA248**
 casing aluminum / black painting
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 10/20/30 degree
 2700K/3000K/4000K/6000K
 installation     IP65




surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

code **LWA249**
 casing aluminum / black painting
 lamping LED 4x3W / Ra>80 / 480LM
 Beam 10/20/30 degree
 2700K/3000K/4000K/6000K
 installation     IP65




surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037










code **LWA412**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 8 degree
 2700K/3000K/4000K/6000K
 installation     IP65








code **LWA413**
 casing aluminum / black painting
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 8 degree
 2700K/3000K/4000K/6000K
 installation     IP65






code **LWA559**
casing stainless steel / black painting
lamping LED 4x3W / Ra>80 / 480LM
Beam 8 degree
2700K/**3000K**/4000K/6000K
installation     IP65




code **LWA557**
 casing stainless steel / black painting
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 8 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65









code **LWA558**
 casing stainless steel / black painting
 lamping LED 3x3W / Ra>80 / 360LM
 Beam 8 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65








code **LWA555**
 casing stainless steel / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam 8 degree
 2700K/**3000K**/4000K/6000K
 installation    








code **LWA556**
 casing stainless steel / black painting
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 8 degree
 2700K/**3000K**/4000K/6000K
 installation    








code **LWA553**
casing stainless steel / black painting
lamping LED 3x3W / Ra>80 / 360LM
Beam 8 degree
2700K/**3000K**/4000K/6000K
installation     IP65



code **LWA552**
 casing stainless steel / black painting
 lamping LED 2x3W / Ra>80 / 240LM
 Beam 8 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA554**
 casing stainless steel / black painting
 lamping LED 3x3W / Ra>80 / 360LM
 Beam 8 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65







code **LWA279**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam down 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP65








surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

code **LWA280**
 casing aluminum / black painting
 lamping LED 2X3W / Ra>80 / 240LM
 Beam up and down 8 degree /
 2700K/3000K/4000K/6000K
 installation     IP65





surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

code **LWA281**
 casing aluminum / black painting
 lamping up 3W / down 6W / Ra>80 / 670LM
 Beam up 8 degree and down 38 degree
 2700K/3000K/4000K/6000K
 installation     IP65




surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037






code **LWA405-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 300LM
 Beam 8 degree
 2700K/**3000K**/4000K/6000K
 installation IP65




code **LWA406-BK**
 casing aluminum / black painting
 lamping LED 2x3W / Ra>80 / 600LM
 Beam 8 degree
 2700K/**3000K**/4000K/6000K
 installation IP65




code **LWA407-BK**
 casing aluminum / black painting
 lamping LED 4x3W / Ra>80 / 1200LM
 Beam 8 degree
 2700K/**3000K**/4000K/6000K
 installation IP65












code **LWA408-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>90 / 300LM
 Beam 60 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65





code **LWA409-BK**
 casing aluminum / black painting
 lamping LED 2x3W / Ra>90 / 600LM
 Beam 60 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA410-BK**
 casing aluminum / black painting
 lamping LED 3X3W / Ra>90 / 900LM
 Beam 60 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65





code **LWA411-BK**
 casing aluminum / black painting
 lamping LED 4x3W / Ra>90 / 1200LM
 Beam 60 degree
 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA300A-BK**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 300LM
 Beam 8 degree /
 2700K/~~3000K~~/4000K/6000K
 installation     IP65




surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

code **LWA300B-BK**
 casing aluminum / black painting
 lamping LED 2X3W / Ra>80 / 600LM
 Beam 8 degree /
 2700K/~~3000K~~/4000K/6000K
 installation     IP65






surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code LWA300C-BK
casing aluminum / black painting
lamping LED 4X3W / Ra>80 / 1200LM
Beam 8 degree /
2700K/3000K/4000K/6000K
installation     IP65


surface customizable



-  white paint similar to RAL9003
-  concrete grey paint similar to RAL7037



LWA300D-BK







LWA300E-BK



LWA300F-BK



LWA300H-BK



code **LWA300D-BK**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 2X3W / Ra>90 / 500LM / up 80 degree+down 80 degree / 2700K/**3000K**/4000K/6000K

installation IP65 up and down cover sheet can be laser cut to other drawings or shape to get different light shape

code **LWA300E-BK**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 2X3W / Ra>90 / 500LM / up 90 degree+down 90 degree / 2700K/**3000K**/4000K/6000K

installation IP65 up and down cover sheet can be laser cut to other drawings or shape to get different light shape

code **LWA300F-BK**

surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 2X3W / Ra>90 / 500LM / up 60 degree+down 60 degree / 2700K/**3000K**/4000K/6000K


installation IP65 up and down cover sheet can be laser cut to other drawings or shape to get different light shape

code **LWA300H-BK**


surface customizable white paint similar to RAL9003 concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 2X3W / Ra>90 / 500LM / up 60 degree+down 8 degree / 2700K/**3000K**/4000K/6000K

installation IP65 up and down cover sheet can be laser cut to other drawings or shape to get different light shape




code **LWA300J-BK**
 casing aluminum / black painting
 lamping COB 2X3W / Ra>90 / 500LM
 Beam down 8 degree /
 2700K/~~3000K~~/4000K/6000K
 installation     IP65




surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **LWA300G-BK**
 casing aluminum / black painting
 lamping COB 2X3W / Ra>90 / 500LM
 Beam dismissed light /
 2700K/~~3000K~~/4000K/6000K
 installation     IP65




surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **LWA414**
 casing aluminum / black painting
 lamping LED 9W / Ra>80 / 900LM
 Beam wide flood
 2700K/**3000K**/4000K/6000K
 installation IP65




code **LWA415**
 casing aluminum / black painting
 lamping LED 2x9W / Ra>80 / 1800LM
 Beam wide flood
 2700K/**3000K**/4000K/6000K
 installation IP65



code **LWA380**
casing brass shade / black painting
lamping led 6W / Ra>80 / 600LM
Beam indirect light/acrylic diffuser
2700K/**3000K**/4000K/6000K
installation    IP65


lamp shade made by copper





code **LWA489**
 casing aluminum / black painting
 lamping SMD 10W / Ra>80 / 1000LM
 Beam 2700K/3000K/4000K/6000K
 installation     IP65


surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA488**
 casing aluminum / black painting
 lamping SMD 10W / Ra>80 / 1000LM
 Beam 2700K/3000K/4000K/6000K
 installation     IP65

surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037








code **LWA450-BK**
 casing aluminum / black painting
 lamping COB 3W / up and down light
 / Ra>90 / 300lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA450-WT**
 casing aluminum / white painting
 lamping COB 3W / up and down light
 / Ra>90 / 300lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation     IP65




code **LWA450-GR**
 casing aluminum / grey painting
 lamping COB 3W / up and down light
 / Ra>90 / 300lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation   **CE**  IP65




code **LWA450-MC**
 casing aluminum / mixed color
 lamping COB 3W / up and down light
 / Ra>90 / 300lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation   **CE**  IP65



code **LWA451-BK**
 casing aluminum / black painting
 lamping COB 6W / up and down light
 / Ra>90 / 500lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation IP65



code **LWA451-WT**
 casing aluminum / white painting
 lamping COB 6W / up and down light
 / Ra>90 / 500lm
 Beam shade adjustable
 2700K/**3000K**/4000K/6000K
 installation IP65



code **LWA451-GR**



casing aluminum / grey painting

lampping COB 6W / up and down light
/ Ra>90 / 500lm

Beam shade adjustable


2700K/**3000K**/4000K/6000K

installation     IP65




code **LWA451-MC**
casing aluminum / mixed color
lamping COB 6W / up and down light
/ Ra>90 / 500lm
Beam shade adjustable
2700K/**3000K**/4000K/6000K
installation     IP65





code **LWA385**
 casing aluminum / black painting
 lamping LED 4W / Ra>80 / 400LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable
 concrete grey paint similar to RAL7037
 white paint similar to RAL9003







code **LWA386**
 casing aluminum / black painting
 lamping LED 12W / Ra>80 / 1200LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable
 concrete grey paint similar to RAL7037
 white paint similar to RAL9003










code **LWA431-WT**
 casing aluminum / white painting
 lamping LED 6W / indirect light
 / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65

code **LWA431-BK**
 casing aluminum / black painting
 lamping LED 6W / indirect light
 / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65



code **LWA431-GR**
 casing aluminum / grey painting
 lamping LED 6W / indirect light
 / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65



code **LWA432-BK**
 casing aluminum / black painting
 lamping LED 6W / indirect light
 / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65

code **LWA432-WT**
 casing aluminum / white painting
 lamping LED 6W / indirect light
 / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65

code **LWA432-GR**
 casing aluminum / grey painting
 lamping LED 6W / indirect light
 / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65




code **LWA433-BK**
 casing aluminum / black painting
 lamping LED 6W / indirect light
 / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65



code **LWA433-WT**
 casing aluminum / white painting
 lamping LED 6W / indirect light
 / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65

code **LWA433-GR**
 casing aluminum / grey painting
 lamping LED 6W / indirect light
 / Ra>80 / 600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65








code **LWA434-BK**
casing aluminum / black painting
lamping LED 6W / Ra>80 / 600lm
Beam acrylic diffuser
2700K/**3000K**/4000K/6000K
installation



code **LWA435-BK**
casing aluminum / black painting
lamping LED 6W / Ra>80 / 600lm
Beam acrylic diffuser
2700K/**3000K**/4000K/6000K
installation



code **LWA436-BK**
casing aluminum / black painting
lamping LED 6W / Ra>80 / 600lm
Beam acrylic diffuser
2700K/**3000K**/4000K/6000K
installation



code **LWA434-WT**


casing aluminum / white painting

lamping LED 6W / Ra>80 / 600lm

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation     IP65



code **LWA435-WT**


casing aluminum / white painting

lamping LED 6W / Ra>80 / 600lm

Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation     IP65



code **LWA436-WT**


casing aluminum / white painting

lamping LED 6W / Ra>80 / 600lm


Beam acrylic diffuser

2700K/**3000K**/4000K/6000K

installation     IP65








code **LWA382-BK**
 casing aluminum / black painting
 lamping LED 4W / Ra>80 / 400LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65

surface
 customizable

concrete grey paint
 similar to RAL7037




code **LWA382-WT**
 casing aluminum / white painting
 lamping LED 4W / Ra>80 / 400LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65

surface
 customizable

concrete grey paint
 similar to RAL7037






code **LWA383-BK**
 casing aluminum / black painting
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable

concrete grey paint similar to RAL7037






code **LWA383-WT**
 casing aluminum / white painting
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable

concrete grey paint similar to RAL7037






code **LWA384-BK**
 casing aluminum / black painting
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP65

surface customizable

 concrete grey paint similar to RAL7037

characters on the cover customizable




code **LWA384-WT**
 casing aluminum / white painting
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP65

surface customizable


 concrete grey paint similar to RAL7037

characters on the cover customizable






code **LWA358-BK**
 casing aluminum / black painting
 lamping LED 10W / Ra>80 / 1000LM
 Beam Acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65



code **LWA358-WT**
 casing aluminum / white painting
 lamping LED 10W / Ra>80 / 1000LM
 Beam Acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65




501




code **LWA480-BK**
 casing aluminum / black painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65

surface customizable concrete grey paint similar to RAL7037




code **LWA480-WT**
 casing aluminum / black+white painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65

surface customizable concrete grey paint similar to RAL7037




code **LWA481-BK**
 casing aluminum / black painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65

surface customizable concrete grey paint similar to RAL7037




code **LWA481-WT**
 casing aluminum / black+white painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65

surface customizable concrete grey paint similar to RAL7037




code **LWA482-BK**
 casing aluminum / black painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation

surface customizable concrete grey paint similar to RAL7037




code **LWA482-WT**
 casing aluminum / black+white painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation

surface customizable concrete grey paint similar to RAL7037




code **LWA483-BK**
 casing aluminum / black painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation

surface customizable concrete grey paint similar to RAL7037




code **LWA483-WT**
 casing aluminum / black+white painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation


surface customizable concrete grey paint similar to RAL7037




code **LWA484-BK**
 casing aluminum / black painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65
 surface customizable concrete grey paint similar to RAL7037




code **LWA484-WT**
 casing aluminum / black+white painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65
 surface customizable concrete grey paint similar to RAL7037



code **LWA485-BK**
 casing aluminum / black painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65
 surface customizable concrete grey paint similar to RAL7037




code **LWA485-WT**
 casing aluminum / black+white painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65
 surface customizable concrete grey paint similar to RAL7037




code **LWA486-BK**
 casing aluminum / black painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65

surface customizable concrete grey paint similar to RAL7037




code **LWA486-WT**
 casing aluminum / black+white painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65

surface customizable concrete grey paint similar to RAL7037



code **LWA487-BK**
 casing aluminum / black painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65

surface customizable concrete grey paint similar to RAL7037



code **LWA487-WT**
 casing aluminum / black+white painting
 lamping SMD 6W / Ra>80 / 600LM
 Beam 2700K/3000K/4000K/6000K
 installation IP65

surface customizable concrete grey paint similar to RAL7037







code LWA381


casing aluminum / black painting


lamplng COB 3W / Ra>80 / 300LM

Beam acrylic diffuser
2700K/3000K/4000K/6000K


installation     IP65

surface customizable


 concrete grey paint similar to RAL7037

 white paint similar to RAL9003






code **LWA366**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65



code **LWA367**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65



code **LWA368**
 casing aluminum / black painting
 lamping LED 3W / Ra>80 / 120LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65



code LWA310

casing aluminum / black painting


lamping COB 5W / Ra>90 / 430LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation     IP65


surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **LWA311**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable

- white paint similar to RAL9003
- concrete grey paint similar to RAL7037



code **LWA312**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65


surface customizable

- white paint similar to RAL9003
- concrete grey paint similar to RAL7037






code **LWA210**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 430LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP65






surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

code **LWA211**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 430LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation     IP65




surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code LWA291A
casing aluminum / black painting
lamping COB 2x6W / Ra>90 / 860LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation     IP65


surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037





code **LWA292A**
 casing aluminum / black painting
 lamping COB 2x6W / Ra>90 / 860LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65


surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **LWA293A**
 casing aluminum / black painting
 lamping COB 2x9W / Ra>90 / 1600LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA213**
 casing aluminum / black painting
 lamping COB 9W / Ra>90 / 800LM
 Beam acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation     IP65




code **LWA214**
 casing aluminum / black painting
 lamping COB 9W / Ra>90 / 800LM
 Beam acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation     IP65






code **LWA442**
 casing aluminum / black painting
 lamping COB 9W
 / Ra>90 / 8600lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65




code **LWA441**
 casing aluminum / black painting
 lamping COB 6W
 / Ra>90 / 500lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65





code **LWA490**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 500LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65


surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA491**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 500LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 installation IP65

surface customizable white paint similar to RAL9003
 concrete grey paint similar to RAL7037










code **LWA500-BK**
 casing stainless steel / black painting
 lamping LED 6W / Ra>90 / 500LM
 Beam Acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65




code **LWA500-WT**
 casing stainless steel / white painting
 lamping LED 6W / Ra>90 / 500LM
 Beam Acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65





code **LWA492**
 casing aluminum / black painting
 lamping COB 5W / Ra>90 / 430LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation     IP65

surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037




code **LWA493**
 casing aluminum / black painting
 lamping COB 2x5W / Ra>90 / 680LM
 Beam 38 degree
 2700K/3000K/4000K/6000K
 installation     IP65


surface customizable  white paint similar to RAL9003
 concrete grey paint similar to RAL7037










code **LWA371**
 casing all in brass
 finishing polished
 lamping COB 3W / Ra>90 / 300LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65





code **LWA372**
 casing all in brass
 finishing polished
 lamping COB 2X3W / Ra>90 / 600LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation IP65




code **LWA705**
 casing aluminum / black painting
 lamping SMD 7W / Ra>80 / 700lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 Installation     IP65



code **LWA706**
 casing aluminum / black painting
 lamping SMD 12W / Ra>80 / 1200lm
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 Installation     IP65



code **LWA445**
 casing aluminum / black painting
 lamping CREE XML 6W
 / Ra>80 / 400lm
 Beam crystal glass lens /2000K
 /color film
 installation




code **LWA446**
 casing aluminum / black painting
 lamping CREE XML 2x6W
 / Ra>80 / 800lm
 Beam crystal glass lens /2000K
 /color film
 installation


**LED
OUTDOOR
STEP
LIGHTS**






easy and stable installation for whole series






code **ODL054-BK**
 casing aluminum / black painting
 lamping SMD 3W / Acrylic diffuser
 / Ra>80 / 300lm
 Beam 2700K/**3000K**/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor




code **ODL055-BK**
 casing aluminum / black painting
 lamping SMD 3W / Acrylic diffuser
 / Ra>80 / 300lm
 Beam 2700K/**3000K**/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor







code **ODL056-BK**
 casing aluminum / black painting
 lamping SMD 3W / Acrylic diffuser
 / Ra>80 / 300lm
 Beam 2700K/3000K/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor



code **ODL057-BK**
 casing aluminum / black painting
 lamping SMD 3W / Acrylic diffuser
 / Ra>80 / 300lm
 Beam 2700K/3000K/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor




code **ODL058-BK**
 casing aluminum / black painting
 lamping CREE 3W / down light
 / Ra>80 / 120lm
 Beam 2700K/**3000K**/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor




code **ODL059-BK**
 casing aluminum / black painting
 lamping CREE 3W / up and down light
 / Ra>80 / 120lm
 Beam 2700K/**3000K**/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor







code **ODL060-BK**
 casing aluminum / black painting
 lamping CREE 3W / down light
 / Ra>80 / 120lm
 Beam 2700K/3000K/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor




code **ODL061-BK**
 casing aluminum / black painting
 lamping CREE 3W / up and down light
 / Ra>80 / 120lm
 Beam 2700K/3000K/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor






code **ODL062-BK**
 casing aluminum / black painting
 lamping CREE 3W / wide beam
 / Ra>80 / 120lm
 Beam 2700K/**3000K**/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor



code **ODL063-BK**
 casing aluminum / black painting
 lamping CREE 3W / narrow beam
 / Ra>80 / 120lm
 Beam 2700K/**3000K**/4000K/6000K
 installation IP65
 installed with a standard 86mm switch box
 for indoor and outdoor





code **ODL064-BK**

casing aluminum / black painting


lamping SMD 3W / wide flood
/ Ra>80 / 300lm

Beam 2700K/~~3000K~~/4000K/6000K

installation     IP65

installed with a standard 86mm switch box
for indoor and outdoor





code **ODL065-BK**


casing aluminum / black painting


lampping CREE 3W / 30 degree
/ Ra>80 / 120lm

Beam 2700K/**3000K**/4000K/6000K

installation     IP65


installed with a standard 86mm switch box
for indoor and outdoor





code **ODL041**
 casing aluminum / anodized black
 lamping LED 1W / Ra>80 /70LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 red / green / blue
 installation   **CE IP65**


 cut-off dia55x 100mm
 for installation box



surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037

code **ODL042**
 casing aluminum / anodized black
 lamping LED 1W / Ra>80 /70LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 red / green / blue
 installation   **CE IP65**

 cut-off dia55x 100mm
 for installation box




surface customizable
 white paint similar to RAL9003
 concrete grey paint similar to RAL7037



code **ODL043**
 casing aluminum / anodized black
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 red / green / blue
 installation    IP65

 cut-off dia55x100mm
 for installation box



surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037


code **ODL044**
 casing aluminum / anodized black
 lamping LED 1W / Ra>80 / 70LM
 Beam acrylic diffuser
 2700K/3000K/4000K/6000K
 red / green / blue
 installation    IP65

 cut-off dia55x100mm
 for installation box




surface
 customizable
 white paint
 similar to RAL9003
 concrete grey paint
 similar to RAL7037






code **ODL050**
 casing aluminum / black painting
 lamping COB 3W / acrylic diffuser
 / Ra>90 / 240lm
 Beam 2700K/**3000K**/4000K/5000K
 installation IP65
 installed with a dia53x105mm aluminum box
 for indoor and outdoor



code **ODL051**
 casing aluminum / black painting
 lamping COB 3W / acrylic diffuser
 / Ra>90 / 240lm
 Beam 2700K/**3000K**/4000K/5000K
 installation IP65
 installed with a dia53x105mm aluminum box
 for indoor and outdoor






code **ODL052**

casing aluminum / black painting
 lamping COB 3W / acrylic diffuser
 / Ra>90 / 240lm

Beam 2700K/~~3000K~~/4000K/5000K

installation IP65

installed with a dia53x105mm aluminum box
 for indoor and outdoor




code **ODL053**

casing aluminum / black painting
 lamping COB 3W / acrylic diffuser
 / Ra>90 / 240lm

Beam 2700K/~~3000K~~/4000K/5000K


installation IP65

installed with a dia53x105mm aluminum box
 for indoor and outdoor




code **ODL702**
 casing aluminum / black painting
 lamping SMD 3W / Ra>80 / 300lm
 Beam 2700K/3000K/4000K/6000K
 installation     IP65

 cut-off 75x75x50mm
 for the installation box




code **ODL701**
 casing aluminum / black painting
 lamping SMD 3W / Ra>80 / 300lm
 Beam 2700K/3000K/4000K/6000K
 installation     IP65

 cut-off dia70x45mm
 for the installation box




code **ODL703**
 casing aluminum / black painting
 lamping SMD 3W / Ra>80 / 300lm
 Beam 2700K/**3000K**/4000K/6000K
 installation IP65

cut-off 105x55x50mm
 for the installation box





code **ODL704**
 casing aluminum / black painting
 lamping SMD 6W / Ra>80 / 600lm
 Beam 2700K/**3000K**/4000K/6000K
 installation IP65

cut-off 130x80x55mm
 for the installation box




code **ODL705**
casing aluminum / black painting
lamping CREE 3W / Ra>80 / 120lm
Beam 2700K/**3000K**/4000K/6000K
installation     IP65

 cut-off 210x55x55mm
for the installation box





ODL007




ODL008



ODL009



ODL010




code **ODL007 / ODL008**

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / Acrylic diffuser / 2700K/**3000K**/4000K/6000K
 red / green / blue

installation **CE IP65** cut-off dia50x120mm for installation box

surface customizable concrete grey paint similar to RAL7037 anodized black sandblasted




code **ODL009 / ODL010**

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / Acrylic diffuser / 2700K/**3000K**/4000K/6000K
 red / green / blue

installation **CE IP65** cut-off dia50x120mm for installation box

surface customizable concrete grey paint similar to RAL7037 anodized black sandblasted




code **ODL025**

surface customizable concrete grey paint similar to RAL7037 anodized black sandblasted

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / two ways light / 2700K/**3000K**/4000K/6000K red / green / blue

installation **CE IP67** cut-off dia50x100mm for installation box




code **ODL026**

surface customizable concrete grey paint similar to RAL7037 anodized black sandblasted

casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / three ways light / 2700K/**3000K**/4000K/6000K red / green / blue

installation **CE IP67** cut-off dia50x100mm for installation box



code **ODL027**

surface customizable concrete grey paint similar to RAL7037 anodized black sandblasted


casing aluminum / anodized silver / lamping LED 3W / Ra>80 / 120LM / four ways light / 2700K/**3000K**/4000K/6000K red / green / blue

installation **CE IP67** cut-off dia50x100mm for installation box

**LED
OUTDOOR
FLOOD
LIGHTS**




OUTDOOR SPOT LIGHT WITH SPIKE



surface
customizable

■ concrete grey paint
similar to RAL7037

code **LSP183-IN220**
 casing aluminum
 finishing black painting
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10/20/30 degree
 led color 2700K/3000K/4000K/6000K
 RED / GREEN / BLUE
 Input AC 100-240V
 built-in power-supply
 installation   **CE IP65**



surface
customizable

■ concrete grey paint
similar to RAL7037


code **LSP183-IN12**
 Input DC 12/24V
 built-in power-supply
 installation in parallel

code **LSP187-IN220**
 casing aluminum
 finishing black painting
 lamping LED 3W
 Lumens 120LM
 CRI Ra>80
 Beam 10/20/30 degree
 led color 2700K/3000K/4000K/6000K
 RED / GREEN / BLUE
 Input AC 100-240V
 built-in power-supply
 installation   **CE IP65**

code **LSP187-IN12**
 Input DC 12/24V
 built-in power-supply
 installation in parallel




OUTDOOR SPOT LIGHT WITH SPIKE



surface
customizable

■ concrete grey paint
similar to RAL7037

code **LFL027-IN220**
casing aluminum
finishing black painting
lamping COB 6W
Lumens 500LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC100-240V
built-in power-supply
installation   **CE** IP65



surface
customizable

■ concrete grey paint
similar to RAL7037

code **LFL027-IN12**
Input DC12/24V
built-in power-supply
installation in parallel


code **LFL028-IN220**
casing aluminum
finishing black painting
lamping COB 6W
Lumens 500LM
CRI Ra>90
Beam 15/24/38/60 degree
led color 2700K/3000K/4000K/6000K
Input AC100-240V
built-in power-supply
installation   **CE** IP65

code **LFL028-IN12**
Input DC12/24V
built-in power-supply
installation in parallel



OUTDOOR SPOT LIGHT WITH SPIKE


code **LSP155**

casing aluminum
 finishing black painting
 lamping COB 6W
 Lumens 500LM
 CRI Ra>90
 Beam 15/24/**38**/60 degree
 led color 2700K/**3000K**/4000K/6000K
 Input AC100-240V
 external power-supply
 installation   **CE** IP65

code **LSP155-12V**

Input DC12/24V
 external power-supply
 installation in parallel



code **LSP156**

casing aluminum
 finishing black painting
 lamping COB 9W
 Lumens 800LM
 CRI Ra>90
 Beam 15/24/**38**/60 degree
 led color 2700K/**3000K**/4000K/6000K
 Input AC100-240V
 external power-supply
 installation   **CE** IP65

code **LSP156-12V**




Input DC12/24V
 external power-supply
 installation in parallel

code **LSP157**

casing aluminum
 finishing black painting
 lamping COB 12W
 Lumens 900LM
 CRI Ra>90
 Beam 15/24/**38**/60 degree
 led color 2700K/**3000K**/4000K/6000K
 Input AC100-240V
 external power-supply
 installation   **CE** IP65

code **LSP157-12V**

Input DC12/24V
 external power-supply
 installation in parallel




surface customizable
 concrete grey paint similar to RAL7037






OUTDOOR SPOT LIGHT WITH SPIKE



code **LSP184-IN220**
 casing aluminum
 finishing black painting
 lamping COB 6W
 Lumens 500LM
 CRI Ra>90
 Beam 15/24/38/60 degree
 led color 2700K/3000K/4000K/6000K
 Input AC100-240V
 built-in power-supply
 installation IP65

code **LSP184-IN12**
 Input DC12/24V
 built-in power-supply
 installation in parallel


surface customizable
 concrete grey paint similar to RAL7037



code **LSP185-IN220**
 casing aluminum
 finishing black painting
 lamping COB 9W
 Lumens 800LM
 CRI Ra>90
 Beam 15/24/38/60 degree
 led color 2700K/3000K/4000K/6000K
 Input AC100-240V
 built-in power-supply
 installation IP65

code **LSP185-IN12**
 Input DC12/24V
 built-in power-supply
 installation in parallel

surface customizable
 concrete grey paint similar to RAL7037



code **LSP186-IN220**
 casing aluminum
 finishing black painting
 lamping COB 12W
 Lumens 900LM
 CRI Ra>90
 Beam 15/24/38/60 degree
 led color 2700K/3000K/4000K/6000K
 Input AC100-240V
 built-in power-supply
 installation IP65

code **LSP186-IN12**
 Input DC12/24V
 built-in power-supply
 installation in parallel

surface customizable
 concrete grey paint similar to RAL7037



OUTDOOR SPOT LIGHT WITH SPIKE

code **LSP188-IN220**

casing aluminum

finishing black painting

lamping COB 6W

Lumens 500LM

CRI Ra>90

Beam 15/24/38/60 degree

led color 2700K/3000K/4000K/6000K

Input AC100-240V

built-in power-supply

installation    IP65

code **LSP188-IN12**

Input DC12/24V

built-in power-supply

installation in parallel

code **LSP189-IN220**

casing aluminum

finishing black painting

lamping COB 12W

Lumens 900LM

CRI Ra>90

Beam 15/24/38/60 degree

led color 2700K/3000K/4000K/6000K

Input AC100-240V

built-in power-supply


installation    IP65

code **LSP189-IN12**

Input DC12/24V


built-in power-supply

installation in parallel



surface customizable

 concrete grey paint similar to RAL7037




surface customizable

 concrete grey paint similar to RAL7037



12V / 24V / 220V INPUT ALL BRASS MADE SPIKE GARDEN LIGHT

IP67 WATERPROOF
220V / DC 12/24V
INPUT OPTIONAL
BUILT-IN
POWER-SUPPLY
ALL BRASS MADE




code **LFL036-IN220**
casing all in brass
finishing polished
lamping LED 3W / Ra>80 / 120LM
Beam 30 degree /
2700K/3000K/4000K/6000K
installation   **CE** IP65
100-240V input

code **LFL036-IN12**
installation   **CE** IP65
DC 12/24V input


code **LFL037-IN220**
casing all in brass
finishing polished
lamping COB 5W / Ra>90 / 430LM
Beam 10 / 20 / 30 degree /
2700K/3000K/4000K/6000K
installation   **CE** IP65
100-240V input

code **LFL037-IN12**
installation   **CE** IP65
DC 12/24V input









code **LSP232**
casing aluminum / black painting
lamping CREE XML 6W
/ Ra>80 / 400lm
Beam crystal glass lens /2000K
/color film
installation     IP65



code **LSP233**
 casing aluminum / black painting
 lamping CREE XML 6W
 / Ra>80 / 400lm
 Beam crystal glass lens /2000K
 /color film
 installation     IP65



code **LSP234**
 casing aluminum / black painting
 lamping CREE XML 2x6W
 / Ra>80 / 800lm
 Beam crystal glass lens /2000K
 /color film
 installation     IP65




code **LSP235**
 casing aluminum / black painting
 lamping CREE XML 3x6W
 / Ra>80 / 1200lm
 Beam crystal glass lens /2000K
 /color film
 installation     IP65

**LED OUTDOOR
INGROUND LIGHTS**





OUTDOOR UNDERGROUND IP67 WATERPROOF
 MINI LED SPOTLIGHT 220V / DC 12/24V
 STAINLESS STEEL 316 COVER INPUT OPTIONAL
 COPPER LAMP CASING SUPPLIED WITH
 CHROME PLATED INSTALLATION CASE
 1W / 3W LED AND EXTERNAL
 10/20/30/45/60 OR BUILT-IN
 DEGREE LENS POWER-SUPPLY




code **ODL020**

stainless steel 316 cover / brass heat sink / aluminum installation case

casing stainless steel+brass/ lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K red / green / blue /

installation **CE IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **ODL024**

stainless steel 316 cover / brass heat sink / aluminum installation case

casing stainless steel+brass/ lamping LED 3W / Ra>80 / 120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K/red / green / blue

installation **CE IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **ODL001**

aluminum cover / aluminum heat sink / aluminum installation case

casing aluminum / lamping LED 3W / Ra>80 / 120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K red / green / blue / RGB

installation **CE IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **ODL020-IN12**

stainless steel 316 cover / aluminum heat sink / aluminum installation case

casing stainless steel+aluminum / lamping LED 1W / Ra>80 / 70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K/red / green / blue

installation   **IP67**

supplied with built-in DC 12/24V input LED driver /check installation in next page




code **ODL024-IN12**

stainless steel 316 cover / brass heat sink / aluminum installation case

casing stainless steel+aluminum / lamping LED 3W / Ra>80 / 120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K/red / green / blue

installation   **IP67**

supplied with built-in DC 12/24V input LED driver /check installation in next page



code **ODL001-IN12**

aluminum cover / aluminum heat sink / aluminum installation case

casing aluminum / lamping LED 3W / Ra>80 / 120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K/red / green / blue / RGB


installation   **IP67**

supplied with built-in DC 12/24V input LED driver /check installation in next page




ODL020 / ODL024 / ODL001 installation

ODL020 / ODL024 / ODL001 Single lamp installation




300mA 1x1W for ODL020
600mA 1x3W for ODL024/ODL001




ODL024 / ODL001 Installation in series

lamps in a series circuit




Constant current power supply			
Power supply	Out put current	Out put voltage	Load
2-3x 3W	600mA	DC5-12V	2-3pcs
4-6x 3W	600mA	DC12-22V	4-6pcs
6-10x 3W	600mA	DC20-36V	6-10pcs
10-14x 3W	600mA	DC30-50V	10-14pcs




ODL020 Installation in series

lamps in a series circuit



Constant current power supply			
Power supply	Out put current	Out put voltage	Load
1-3x1W	300mA	DC3-11V	1-3pcs
4-7x1W	300mA	DC12-25V	4-7pcs
7-12x1W	300mA	DC20-43V	7-12pcs
12-20x1W	300mA	DC36-72V	12-20pcs
18-28x1W	300mA	DC50-100V	18-28pcs



STAINLESS STEEL HIGH POWER LED UNDERGROUND SPOT LIGHT



	<p>code ODL028 Stainless steel 316 cover / aluminum heat sink / aluminum installation case</p> <p>casing stainless steel+ / lamping COB 5W / Ra>90 /430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K</p> <p>installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page</p>
--	---

	<p>code ODL029 Stainless steel 316 cover / aluminum heat sink / aluminum installation case</p> <p>casing stainless steel+ / lamping COB 9W / Ra>90 /800LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K</p> <p>installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page</p>
--	---


	<p>code ODL030 Stainless steel 316 cover / aluminum heat sink / aluminum installation case</p> <p>casing stainless steel+ / lamping COB 12W / Ra>90 /900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K</p> <p>installation IP67 supplied with external 100-240V input Ip67 LED driver /check installation in next page</p>
--	--

	<p>code ODL028-IN12 Stainless steel 316 cover / aluminum heat sink / aluminum installation case</p> <p>casing stainless steel+ / lamping COB 5W / Ra>90 /430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K</p> <p>installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page</p>
--	--


	<p>code ODL029-IN12 Stainless steel 316 cover / aluminum heat sink / aluminum installation case</p> <p>casing stainless steel+ / lamping COB 9W / Ra>90 /800LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K</p> <p>installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page</p>
--	--

	<p>code ODL030-IN12 Stainless steel 316 cover / aluminum heat sink / aluminum installation case</p> <p>casing stainless steel+ / lamping COB 12W / Ra>90 /900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K</p> <p>installation IP67 supplied with built-in DC 12/24V input LED driver /check installation in next page</p>
--	---

ODL028 / ODL029 / ODL030 installation




ODL028-IN12 / ODL029-IN12 / ODL030-IN12 installation




DO NOT CONNECT THE LAMP DIRECTLY TO THE MAIN





code **ODL047-IN220**
 casing all in brass / polished
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 input voltage 100-240V
 installation **CE IP67**






code **ODL047A-IN220**
 casing all in brass / polished
 lamping LED 1W / Ra>80 / 70LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 input voltage 100-240V
 installation **CE IP67**


code **ODL047-IN12**
 input voltage 12/24V
 installation **CE IP67**

code **ODL047A-IN12**
 input voltage 12/24V
 installation **CE IP67**

installation guide




100-240V input



DC 12V input




do not connect directly to the 220V main



code **ODL048-IN220**
 casing all in brass / polished
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 input voltage 100-240V
 installation IP67



code **ODL048-IN12**
 input voltage 12/24V
 installation IP67




code **ODL048A-IN220**
 casing all in brass / polished
 lamping LED 3W / Ra>80 / 120LM
 Beam 30 degree /
 2700K/3000K/4000K/6000K
 input voltage 100-240V
 installation IP67

code **ODL048A-IN12**
 input voltage 12/24V
 installation IP67

installation guide




100-240V input



DC 12V input




do not connect directly to the 220V main



code **ODL049-IN220**
 casing all in brass / polished
 lamping COB 5W / Ra>90 / 430LM
 Beam 10 / 20 / 30 degree /
 2700K/3000K/4000K/6000K
 input voltage 100-240V
 installation IP67




code **ODL049-IN12**
 input voltage 12/24V
 installation IP67




code **ODL049A-IN220**
 casing all in brass / polished
 lamping COB 5W / Ra>90 / 430LM
 Beam 10 / 20 / 30 degree /
 2700K/3000K/4000K/6000K
 input voltage 100-240V
 installation IP67

code **ODL049A-IN12**
 input voltage 12/24V
 installation IP67

installation guide



100-240V input



DC 12V input



do not connect directly to the 220V main

LED GARDEN AND PATH LIGHTS





LED GARDEN AND PATH LIGHTS

code **LFL030**

LFL031

LFL032

casing aluminum

finishing black painting

lamping LED 3W

Lumens 120LM

CRI Ra>80

Beam Solid acrylic diffuser

led color 2700K/**3000K**/4000K/6000K

RED / GREEN / BLUE

Input AC 100-240V

external power-supply

installation    IP65

code **LFL030-12V**

LFL031-12V

LFL032-12V




Input DC 12/24V

external power-supply


installation in parallel

surface customizable

 concrete grey paint similar to RAL7037




LFL030



LFL031



LFL032



LED GARDEN AND PATH LIGHTS

code **LFL016**

LFL017

LFL018

casing aluminum

finishing black painting

lamping LED 1W

Lumens 70LM

CRI Ra>80

Beam Solid acrylic diffuser

led color 2700K/**3000K**/4000K/6000K

RED / GREEN / BLUE

Input AC 100-240V

external power-supply

installation    IP65

code **LFL016-12V**

LFL017-12V

LFL018-12V





Input DC 12/24V

external power-supply

installation in parallel

surface customizable

 concrete grey point similar to RAL7037



code	A/mm	B/mm	C/mm	D/mm
LFL016	28	90	1000	250
LFL017	28	90	800	250
LFL018	28	90	600	250



LED GARDEN AND PATH LIGHTS



code **LFL013**
LFL014
LFL015

casing aluminum
 finishing black painting
 lamping COB 6W
 Lumens 500LM
 CRI Ra>90
 Beam Solid acrylic diffuser
 led color 2700K/**3000K**/4000K/6000K
 Input AC100-240V
 built-in power-supply
 installation   **IP65**

code **LFL013-IN12**
LFL014-IN12
LFL015-IN12

Input DC 12/24V
 built-in power-supply
 installation in parallel


surface customizable
 concrete grey paint similar to RAL7037



code	A/mm	B/mm	C/mm	D/mm	E/mm
LFL013	60	820	200	320	207
LFL014	60	1020	200	320	207
LFL015	60	1220	200	320	207

12V / 24V / 220V INPUT ALL BRASS MADE SPIKE GARDEN LIGHT

IP67 WATERPROOF
220V / DC 12/24V
INPUT OPTIONAL
BUILT-IN
POWER-SUPPLY
ALL BRASS MADE



code **LFL034-IN220**

casing all in brass

finishing polished

lampping LED 3W / Ra>80 / 120LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation   **CE** IP65

100-240V input

code **LFL034-IN12**

installation   **CE** IP65

DC 12/24V input

code **LFL035-IN220**

casing all in brass

finishing polished

lampping COB 5W / Ra>90 / 430LM

Beam acrylic diffuser

2700K/3000K/4000K/6000K

installation   **CE** IP65


100-240V input

code **LFL035-IN12**

installation   **CE** IP65

DC 12/24V input





LED GARDEN AND PATH LIGHTS


code **LFL006**
LFL007
LFL008

casing aluminum
 finishing black painting
 lamping COB 6W
 Lumens 500LM
 CRI Ra>90
 Beam Solid acrylic diffuser
 led color 2700K/**3000K**/4000K/6000K
 Input AC 100-240V
 built-in power-supply
 installation    IP65

code **LFL006-IN12**
LFL007-IN12
LFL008-IN12

Input DC 12/24V
 built-in power-supply
 installation in parallel

surface customizable
 concrete grey paint similar to RAL7037



code	A/mm	B/mm	C/mm
LFL006	60	450	100
LFL007	60	650	100
LFL007	60	800	100



LED GARDEN AND PATH LIGHTS







code **LFL009**
LFL010
LFL011

casing aluminum
 finishing black painting
 lamping COB 9W
 Lumens 800LM
 CRI Ra>90
 Beam Solid acrylic diffuser
 led color 2700K/**3000K**/4000K/6000K
 Input AC100-240V
 built-in power-supply
 installation    IP65

code **LFL009-IN12**
LFL010-IN12
LFL011-IN12

Input DC 12/24V
 built-in power-supply
 installation in parallel

surface customizable
 concrete grey paint similar to RAL7037



code	A/mm	B/mm	C/mm
LFL009	102	210	60
LFL010	102	410	60
LFL011	102	610	60

LED GARDEN AND PATH LIGHTS

code **LFL020**

LFL021

casing aluminum

finishing black painting

lampping E14 socket

Supplied with

4W led candle lamp

Lumens 360LM

CRI Ra>80

Beam Acrylic diffuser

lamp color 2700K/3000K/4000K/6000K


Input AC100-240V






lamp inside changeable

installation   **CE** IP65

surface

customizable

 concrete grey paint
similar to RAL7037



code	A/mm	B/mm	C/mm
LFL020	60	700	100
LFL021	80	700	130

LED GARDEN AND PATH LIGHTS

code **LFL022**

LFL023

LFL024

casing aluminum

finishing black painting

lamping E27 socket

Supplied with
4W led candle lamp

Lumens 360LM

CRI Ra>80

Beam Acrylic diffuser

lamp color 2700K/**3000K**/4000K/6000K





Input AC100-240V

lamp inside changeable

installation    IP65

surface
customizable

 concrete grey paint
similar to RAL7037



code	A/mm	B/mm	C/mm
LFL022	102	350	150
LFL023	102	550	150
LFL024	102	750	150



LED GARDEN AND PATH LIGHTS

code **LFL041**

LFL042

LFL043

casing aluminum

finishing black painting

lampping COB 6W

Lumens 500LM

CRI Ra>90

Beam Solid acrylic diffuser/

Laser cut inside and reflect

and diffuse the light

led color 2700K/**3000K**/4000K/6000K

Input AC 100-240V

built-in power-supply

installation   **CE** IP65

code **LFL041-IN12**

LFL042-IN12

LFL043-IN12






Input DC 12/24V

built-in power-supply

installation in parallel

surface customizable






 concrete grey paint similar to RAL7037



code	A/mm	B/mm	C/mm
LFL041	60	460	110
LFL042	60	660	110
LFL043	60	810	110



LED GARDEN AND PATH LIGHTS



code **LFL044**

LFL045

LFL046

casing aluminum

finishing black painting

lamping COB 9W

Lumens 800LM

CRI Ra>90

Beam Solid acrylic diffuser/

Laser cut inside and reflect

and diffuse the light

led color 2700K/**3000K**/4000K/6000K

Input AC100-240V

built-in power-supply

installation IP65

code **LFL044-IN12**

LFL045-IN12

LFL046-IN12

Input DC12/24V

built-in power-supply


installation in parallel

surface
customizable

concrete grey paint
similar to RAL7037



code	A/mm	B/mm	C/mm
LFL044	102	230	80
LFL045	102	430	80
LFL046	102	630	80







code **LFL066**

LFL067

LFL068

casing aluminum

finishing black painting

lamping COB 6W

lumens 500LM

CRI Ra>90

Beam acrylic diffuser

2700K/3000K/4000K/5000K

installation check manul before
installation






 IP65

surface customizable  white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037





code [LFL069](#)

[LFL070](#)

[LFL071](#)

casing aluminum

finishing black painting

lampping COB 9W

lumens 800LM

CRI Ra>90

Beam acrylic diffuser

2700K/**3000K**/4000K/5000K


installation check manul before
installation





 IP65

surface customizable  white paint
similar to RAL9003


 concrete grey paint
similar to RAL7037



[LFL069](#)



[LFL070](#)



[LFL071](#)



code **LFL038**

LFL039

LFL040

casing aluminum

finishing black painting

lampping COB 6W

lumens 500LM

CRI Ra>90


Beam acrylic diffuser

2700K/**3000K**/4000K/6000K


installation     IP65

check manul before
installation

surface customizable  white paint
similar to RAL9003
 concrete grey paint
similar to RAL7037



LFL038



LFL039



LFL040



LED GARDEN AND PATH LIGHTS

code **LFL048**

LFL049

casing aluminum

brass shade

finishing black painting

lampping SMD 6W

Lumens 600LM

CRI Ra>80

Beam acrylic diffuser

led color 2700K/3000K/4000K/6000K

Input AC 100-240V

built-in power-supply

installation    IP65

code **LFL048-IN12**

LFL049-IN12



Input DC 12/24V

built-in power-supply


installation in parallel

surface customizable

 concrete grey paint similar to RAL7037



code	A/mm	B/mm	C/mm	D/mm
LFL048	125	380	75	60
LFL049	125	800	75	60





code [LFL072](#)

[LFL073](#)

[LFL074](#)

casing aluminum

finishing black painting

lamping COB 6W

lumens 500LM

CRI Ra>90

Beam acrylic diffuser / aluminum shade

2700K/~~3000K~~/4000K/5000K

installation check manual before
installation






 IP65

surface customizable  white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037



[LFL072](#)

[LFL073](#)

[LFL074](#)



code [LFL075](#)

[LFL076](#)

[LFL077](#)

casing aluminum

finishing black painting

lampping COB 9W

lumens 800LM

CRI Ra>90

Beam acrylic diffuser / aluminum shade
2700K/~~3000K~~/4000K/5000K

installation check manul before
installation






 IP65

surface customizable  white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037



LFL075

LFL076

LFL077



code **LFL063**

LFL064

casing aluminum

finishing black painting

lampping LED 10W

lumens 1000LM

CRI Ra>80


Beam wide flood down light


2700K/3000K/4000K/5000K

installation     IP65

check manul before
installation

surface customizable  white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037



LFL063

LFL064

LED GARDEN AND PATH LIGHTS

code **LFL026**

casing aluminum

finishing black painting

lamping SMD 10W

Lumens 1000LM

CRI Ra>80

Beam Solid acrylic diffuser

led color 2700K/~~3000K~~/4000K/6000K

Input AC 100-240V

built-in power-supply

installation    IP65

code **LFL026-12V**





Input DC 12/24V

built-in power-supply

installation in parallel

surface customizable

 concrete grey paint similar to RAL7037



code	A/mm	B/mm	C/mm	D/mm
LFL026	60	700	150	225





code **LFL059**

LFL061

casing aluminum

finishing black painting

lamping COB 6W

lumens 500LM

CRI Ra>90

Beam 38 degree


2700K/3000K/4000K/5000K

installation     IP65


check manul before
installation

surface customizable  white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037



LFL059



LFL061



code **LFL060**

LFL062

casing aluminum

finishing black painting

lampping COB 2X6W

lumens 1000LM

CRI Ra>90


Beam 38 degree


2700K/3000K/4000K/5000K

installation     IP65


check manul before
installation

surface customizable  white paint
similar to RAL9003

 concrete grey paint
similar to RAL7037



LFL060




LFL062







code **LFL050**
 casing stainless steel
 finishing grey painting
 lamping E14 socket
 Supplied with
 4W led candle lamp
 Lumens 360LM
 CRI Ra>80
 Beam laser cut shape
 lamp color 2700K/~~3000K~~/4000K/6000K
 Input AC220-240V
 lamp inside changeable
 installation    IP65


surface customizable
 black paint equal to RAL9011




code **LFL051**
 casing stainless steel
 finishing grey painting
 lamping E14 socket
 Supplied with
 4W led candle lamp
 Lumens 360LM
 CRI Ra>80
 Beam laser cut shape
 lamp color 2700K/~~3000K~~/4000K/6000K
 Input AC220-240V
 lamp inside changeable
 installation    IP65


surface customizable
 black paint equal to RAL9011








LED OUTDOOR CEILING LIGHTS



EXTERIOR
SURFACE MOUNTED
CEILING DOWNLIGHT



code **LBL183**


surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 5W / Ra>90 / 430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

Installation IP65



code **LBL184**


surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 12W / Ra>90 / 900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

Installation IP65



code **LBL185**

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 20W / Ra>90 / 1700LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

Installation IP65





EXTERIOR
SURFACE MOUNTED
CEILING DOWNLIGHT



code **LBL186**

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 5W / Ra>90 / 430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

Installation IP65



code **LBL187**


surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 12W / Ra>90 / 900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

Installation IP65



code **LBL188**

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 20W / Ra>90 / 1700LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K


Installation IP65




OUTDOOR IP65 LED SURFACE DOWNLIGHT ACRYLIC COVER

surface
customizable


- concrete grey paint
similar to RAL7037
- white paint
similar to RAL9003




code **LBL249**
 casing aluminum / black painting
 lamping LED 12W / Ra>80 / 1200LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation     IP65



code **LBL250**
 casing aluminum / black painting
 lamping LED 20W / Ra>80 / 2000LM
 Beam acrylic diffuser
 2700K/**3000K**/4000K/6000K
 installation     IP65






code **LBL272**
casing aluminum / black painting
lamping COB 5W / Ra>80 / 430LM
Beam acrylic diffuser
2700K/3000K/4000K/6000K
installation     **CE**  **IP65**

surface customizable
 concrete grey paint similar to RAL7037
 white paint similar to RAL9003








code [LBL298-BK](#)
 casing aluminum / black painting
 lamping LED 10W / Ra>80 / 1000LM
 Beam Acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation IP65

code [LBL298-WT](#)
 casing aluminum / white painting
 lamping LED 10W / Ra>80 / 1000LM
 Beam Acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation IP65




OUTDOOR IP65 LED RECESSED DOWNLIGHT


surface
customizable

■ concrete grey paint
similar to RAL7037



■ white paint
similar to RAL9003




code **LDC469**
 casing aluminum / black painting
 lamping led 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation IP65
 cut-off dia 40mm



code **LDC470**
 casing aluminum / black painting
 lamping led 3W / Ra>80 / 120LM
 Beam 30 degree
 2700K/**3000K**/4000K/6000K
 installation IP65
 cut-off dia 55mm



code **LDC471**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 500LM
 Beam 38 degree
 2700K/**3000K**/4000K/5000K
 installation IP65
 cut-off dia 50mm



code **LDC472**
 casing aluminum / black painting
 lamping COB 6W / Ra>90 / 500LM
 Beam 38 degree
 2700K/**3000K**/4000K/5000K
 installation IP65
 cut-off dia 65mm





OUTDOOR IP65 LED RECESSED DOWNLIGHT

surface
customizable

■ concrete grey paint
similar to RAL7037

■ white paint
similar to RAL9003

code **LDC411**


casing aluminum / black painting

lampping COB 6W / Ra>90 / 500LM

Beam 15 / 24 / **38** / 60 degree
2700K / **3000K** / 4000K / 6000K

installation ■ ◆ CE ▽ IP65

⊘ cut-off dia 70mm



code **LDC412**


casing aluminum / black painting

lampping COB 12W / Ra>90 / 900LM

Beam 15 / 24 / **38** / 60 degree
2700K / **3000K** / 4000K / 6000K

installation ■ ◆ CE ▽ IP65

⊘ cut-off dia 115mm



code **LDC413**


casing aluminum / black painting

lampping COB 20W / Ra>90 / 1600LM

Beam 15 / 24 / **38** / 60 degree
2700K / **3000K** / 4000K / 6000K

installation ■ ◆ CE ▽ IP65

⊘ cut-off dia 115mm






EXTERIOR
RECESSED MOUNTED
CEILING SPOTLIGHT



code **LDC337**
casing aluminum / black painting
lamping COB 12W / Ra>90 /900LM
Beam 15/24/88/60 degree
2700K/3000K/4000K/6000K
installation     IP65

 cut-out dia 125mm




surface customizable

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037

code **LDC336**
casing aluminum / black painting
lamping COB 9W / Ra>90 /800LM
Beam 15/24/88/60 degree
2700K/3000K/4000K/6000K
installation     IP65

 cut-out dia 100mm




surface customizable

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037

code **LDC335**
casing aluminum / black painting
lamping COB 6W / Ra>90 /500LM
Beam 15/24/88/60 degree
2700K/3000K/4000K/6000K
installation     IP65

 cut-out dia 80mm



surface customizable

 white paint similar to RAL9003

 concrete grey paint similar to RAL7037




OUTDOOR IP65 LED RECESSED DOWNLIGHT ACRYLIC COVER


surface
customizable

■ concrete grey paint
similar to RAL7037


■ white paint
similar to RAL9003




code **LDC414**
 casing aluminum / black painting
 lamping LED 6W / Ra>80 / 600LM
 Beam acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation IP65
 cut-off dia 70mm



code **LDC415**
 casing aluminum / black painting
 lamping LED 12W / Ra>80 / 1200LM
 Beam acrylic diffuser
 2700K/~~3000K~~/4000K/6000K
 installation IP65
 cut-off dia 115 mm



code **LDC402**
 casing all in brass
 finishing polished
 lamping LED 3W
 lumens 120LM
 CRI Ra>80
 Beam 30 degree
 2700K/~~3000K~~/4000K/6000K
 input voltage 100-240V
 installation   **CE IP67**
 cut-off dia43mm



code **LDC403**
 casing all in brass
 finishing polished
 lamping COB 6W /
 lumens 500LM
 CRI Ra>90
 Beam 10 /~~20~~/ 30 degree /
 2700K/~~3000K~~/4000K/6000K
 input voltage 100-240V
 installation   **CE IP67**
 cut-off dia53mm